Application for the issue of an Airline Transport Pilot Licence ATPL(H) according to Commission Regulation (EU) No 1178/2011 Annex I (Part-FCL) Subpart F



Please fill in the framed fields of the form, sign it and send it together with attachments to pilots@austrocontrol.at, or via FAX to +43 51703 1536, or by post to:

AUSTRO CONTROL GmbH, Aviation Agency, Schnirchgasse 17, 1030 Vienna, Austria

1 Type of application

2 Applicant

I apply for the issue of an Airline Transport Pilot Licence ATPL(H) according to Commission Regulation (EU) No 1178/2011 Annex I (Part-FCL) Subpart F after having successfully completed a skill test in accordance with FCL.520.H.

Note for the applicant: To apply for an ATPL theory credit, please use form FO_LFA_ACW_027.

APPLICANT'S LICENCE NUMBER:							
Form of address Title F	irst Name(s)		Last Name(s)				
Street	City		Postal code	Country			
Telephone	E	-Mail					
Date of Birth (dd/mm/yyyy)	Place of Birth / Cour	ntry	Citizenship				
Place Date	Signature of Applica	nt					
3 Invoice accepted by / to	be sent to						
the Applicant via e-mail	the Applicant via	postal service	the Company				
Company (name/address)		Signature					
4 Summary of knowledge	and flight experience b	efore the ATPL	(H) skill test is taken				
General requirements							
a) Medical certificate Class 1			valid until:				
b) Holder of a CPL(H) licence			date of issue:				
c) MCC course passed			date:				
d) Valid ATPL(H) theoretical exa	mination		passed on (date):				
Flight experience							
e) Total flight experience			min. 1000 hours:				
e, eta ingri experience							
e.i) thereof on FSTD			max. 100 hours:				
e.ii) thereof on FNPT			max. 25 hours:				

f) Flight experience in multi-pilot helicopters

min. 350 hours:

Application for the issue of an Airline Transport Pilot Licence ATPL(H) according to Commission Regulation (EU) No 1178/2011 Annex I (Part-FCL) Subpart F



g) Flight experience as PIC, or	min. 250 hours:
h) Flight experience as PIC and PICUS	
h.i) thereof as PIC	min. 100 hours:
h.ii) thereof as PICUS, or	min. 150 hours:
i) Flight experience as PICUS on MPH	min. 250 hours:
j) Flight experience on cross-country flights	min. 200 hours:
thereof as PIC or PICUS	min. 100 hours:
k) Instrument time	min. 30 hours:
thereof instrument ground time	max. 10 hours:
I) Night flight time as PIC or COPI	min. 100 hours:

Attachments (Please attach, if not specified differently, copies of the listed documents to the application)

- Medical certificate class 1
- All pilot logbooks (original)
- 1 passport picture (original)
- Application for the designation of a flight examiner for the conduct of the ATPL(H) skill test

6 Con	iduct of the ATPL(H) skill test			
Applicant	First Name	Last Name	Licence Number	
Examiner	First Name	Last Name	Examiner Number	Seat occupied
Aircraft	Type/Variant	Registration]	
FSTD if applicable	Type/Variant	FSTD-ID	FSTD Operator/Locatior	1
Flight details	Date of Test	Time on Controls	# Landings	# Approaches
Leg #1	Block-off Departure Dest	ination Block-on Leg #2 (if applicable)	Block-off Departure	Destination Block-on

Application for the issue of an Airline Transport Pilot Licence ATPL(H) according to Commission Regulation (EU) No 1178/2011 Annex I (Part-FCL) Subpart F



APPLICANT'S LICENCE NUMBER:

Skill test report

S	ingle/Multi-Pilot Helicopters		Pra	ctical Trainin	ng	Skill Test or Proficiency Check	
		Practica	I training per	formed in	Instructor initials	Chkd in	Examiner
	Manoeuvres/Procedures	FTD	FFS	Н	when training completed	FFS H	initials when test completed
SEC	ION 1 - PRE-FLIGHT PREPAR	ATIONS AN	D CHECKS			•	•
1.1	Helicopter exterior visual inspection; location of each item and purpose of inspection			Ρ		M (if performed in the helicopter)	
1.2	Cockpit inspection		Р	\rightarrow		м	
1.3	Starting procedures, radio and navigation equipment check, selection and setting of navigation and communication frequencies	Р		→		М	
1.4	Taxiing/air taxiing in compliance with air traffic control instructions or with instructions of an instructor		Р	\rightarrow		М	
1.5	Pre-take-off procedures and checks	Р	\rightarrow	\rightarrow		м	
SEC	TION 2 - FLIGHT MANOEUVRE	S AND PRO	CEDURES		·		
2.1	Take-offs (various profiles)		Р	\rightarrow		м	
2.2	Sloping ground or crosswind take-offs & landings		Р	\rightarrow			
2.3	Take-off at maximum take-off mass (actual or simulated maximum take-off mass)	Ρ	\rightarrow	\rightarrow			
2.4	Take-off with simulated engine failure shortly before reaching TDP or DPATO		Р	\rightarrow		М	
2.4.1	Take-off with simulated engine failure shortly after reaching TDP or DPATO		Р	\rightarrow		м	
2.5	Climbing and descending turns to specified headings	Р	\rightarrow	\rightarrow		м	
2.5.1	Turns with 30° bank, 180° to 360° left and right, by sole reference to instruments	Р	\rightarrow	\rightarrow		М	
2.6	Autorotative descent	Р	\rightarrow	\rightarrow		м	
2.6.1	Autorotative landing (SEH only) or power recovery		Р	\rightarrow		М	
2.7	Landings, various profiles		Р	\rightarrow		м	
2.7.1	Go-around or landing following simulated engine failure before LDP or DPBL		Р	\rightarrow		М	
2.7.2	Landing following simulated engine failure after LDP or DPBL		Р	\rightarrow		м	

Application for the issue of an Airline Transport Pilot Licence ATPL(H) according to Commission Regulation (EU) No 1178/2011 Annex I (Part-FCL) Subpart F



APPLICANT'S LICENCE NUMBER:

:	Single/Multi-Pilot Helicopters	Practical Training			ng	Skill Test or Proficiency Check		
Manoeuvres/Procedures		Practical training performed in			Instructor initials	Chkd in	Examiner	
		FTD	FFS	н	when training completed	FFS H	initials when test completed	
SEC	TION 3 - NORMAL AND ABNOR	MAL OPER	ATIONS OF	THE FOLL	OWING SYSTEMS AN	ND PROCED	URES	
3	Normal and abnormal operations of the following systems and procedures:					М	A mandatory minimum of 3 items shall be selected from this section.	
3.1	Engine	Р	\rightarrow	\rightarrow				
3.2	Air conditioning (heating, ventilation)	Р	\rightarrow	\rightarrow				
3.3	Pitot/static system	Р	\rightarrow	\rightarrow				
3.4	Fuel system	Ρ	\rightarrow	\rightarrow				
3.5	Electrical system	Ρ	\rightarrow	\rightarrow				
3.6	Hydraulic system	Р	\rightarrow	\rightarrow				
3.7	Flight control and Trim system	Р	\rightarrow	\rightarrow				
3.8	Anti-icing and de-icing system	Р	\rightarrow	\rightarrow				
3.9	Autopilot/Flight director	Р	\rightarrow	\rightarrow				
3.10	Stability augmentation devices	Р	\rightarrow	\rightarrow				
3.11	Weather radar, radio altimeter, transponder	Р	\rightarrow	\rightarrow				
3.12	Area Navigation System	Ρ	\rightarrow	\rightarrow				
3.13	Landing gear system	Р	\rightarrow	\rightarrow				
3.14	Auxiliary power unit	Р	\rightarrow	\rightarrow				
3.15	Radio, navigation equipment, instruments flight management system	Р	\rightarrow	\rightarrow				
SEC	TION 4 - ABNORMAL AND EME	RGENCY P	ROCEDUR	ĒS	,		4	
4	Abnormal and emergency procedures					М	A mandatory minimum of 3 items shall be selected from this section.	
4.1	Fire drills (including evacuation if applicable)	Р	\rightarrow	\rightarrow				

Application for the issue of an Airline Transport Pilot Licence ATPL(H) according to Commission Regulation (EU) No 1178/2011 Annex I (Part-FCL) Subpart F



APPLICANT'S LICENCE NUMBER:

5	Single/Multi-Pilot Helicopters		Practical Training			Skill Test or Proficiency Check	
			I training pe	rformed in	Instructor initials	Chkd in	Examiner
	Manoeuvres/Procedures	FTD	FFS	н	when training completed	FFS H	initials when test completed
4.2	Smoke control and removal	Р	\rightarrow	\rightarrow			
4.3	Engine failures, shutdown and restart at a safe height	Р	\rightarrow	\rightarrow			
4.4	Fuel dumping (simulated)	Р	\rightarrow	\rightarrow			
4.5	Tail rotor control failure (if applicable)	Р	\rightarrow	\rightarrow			
4.5.1	Tail rotor loss (if applicable)	Р	\rightarrow	Helicopter may not be used for this exercise.			
4.6	Incapacitation of crew member - MPH only	Р	\rightarrow	\rightarrow			
4.7	Transmission malfunctions	Ρ	\rightarrow	\rightarrow			
4.8	Other emergency procedures as outlined in the appropriate Flight Manual	Р	\rightarrow	\rightarrow			
SEC	TION 5 - INSTRUMENT FLIGHT	PROCEDU	RES (TO BE	E PERFORME	ED IN IMC OR SIMUL	ATED IMC)	
5.1	Instrument take-off: transition to instrument flight is required as soon as possible after becoming airborne	P*	→*	→*			
5.1.1	Simulated engine failure during departure	P*	\rightarrow^*	→*		M*	
5.2	Adherence to departure and arrival routes and ATC instructions	P*	\rightarrow^*	→*		M*	
5.3	Holding procedures	P*	\rightarrow^*	→*			
5.4	3D operations to DH/A of 200 feet (60 m) or to higher minima if required by the approach procedure	P*	→*	→*			
5.4.1	Manually, without flight director. Note: According to the AFM, RNP APCH procedures may require the use of autopilot or Flight director. The procedure to be flown manually shall be chosen taken into account such limitations (example choose an ILS for 5.4.1 in case of such AFM limitation)	P*	→*	→*		M*	
5.4.2	Manually, with Flight Director	P*	\rightarrow^*	→*		M*	
5.4.3	With coupled autopilot	P*	\rightarrow^*	→*			

Application for the issue of an Airline Transport Pilot Licence ATPL(H) according to Commission Regulation (EU) No 1178/2011 Annex I (Part-FCL) Subpart F



APPLICANT'S LICENCE NUMBER:

5	Single/Mulit-Pilot Helicopters	Practical Training			Skill Test or Proficiency Check			
		Practica	l training per	formed in	Instructor initials	Chkd in	Examiner	
	Manoeuvres/Procedures	FTD	FFS	Н	when training completed	FFS H	initials when test completed	
5.4.4.	Manually, with one engine simulated inoperative; engine failure has to be simulated during final approach before passing 1000 feet above aerodrome level until touchdown or until completion of the missed approach procedure	P*	→*	→*		M*		
5.5	2D operations down to the minimum descent altitude MDA/H	P*	→*	→*		M*		
5.6	Go-around with all engines operating or reaching DA/DH or MDA/MDH	P*	→*	→*				
5.6.1	Other missed approach procedures	P*	→*	→*				
5.6.2	Go-around with one engine simulated inoperative on reaching DA/DH or MDA/MDH	P*				M*		
5.7	IMC autorotation with power recovery	Ρ*	\rightarrow^{\star}	\rightarrow^*		М*		
5.8	Recovery from unusual altitudes	P*	→*	→*		M*		
SEC	SECTION 6 - USE OF OPTIONAL EQUIPMENT							
6	Use of optional equipment	Р	\rightarrow	\rightarrow				

RESULT OF THE SKILL TEST SECTIONS						
"P" - passed "F" - failed	1	2	3	4	5	6
REMARKS (if any)						

8 Result of the skill test		
PASSED	PARTIALLY PASSED	FAILED
Signature of Examiner Si		Signature of Applicant

Application for the issue of an Airline Transport Pilot Licence ATPL(H) according to Commission Regulation (EU) No 1178/2011 Annex I (Part-FCL) Subpart F



9 Guidelines for the conduct of the skill test

PASS MARKS

- 1. In case of skill test or proficiency check for type ratings and the ATPL the applicant shall pass sections 1 to 4 and 6 (as applicable) of the skill test or proficiency check. Failure in more than five items will require the applicant to take the entire test or check again. An applicant failing not more than five items shall take the failed items again. Failure in any item of the re-test or re-check or failure in any other items already passed will require the applicant to take the entire test or check again. All sections of the skill test or proficiency check shall be completed within 6 months.
- 2. In case of proficiency check for an IR the applicant shall pass section 5 of the proficiency check. Failure in more than three items will require the applicant to take the entire section 5 again. An applicant failing not more than three items shall take the failed items again. Failure in any item of the re-check or failure in any other items of section 5 already passed will require the applicant to take the entire check again.

FLIGHT TEST TOLERANCE

- 3. The applicant shall demonstrate the ability to:
 - a) operate the helicopter within its limitations;
 - b) complete all manoeuvres with smoothness and accuracy;
 - c) exercise good judgement and airmanship;
 - d) apply aeronautical knowledge;
 - e) maintain control of the helicopter at all times in such a manner that the successful outcome of a procedure or manoeuvre is never in doubt;
 - f) understand and apply crew coordination and incapacitation procedures, if applicable; and
 - g) communicate effectively with the other crew members, if applicable.
- 4. The following limits shall apply, corrected to make allowance for turbulent conditions and the handling qualities and performance of the helicopter used:

Height		Tracking	
Generally	± 100 feet	On radio aids	± 5°
Starting a go-around at decicion height/altitude	+ 50 feet / - 0 feet	For "angular" deviations	Half scale deflection, azimuth and glide path (e.g. LPV, ILS, MLS, GLS)
Minimum descent height/MAP/altitude	+ 50 feet / - 0 feet	2D (LNAV) and 3D (LNAV/VNAV) "linear" lateral deviations	cross-track error/deviations shall normally be limited to $\pm \frac{1}{2}$ the RNP value associated with the procedure. Brief deviations from this standard up to a maximum of 1 time the RNP value are allowable.
-	-	3D linear vertical deviations (e.g. RNP APCH (LNAV/VNAV) using BaroVNAV)	not more than - 75 feet below the vertical profile at any time, and not more than + 75 feet above the vertical profile at or below 1000 feet above aerodrome level.
Speed		Heading	
All engines operating	± 5 knots	All engines operating	± 5°
With simulated	+ 10 knots / - 5 knots	With simulated	± 10°
engine failure		engine failure	

a) IFR flight limits

Application for the issue of an Airline Transport Pilot Licence ATPL(H) according to Commission Regulation (EU) No 1178/2011 Annex I (Part-FCL) Subpart F



b) VFR flight limits

Height		Ground drift	
Generally	± 100 feet	T.O. hover I.G.E	± 3 feet
-	-	Landing	± 2 feet (with 0 feet rearward or lateral flight
Speed		Heading	
Generally	± 10 knots	Nomal operations	± 5°
With simulated engine failure	+ 10 knots / - 5 knots	Abnormal operations/ emergencies	± 10°

CONTENT OF THE TRAINING/SKILL TEST/PROFICIENCY CHECK

- 5. The following symbols mean:
 - P Trained as PIC for the issue of a type rating for SPH or trained as PIC or Co-pilot and as PF and PNF for the issue of a type rating for MPH.
- The practical training shall be conducted at least at the training equipment level shown as (P), or may be conducted up to any higher equipment level shown by the arrow (→).

The following abbreviations are used to indicate the training equipment used:

- FFS Full Flight Simulator
- FTD Flight Training Device
- H Helicopter
- 7. The starred items (*) shall be flown in actual or simulated IMC, only by applicants wishing to renew or revalidate an IR(H), or extend the privileges of that rating to another type.
- 8. Instrument flight procedures (section 5) shall be performed only by applicants wishing to renew or revalidate an IR(H) or extend the privileges of that rating to another type. An FFS or FTD 2/3 may be used for this purpose.
- 9. Where the letter 'M' appears in the skill test or proficiency check column this will indicate the mandatory exercise.
- 10. An FSTD shall be used for practical training and testing if the FSTD forms part of a type rating course. The following considerations will apply to the course:
 - i) the qualification of the FSTD as set out in the relevant requirements of Part-ARA and Part-ORA;
 - ii) the qualification of the instructor and examiner;
 - iii) the amount of FSTD training provided on the course;
 - iv) the qualifications and previous experience in similar types of the pilot under training; and
 - v) the amount of supervised flying experience provided after the issue of the new type rating.

MULTI-PILOT HELICOPTERS

- 11. Applicants for the skill test for the issue of the multi-pilot helicopter type rating and ATPL(H) shall take only sections 1 to 4 and, if applicable, section 6.
- 12. Applicants for the revalidation or renewal of the multi-pilot helicopter type rating proficiency check shall take only sections 1 to 4 and, if applicable, section 6.