

LOG-BOOK - 02

General Aircraft Type
Practical Experience List of Tasks
for Group 3 Aircrafts

Category B3

COMPOSITE STRUCTURE

Name of Trainee:_	
Date of birth:	



According AMC 66.A.45(f) Type/task training and ratings:

Type experience should cover an acceptable cross section of tasks from Appendix II. For the first aircraft type of each manufacturer group, at least 50% of the Appendix II tasks, as applicable to the concerned aircraft type and licence category should be performed. For the second aircraft type of each manufacturer group, this should be reduced to 30%. For subsequent aircraft types of each manufacturer group, this should be reduced to 20%.

General:

Block 01 General dates								
Aircraft types:				Aircraft types:				
Aircraft re	egistrations:			Aircra	aft registrations:			
Block 02			·					
Name	of maintenance Orga	nisation	Approval refere Maintenance			Siç	f accounta al manage	
Block 03							T	
Name of Supervise			ition, Organisation, al No/ Licence Number	r	Signature sample	Assess started		essment eted (date)
Block 04								
ATA 05 Ti	me limits/ Maintenance	checks						
Date		Competence ob	otained		CAT	Trainee Signature	upervisor Signature	AsK or Signature
М	Perform job preparatio (general aviation aircra	n for 100/ ann aft).	ual hour check		В3			
М	Assist carrying out a se or any other manufactor	cheduled main urer informatio	tenance check i.a.w. AM n.	1M	В3			
М	Review aircraft mainte	nance logs for	correct completion.		В3			
М	Review records for cor	npliance with a	airworthiness directives.		В3			
M	Review records for cor information, service let maintenance data / info	ters and other	service bulletins, service available manufacturer		В3			
М	Review records for cor	npliance with	component life limits.		В3			
М			uled maintenance inspec tenance data/ informatio		В3			



According AMC 66.A.45(f) Type/task training and ratings:

Type experience should cover an acceptable cross section of tasks from Appendix II. For the first aircraft type of each manufacturer group, at least 50% of the Appendix II tasks, as applicable to the concerned aircraft type and licence category should be performed. For the second aircraft type of each manufacturer group, this should be reduced to 30%. For subsequent aircraft types of each manufacturer group, this should be reduced to 20%.

General:

М	Prepare procedure for inspection following hard landing.	В3			
М	Prepare procedure for inspection following lightning strike.	В3			
М	Perform at least one unscheduled maintenance inspection according aircraft manufacturer maintenance data/ information. See notes after page 16: Note detailed each performed unscheduled maintenance inspection.	В3			
М	Prepare/ perform ground-run.	В3			
0	Prepare check flight.	В3			
ATA 06 D	imensions/ Areas				
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
М	Locate component(s) by station number.	В3			
М	Perform deduction of possible damages by using station number – diagram.	В3			
0	Perform symmetry check.	В3			
ATA 07 Li	ifting and Shoring/ Assist in:				
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
М	Jack aircraft on nose wheel or tail wheel.	В3			
М	Jack complete aircraft.	В3			
0	Sling or trestle major component.	В3			
ATA 08 Le	eveling/ Weighing				
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
М	Perform levelling of the aircraft.	В3			
М	Perform weight and balance of the aircraft.	В3			
М	Perform weight and balance of flight controls.	В3			
М	Perform weight and balance amendment.	В3			
0	Check aircraft against equipment list (According Aircraft AFM or MEL or other manufacturer documents)	В3			
ATA 09 To	owing and Taxiing				
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
М	Prepare for aircraft towing/ handling.	В3			



According AMC 66.A.45(f) Type/task training and ratings:

Type experience should cover an acceptable cross section of tasks from Appendix II. For the first aircraft type of each manufacturer group, at least 50% of the Appendix II tasks, as applicable to the concerned aircraft type and licence category should be performed. For the second aircraft type of each manufacturer group, this should be reduced to 30%. For subsequent aircraft types of each manufacturer group, this should be reduced to 20%.

General:

ATA 10 P	arking and mooring				
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
М	Tie down aircraft.	В3			
М	Park, secure and cover aircraft.	В3			
ATA 11 P	lacards and Markings				
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
0	Check aircraft for correct placards.	В3			
0	Check aircraft for correct markings.	В3			
ATA 12 S	ervicing				
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
М	Refuel aircraft.	В3			
М	Defuel aircraft.	В3			
0	Carry out tank to tank fuel transfer.	В3			
М	Check/ adjust tire pressure.	В3			
М	Check/ replenish oil level.	В3			
М	Check/ replenish hydraulic fluid level.	В3			
0	Check/ replenish accumulator pressure.	В3			
М	Perform servicing of hydraulic shock absorbers/ cylinders (e.g. landing gear system)	В3			
М	Grease aircraft according Maintenance manual.	В3			
М	Connect ground power.	В3			
М	Perform pre-flight/ daily check	В3			
М	Perform power on test/ switch-on airplane systems to perform all items according pre-flight/ daily or maintenance checks according AFM or AMM.	В3			
ATA 21/2	Note: Describe all performed tasks detailed after Page 11				
AIA ZII Z	21A Air Conditioning/ Air Supply			2	1
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
М	Perform detailed introduction to air conditioning/ air supply system according AMM or any other manufacturer information.	В3			
М	Check operation of air conditioning/ heating system.	В3			
0	Check/ replace/ install flow control valve.	В3			
0	Check/ replace/ install cabin blower.	В3			
М	Check/ replace/ install heat exchanger.	B3			
			l	1	L



According AMC 66.A.45(f) Type/task training and ratings:

Type experience should cover an acceptable cross section of tasks from Appendix II. For the first aircraft type of each manufacturer group, at least 50% of the Appendix II tasks, as applicable to the concerned aircraft type and licence category should be performed. For the second aircraft type of each manufacturer group, this should be reduced to 30%. For subsequent aircraft types of each manufacturer group, this should be reduced to 20%.

General:

М	Inspect avionics ventilation components.	В3			
М	Inspect/ replace/ install air filter.	В3			
М	Check/ replace/ install /clean hoses and tubes of heating system.	В3			
М	Troubleshoot faulty system.	В3			
ATA 22 A	uto flight				
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
М	Perform detailed introduction to auto flight system according AMM or any other manufacturer information.	В3			
М	Check/ replace/ install/ adjust servos.	В3			
М	Check/ replace/ install/ adjust servo clutch.	В3			
М	Inspect/ adjust rig bridle cables	В3			
М	Check/ replace/ install controller.	В3			
М	Check/ replace/ install amplifier.	В3			
М	Check operation of auto-pilot.	В3			
М	Troubleshoot faulty system.	В3			
ATA 23 C	ommunications				
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
M	Perform detailed introduction to communication system according AMM or any other manufacturer information.	В3			
М	Check operation of radios. Example: Perform check i.a.w. AFM, AMM.	В3			
М	Replace/ install communication unit (e.g. COMNAV unit)	В3			
М	Replace/ crimp connector.	В3			
0	Check antenna.	В3			
М	Replace/ install static discharger.	В3			
М	Troubleshoot faulty system.	В3			
ATA 24 E	lectrical Power				
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
М	Perform detailed introduction to electrical power system according AMM or any other manufacturer information.	В3			
М	Charge lead/ acid battery.	В3			
·			1	1	
М	Charge Ni-Cd battery.	В3			



According AMC 66.A.45(f) Type/task training and ratings:

Type experience should cover an acceptable cross section of tasks from Appendix II. For the first aircraft type of each manufacturer group, at least 50% of the Appendix II tasks, as applicable to the concerned aircraft type and licence category should be performed. For the second aircraft type of each manufacturer group, this should be reduced to 30%. For subsequent aircraft types of each manufacturer group, this should be reduced to 20%.

General:

		T	T	1	
М	Check/ replace/ install battery.	В3			
М	Deep-cycle Ni-Cd battery.	В3			
М	Check/ replace/ install generator/ alternator.	В3			
М	Check of generator/ alternator mounting.	В3			
0	Check generator/ alternator carbon block i.a.w AMM.	В3			
М	Check/ install of generator/ alternator driven belt.	В3			
М	Check/ replace / install switches and connectors.	В3			
М	Check/ replace / install circuit breakers.	В3			
М	Check/ replace/ install voltage regulator.	В3			
0	Adjust voltage regulator.	В3			
М	Check/ replace / install of battery relay, overvoltage relay or sensor system.	В3			
0	Check/ replace/ install reverse current relay.	В3			
М	Check/ replace/ install indicating lights.	В3			
М	Perform standard maintenance inspection/ repair/ replacement/ installation of electrical wire, connectors according AMM or any other manufacturer information or AC 43.13.	В3			
М	Troubleshoot faulty system.	В3			
ATA 25/ 2	5A Equipment/ Furnishings incl. emergency equipment				
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature

Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
М	Perform detailed introduction to equipment and furnishings according AMM or any other manufacturer information.	В3			
0	Replace/ install carpets.	В3			
0	Replace/ install crew seats.	В3			
0	Replace/ install passenger seats.	В3			
М	Check inertia reels.	В3			
М	Check/ replace/ install seats/ belts for security.	В3			
0	Check emergency equipment. Example: First Aid Kit	В3			
М	Check ELT for compliance with regulations.	В3			
М	Check/ replace/ install ELT Battery.				
0	Remove and install ceiling and sidewall panels.	В3			
0	Repair upholstery.	В3			
0	Change cabin configuration.	В3			



According AMC 66.A.45(f) Type/task training and ratings:

Type experience should cover an acceptable cross section of tasks from Appendix II. For the first aircraft type of each manufacturer group, at least 50% of the Appendix II tasks, as applicable to the concerned aircraft type and licence category should be performed. For the second aircraft type of each manufacturer group, this should be reduced to 30%. For subsequent aircraft types of each manufacturer group, this should be reduced to 20%.

General:

ATA 26 Fire protection							
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature		
М	Perform detailed introduction fire protection system according AMM or any other manufacturer information.	В3					
М	Check cabin fire extinguisher contents. Example: Portable fire extinguisher	В3					
0	Replace/ install new fire extinguisher.	В3					
М	Check fire resistance sealing of engine compartment (wall).	В3					
М	Check fire resistance of hoses, tubes and sealing.	В3					
ATA 27 Fli	ight Controls						
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature		
М	Perform detailed introduction to flight control system according AMM or any other manufacturer information.	В3					
М	Check/ inspect primary flight controls and related components i.a.w. AMM.	В3					
М	Deactivation/ reactivation of aileron, rudder and or elevator servo control.	В3					
0	Extend/ retract flaps & slats.	В3					
М	Check/ replace/ install flaps.	В3					
0	Replace/ install flap actuator.	В3					
0	Replace/ install horizontal or vertical stabiliser.	В3					
0	Replace/ install spoiler/ lift damper.	В3					
М	One of the following three activities is mandatory:	В3					
0	Replace/ install/ rig/adjust elevator.	В3					
0	Replace/ install/ rig/ adjust aileron.	В3					
0	Replace/ install/ rig/ adjust rudder.	В3					
М	Replace/ install/ rig/ adjust trim tabs.	В3					
М	Inspect/ replace/ splice control cable.	В3					
М	Inspect/ adjust control cable tension.	В3					
0	Replace/ install pulley.	В3					
М	Adjust turnbuckle.	В3					
М	Check/ replace/ install/ adjust push rod of aileron/ or rudder/ or elevator.	В3					
М	Check/ adjust flight control range and direction of movement.	В3					



According AMC 66.A.45(f) Type/task training and ratings:

Type experience should cover an acceptable cross section of tasks from Appendix II. For the first aircraft type of each manufacturer group, at least 50% of the Appendix II tasks, as applicable to the concerned aircraft type and licence category should be performed. For the second aircraft type of each manufacturer group, this should be reduced to 30%. For subsequent aircraft types of each manufacturer group, this should be reduced to 20%.

General:

0	Replace/ install powered flying control unit.	B3			
М	Troubleshoot faulty system.	В3			
М	Check/ replace/ install/ adjust elevator trim/ or rudder trim/ or aileron trim	В3			
М	Inspect control tubes, connection devices (forks, eye bearings).	В3			
М	Inspect/ check of bell cranks, torque tubes, control tubes, spindles – actuators.	В3			
0	Replace/ adjust stall warning.	В3			
ΑΤΑ 28 Fι	uel Systems				
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
М	Perform a detailed introduction to fuel system acc. AMM or any other manufacturer information.	В3			
0	Check water drain system (operation).	В3			
0	Replace /install water drain valve.	В3			
0	Replace /install fuel selector.	В3			
М	Perform inspection of fuel selector.	В3			
М	Replace /install / inspect fuel hoses and tubes – fittings/connectors.	В3			
М	Inspect fuel lines, hoses and tubing.	В3			
М	Check fuel ventilation system	В3			
0	Replace /install fuel tank cells.	В3			
М	Inspect fuel tank cells.	В3			
М	Replace /install /check fuel control valves.	В3			
0	Replace /install magnetic fuel level indicators.	В3			
0	Check/ calculate fuel contents manually.	В3			
0	Replace /install booster pump.	В3			
М	Check filters.	В3			
М	Perform flow check of fuel system.	В3			
М	Check calibration/ adjustment of fuel quantity gauges.	В3			



According AMC 66.A.45(f) Type/task training and ratings:

Type experience should cover an acceptable cross section of tasks from Appendix II. For the first aircraft type of each manufacturer group, at least 50% of the Appendix II tasks, as applicable to the concerned aircraft type and licence category should be performed. For the second aircraft type of each manufacturer group, this should be reduced to 30%. For subsequent aircraft types of each manufacturer group, this should be reduced to 20%.

General:

-					
М	Check calibration/ adjustment of fuel quantity gauges (just for integrated electronic systems)	В3			
М	Check operation feed/ selectors.	В3			
0	Check operation of fuel dump/ jettison system.	В3			
М	Troubleshoot faulty system.	В3			
0	Pressure defuel or fueling.	В3			
0	Pressure refuel (manual control).	В3			
0	Deactivation/ reactivation of the fuel valves (transfer defuel, X-feed, refuel).	В3			
ATA 29 H	ydraulic Power				
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
М	Perform a detailed introduction of hydraulic system according AMM or any other manufacturer information.	В3			
0	Replace/ install/ inspect pump.	В3			
М	Check/ replace case drain filter.	В3			
0	Replace / install/ inspect standby pump.	В3			
М	Replace/ install/ inspect hydraulic motor pump/ generator.	В3			
М	Replace/ install/ inspect accumulator.	В3			
М	Inspect of hydraulic lines, hoses and tubing.	В3			
М	Check operation of shut-off valve.	В3			
М	Check filters/ clog system and indicator.	В3			
М	Check indicating systems.	В3			
М	Pressurization/ depressurization of hydraulic system.	В3			
0	Perform an introduction to Power Transfer Unit (PTU) operation.	В3			
М	Troubleshoot faulty system.	В3			
ATA 30 Ic	e and rain protection				
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
М	Perform a detailed introduction of ice and rain protection system according AMM or any other manufacturer information.	В3			
М	Check operation of anti-ice/ de-ice systems.	В3			
М	Operational test the pitot-probe ice protection.	B3			
0	Operational test the TAT ice protection.	B3			
0	Operational test of the wing ice protection system.	B3			
0	Replace/ install timer.	В3			



According AMC 66.A.45(f) Type/task training and ratings:

Type experience should cover an acceptable cross section of tasks from Appendix II. For the first aircraft type of each manufacturer group, at least 50% of the Appendix II tasks, as applicable to the concerned aircraft type and licence category should be performed. For the second aircraft type of each manufacturer group, this should be reduced to 30%. For subsequent aircraft types of each manufacturer group, this should be reduced to 20%.

General:

М	Inspect/ repair propeller or wing device boot.	В3			
0	Replace/ install wiper motor.	В3			
М	Inspect/ test propeller de-icing system.	В3			
М	Inspect/ test wing leading edge de-icing boot.	В3			
0	Inspect/ replace anti-ice/ de-ice valve.	В3			
0	Assistance to the operational test of the engine air-intake ice protection (engines operating).	В3			
М	Perform inspection of ice and rain detection probes.	В3			
M	Perform inspection of lines, hoses and tubing of liquid ice protection systems.	В3			
М	Troubleshoot faulty system.	В3			
ATA 31 Ir	ndicating/ recording systems				
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
М	Perform a detailed introduction of indicating and recording systems according AMM or any other manufacturer information.	В3			
0	Check/ replace/ install clock.	В3			
М	Perform BITE test of the indicating/ recording systems.	В3			
М	Ground scanning of the central warning system.	В3			
М	Inspect correct marking of indicators.	В3			
М	Replace/ install/ inspect air speed indicators.	В3			
0	Replace/ install/ inspect altimeter indicators.	В3			
0	Replace/ install/ inspect vertical speed indicators	В3			
М	Perform inspection and/ or change of instrument hoses and tubing.	В3			
М	Replace/ install/ inspect gyro.	В3			
М	Replace/ install/ inspect oil pressure indicators.	В3			
0	Replace/ install/ inspect fuel indicators.	В3			
М	Replace/ install/ inspect manifold indicators.	В3			
М	Replace/ install/ inspect RPM indicators.	В3			
М	Replace/install/ inspect voltage/ current indicator.	В3			
М	Troubleshoot faulty system.	В3			



According AMC 66.A.45(f) Type/task training and ratings:

Type experience should cover an acceptable cross section of tasks from Appendix II. For the first aircraft type of each manufacturer group, at least 50% of the Appendix II tasks, as applicable to the concerned aircraft type and licence category should be performed. For the second aircraft type of each manufacturer group, this should be reduced to 30%. For subsequent aircraft types of each manufacturer group, this should be reduced to 20%.

General:

ATA 32 L	anding Gear				
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
М	Perform a detailed introduction of landing gear according AMM or any other manufacturer information.	В3			
0	Build up wheel.	В3			
М	Check/ replace/ install nose or main wheel.	В3			
М	Inspect wheels (tube, tyre, wheel halfs, bearings)	В3			
0	Lubricate wheel bearings.	В3			
М	Inspect/ replace/ install break tubing, lines and/ or hoses, break disks.	В3			
0	Replace/ install brake control valve.	В3			
М	Check/ replace/ install of parking break valve.	В3			
М	Bleed brakes.	В3			
М	Check/ test/ adjust gear retraction system.	В3			
М	Replace/ install gear retraction actuator.	В3			
М	Check/ replace/ install unlock/ downlock assembly.	В3			
М	Adjust micro switches/ sensors.	В3			
М	Replace/ install/ service shimmy damper.	В3			
0	Rig nose wheel steering.	В3			
М	Test nose/ or tail wheel steering system.	В3			
М	Service/ replace/ install shock strut seals.	В3			
ATA 33 L	ights				
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
0	Check/ replace/ install rotating beacon or flashlight.	В3			
0	Check/ replace/ install landing lights.	В3			
0	Check/ replace/ install instrument lights.	В3			
0	Check/ replace/ install navigation lights.	В3			
0	Check/ replace/ install interior lights.	В3			
0	Check/ replace/ install emergency lighting system.	В3			
М	Check/ replace/ install wiring and connectors of lighting system.	В3			
М	Perform emergency lighting system checks.	В3			
М	Troubleshoot faulty system.	В3			



According AMC 66.A.45(f) Type/task training and ratings:

Type experience should cover an acceptable cross section of tasks from Appendix II. For the first aircraft type of each manufacturer group, at least 50% of the Appendix II tasks, as applicable to the concerned aircraft type and licence category should be performed. For the second aircraft type of each manufacturer group, this should be reduced to 30%. For subsequent aircraft types of each manufacturer group, this should be reduced to 20%.

General:

ATA 34 Navigation						
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature	
М	Perform detailed introduction to navigation system according AMM or any other manufacturer information.	В3				
0	Check/ replace/ install pitot-static probe.	В3				
М	Perform pitot-static system leak test.	В3				
0	Replace/ install magnetic compass.	В3				
М	Test/ adjust magnetic compass.	В3				
М	Check/ replace/ install directional gyro.	В3				
М	Check/ replace/ install attitude gyro.	В3				
0	Replace/ install HSI.	В3				
0	Check/ replace/ install VOR unit.	В3				
0	Check/ replace/ install ADF unit.	В3				
М	Check/ replace/ install Transponder unit and perform functional test.	В3				
М	Perform functional check of GPS system.	В3				
М	Inspect antennas.	В3				
М	Inspect wiring and connectors of navigation systems.	В3				
ATA 35 C	Dxygen					
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature	
М	Perform detailed introduction to oxygen system according AMM or any other manufacturer information.	В3				
М	Inspect on board oxygen equipment.	В3				
М	Inspect oxygen mask, bottle and regulator.	В3				
М	Inspect oxygen hoses and tubing.	В3				
М	Purge and recharge oxygen system.	В3				
0	Replace/ install regulator.	В3				
0	Replace / install oxygen generator.	В3				
М	Test crew oxygen system.	В3				
М	Perform auto oxygen system deployment check.	В3				
М	Troubleshoot faulty system.	В3				
	•			•		



According AMC 66.A.45(f) Type/task training and ratings:

Type experience should cover an acceptable cross section of tasks from Appendix II. For the first aircraft type of each manufacturer group, at least 50% of the Appendix II tasks, as applicable to the concerned aircraft type and licence category should be performed. For the second aircraft type of each manufacturer group, this should be reduced to 30%. For subsequent aircraft types of each manufacturer group, this should be reduced to 20%.

General:

Traines Committee According						
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature	
М	Perform detailed introduction to navigation system according AMM or any other manufacturer information.	В3				
М	Check/ replace/ install filter.	В3				
0	Replace/ install air shut-off valve.	В3				
М	Replace/ install pressure regulating valve.	В3				
М	Replace/ install inspect compressor pump.	В3				
М	Inspect pneumatic system's hoses and tubing.	В3				
М	Recharge desiccator.	В3				
0	Adjust regulator.	В3				
М	Check for leaks.	В3				
М	Troubleshoot faulty system.	В3				
ATA 37 V	/acuum systems					
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature	
М	Perform detailed introduction to vacuum system according AMM or any other manufacturer information.	В3				
М	Inspect the vacuum system i.a.w. AMM.	В3				
М	Check/ replace filters.	В3				
М	Perform inspection of vacuum system's hoses and tubing.	В3				
М	Replace/ install vacuum pump.	В3				
0	Adjust regulator.	В3				
М	Troubleshoot faulty system.	В3				
ATA 51 S	Standard practices and structure (damage classification, assessn	nent and repair)				
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature	
М	Perform detailed introduction to standard practices and structure according AMM or any other manufacturer information.	В3				
М	Perform tip-test/coin-test and light-test.	В3				
М	Assess class and type of damage (according AMM and/or AC. 43.13).	В3				
М	Prepare different types of adhesives (according AMM and/or AC.43.13) for repairs	В3				
М	Prepare/ select fiberglass materials of different stiffness (45% vs. 90%).	В3				
		l			<u> </u>	



According AMC 66.A.45(f) Type/task training and ratings:

Type experience should cover an acceptable cross section of tasks from Appendix II. For the first aircraft type of each manufacturer group, at least 50% of the Appendix II tasks, as applicable to the concerned aircraft type and licence category should be performed. For the second aircraft type of each manufacturer group, this should be reduced to 30%. For subsequent aircraft types of each manufacturer group, this should be reduced to 20%.

General:

М	Evaluate/ adapt environmental conditions for work with composite.	В3			
М	Perform repair of composite sandwich structure (i.a.w. AMM and/or AC. 43.13).	В3			
М	Perform repair of composite surface structure (i.a.w. AMM and/or AC. 43.13).	В3			
0	Prepare /perform painting after repair.	В3			
М	Perform balancing after repair /painting (i.a.w. AMM).	В3			
М	Inspect/ repair/ replace lose rivets, fasteners, cam-locks.	В3			
М	Assess corrosion.	В3			
М	Treat corrosion.	В3			
М	Apply protective treatment.	В3			
М	Inspect/ repair of empennage components.	В3			
М	Apply protective treatment.	В3			
0	Perform resistance measurement of bonding system	В3			
ATA 52 D	Doors				
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
1				3	Oignature
М	Inspect passenger door/ canopy i.a.w. AMM.	B3			Oignaturo
M O	Inspect passenger door/ canopy i.a.w. AMM. Rig/ adjust locking mechanism.	B3 B3			o.g.natare
					orgination
0	Rig/ adjust locking mechanism.	В3			ognatio
O M	Rig/ adjust locking mechanism. Check operation of emergency exits.	B3 B3			ognatio
O M M	Rig/ adjust locking mechanism. Check operation of emergency exits. Test door warning system.	B3 B3 B3			ognatio
О М М М	Rig/ adjust locking mechanism. Check operation of emergency exits. Test door warning system. Troubleshoot faulty locking system.	B3 B3 B3 B3			ognatio
O M M M O	Rig/ adjust locking mechanism. Check operation of emergency exits. Test door warning system. Troubleshoot faulty locking system. Remove and install passenger door (i.a.w. AMM).	B3 B3 B3 B3 B3			organia c
O M M M O O	Rig/ adjust locking mechanism. Check operation of emergency exits. Test door warning system. Troubleshoot faulty locking system. Remove and install passenger door (i.a.w. AMM). Remove and install emergency exit (i.a.w. AMM). Inspect cargo door (i.a.w. AMM).	B3 B3 B3 B3 B3 B3			
O M M M O O O	Rig/ adjust locking mechanism. Check operation of emergency exits. Test door warning system. Troubleshoot faulty locking system. Remove and install passenger door (i.a.w. AMM). Remove and install emergency exit (i.a.w. AMM). Inspect cargo door (i.a.w. AMM).	B3 B3 B3 B3 B3 B3	Trainee Signature	Supervisor Signature	Assessor Signature
O M M M O O O ATA 53 F	Rig/ adjust locking mechanism. Check operation of emergency exits. Test door warning system. Troubleshoot faulty locking system. Remove and install passenger door (i.a.w. AMM). Remove and install emergency exit (i.a.w. AMM). Inspect cargo door (i.a.w. AMM).	B3 B3 B3 B3 B3 B3 B3 B3	Trainee	Supervisor	Assessor
O M M M O O O ATA 53 F	Rig/ adjust locking mechanism. Check operation of emergency exits. Test door warning system. Troubleshoot faulty locking system. Remove and install passenger door (i.a.w. AMM). Remove and install emergency exit (i.a.w. AMM). Inspect cargo door (i.a.w. AMM).	B3 B3 B3 B3 B3 B3 CAT	Trainee	Supervisor	Assessor
O M M M O O O ATA 53 F Date	Rig/ adjust locking mechanism. Check operation of emergency exits. Test door warning system. Troubleshoot faulty locking system. Remove and install passenger door (i.a.w. AMM). Remove and install emergency exit (i.a.w. AMM). Inspect cargo door (i.a.w. AMM). Fuselage Competence obtained Inspect stringers, bulkheads, ribs.	B3 B3 B3 B3 B3 B3 CAT B3	Trainee	Supervisor	Assessor



According AMC 66.A.45(f) Type/task training and ratings:

Type experience should cover an acceptable cross section of tasks from Appendix II. For the first aircraft type of each manufacturer group, at least 50% of the Appendix II tasks, as applicable to the concerned aircraft type and licence category should be performed. For the second aircraft type of each manufacturer group, this should be reduced to 30%. For subsequent aircraft types of each manufacturer group, this should be reduced to 20%.

General:

0	Inspect assessment holes.	В3			
М	Check for disbonding.	В3			
М	Inspect firewall.	В3			
ATA 55 S	itabilizers				
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
0	Inspect stringers, ribs.	В3			
М	Inspect former/ connectors/ attachments.	В3			
М	Inspect surface (dents, cracks, holes, delamination).	В3			
М	Inspect fin.	В3			
0	Check for disbonding.	В3			
ATA 56 V	Vindows				
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
0	Replace/ install windshield.	В3			
М	Check windshield and cabin window.	В3			
0	Replace/ install cabin window.	В3			
М	Repair transparency of windows.	В3			
М	Inspect windows.	В3			
М	Inspect sealing.	В3			
М	Perform cleaning of windows.	В3			
ATA 57 V	Vings				
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
М	Inspect former/ connectors/ attachments.	В3			
М	Inspect surface (dents, cracks, holes, delamination).	В3			
М	Inspect main bolts.	В3			
М	Check/ replace/ install hinges/ bearings.	В3			



According AMC 66.A.45(f) Type/task training and ratings:

Type experience should cover an acceptable cross section of tasks from Appendix II. For the first aircraft type of each manufacturer group, at least 50% of the Appendix II tasks, as applicable to the concerned aircraft type and licence category should be performed. For the second aircraft type of each manufacturer group, this should be reduced to 30%. For subsequent aircraft types of each manufacturer group, this should be reduced to 20%.

General:

Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
М	Perform detailed introduction to propeller according AMM or any other manufacturer information.	В3			
М	Check/ assemble propeller after transportation.	В3			
М	Replace/ install propeller.	В3			
М	Perform propeller adjustments (basic adjustments).	В3			
М	Replace/ install governor.	В3			
М	Perform governor adjustments.	В3			
М	Perform static functional checks.	В3			
М	Check operation during ground run.	В3			
М	Check propeller track.	В3			
М	Check setting of micro switches.	В3			
М	Troubleshoot faulty system.	В3			
М	Inspect propeller bolt and nuts.	В3			
М	Inspect propeller spinner and propeller hold down plates.	В3			
М	Inspect propeller blades.	В3			
0	Dynamically balance of prop-blade.	В3			
М	Assess/ repair of propeller – blade damage i.a.w. AMM. for metal.	В3			
М	Assess/ repair of propeller – blade damage i.a.w. AMM. for wooden.	В3			
М	Assess/ repair of propeller – blade damage i.a.w. AMM. for wooden – composite.	В3			
М	Perform re-torque check after installation on wooden propeller.	В3			
М	Perform re-torque check after installation on metal.	В3			
М	Perform check of security of propeller bolts.	В3			
dditio	nal remarks: Note her each additional maintenance to following columns.	ask which was p	performed by	trainee in the	
		1			



According AMC 66.A.45(f) Type/task training and ratings:

Type experience should cover an acceptable cross section of tasks from Appendix II. For the first aircraft type of each manufacturer group, at least 50% of the Appendix II tasks, as applicable to the concerned aircraft type and licence category should be performed. For the second aircraft type of each manufacturer group, this should be reduced to 30%. For subsequent aircraft types of each manufacturer group, this should be reduced to 20%.

General: