

# LOG-BOOK - 07

(Attachment to application EASA FORM 19)

## Basic Experience Task List


i.a.w. (EU) 1321/2014 Annex III, 66.A.30

### Personnel data of the trainee:

Last name: \_\_\_\_\_

First name: \_\_\_\_\_

Date of birth: \_\_\_\_\_



This LOG-BOOK – 07 (Basic Experience Tasks List) is to be applied for demonstrating the required basic maintenance experience according to EASA Part-66, 66.A.30 in cases of applying for an initial issue of an Aircraft Maintenance License (AML) and/or endorsement of additional categories of valid AML issued by Austro Control. The required basic maintenance experience in the relevant basic category has to be gained under supervision of a qualified certifying staff, holding the privileges for that category. The confirmed basic maintenance experience is valid within

10 years according EASA Part-66, 66.A.30 (f). Performed task´s should cover a wide range of tasks in length, complexity and variety. At least one year of the required experience must be recent maintenance experience on aircraft of the category/ subcategory for which the initial aircraft maintenance licence is sought.

## **General Information:**

1. All entries in this logbook shall be made with a permanent marker.
2. When used in support of an application for a licence, any false entry in the logbook will constitute a legal offence.
3. Entries shall be made personally by the logbook holder and be confirmed/certified by an authorised person (supervisor - certifying staff, authorised person according to Part-145, Part-CAO organisation).
4. Not performed tasks should be left open (at least 50 % of the given tasks per relevant ATA Chapter should be performed).

## **General data basic experience for AML Category **A** and **B**:**

AML category	Maintenance experience relevant to category start date	Maintenance experience relevant to category end date	Maintenance organisation (Name, Approval) Or Independent certifying staff) AML number, Name, signature	

## General data basic experience for AML Category **C**:

AML category	Base maintenance experience start date	Base maintenance experience end date	Name & approval reference number of maintenance organisation
<b>C</b> CMPA			
<b>C</b> other than CMPA			

CMPA - complex motor powered aircraft

## General Statement Part-145/CAO Organisation

We certify that the applicant has acted as support staff in base maintenance for at least one year in case of complex motor powered aircraft or at least six month for other than complex motor powered aircraft before applying for the extension to include Category C in the valid AML and is listed as support staff for base maintenance staff in the Part-145/CAO Organisation.

---

Signature of accountable or  
technical manager Part-145/CAO Organisation

General Information:							
1. All entries in this logbook shall be made with a permanent marker. 2. When used in support of an application for a licence, any false entry in the logbook will constitute a legal offence. 3. Entries shall be made personally by the logbook holder and be confirmed/certified by an authorised person. 4. Not performed tasks should be left open (at least 50 % of the given tasks per relevant ATA Chapter should be performed).							
Relevant for category	Task description	Aircraft registration	Job reference (Work order)	Date	Trainee Signature	Supervisor Signature	Base Maint.
ATA Chapter 05 Time limits/Maintenance checks							
B1.2, B1.4, C	Perform 100 hour check (general aviation aircraft).						<input type="checkbox"/>
B1.1, C	Perform "C" or "D" check (for large aircraft).						<input type="checkbox"/>
All	Assist carrying out a scheduled maintenance check i.a.w. AMM.						<input type="checkbox"/>
All	Review Aircraft maintenance log for correct completion after maintenance.						<input type="checkbox"/>
All	Show and explain under supervision of a qualified certifying staff the using/structure and review of aircraft records for compliance with Airworthiness Directives and information of a Specific Airworthiness Directives.						<input type="checkbox"/>
All	Show and explain under supervision of a qualified certifying staff the using/structure and review of aircraft records for compliance with aircraft manufacturer information and service bulletins and letters/information						<input type="checkbox"/>
All	Show and explain under supervision of a qualified certifying staff the using/structure/ appliance of relevant manufacturer documentation (Maintenance Manual...) when performing a specific maintenance task.						<input type="checkbox"/>
All	Review records for compliance of component life time i.a.w. aircraft manufacturer maintenance manuals.						<input type="checkbox"/>
All	Perform unscheduled maintenance inspection (example: heavy landing or lightning strike...).						<input type="checkbox"/>
ATA Chapter 06 Dimensions/Areas							
All	Locate component(s) by zone/station number.						<input type="checkbox"/>
All	Perform symmetry check of aircraft cell/components.						<input type="checkbox"/>
ATA Chapter 07 Lifting and Shoring							
All	Perform jack aircraft, nose or tail wheel.						
All	Perform jack complete aircraft.						<input type="checkbox"/>
All	Perform sling or trestle major component.						<input type="checkbox"/>
ATA Chapter 08 Levelling/Weighing							
All	Leveling of an aircraft.						<input type="checkbox"/>
All	Perform calculation of Centre of Gravity / Balance limits, use relevant documents.						<input type="checkbox"/>

<b>General Information:</b>							
1. All entries in this logbook shall be made with a permanent marker.							
2. When used in support of an application for a licence, any false entry in the logbook will constitute a legal offence.							
3. Entries shall be made personally by the logbook holder and be confirmed/certified by an authorised person.							
4. Not performed tasks should be left open (at least 50 % of the given tasks per relevant ATA Chapter should be performed).							
Relevant for category	Task description	Aircraft registration	Job reference (Work order)	Date	Trainee Signature	Supervisor Signature	Base Maint.
All	Perform weighing of an aircraft.						<input type="checkbox"/>
All	Perform weight of an aircraft component and prepare weight and balance amendment (Flight control main element example: rudder, aileron, elevator...).						<input type="checkbox"/>
All	Check aircraft against equipment list.						<input type="checkbox"/>
<b>ATA Chapter 08 Towing and Taxiing</b>							
All	Prepare for aircraft towing.						<input type="checkbox"/>
All	Perform aircraft taxiing.						<input type="checkbox"/>
All	Be part of aircraft towing/taxiing team.						<input type="checkbox"/>
<b>ATA Chapter 10 Parking and Mooring</b>							
All	Tie down aircraft.						<input type="checkbox"/>
All	Park, secure and cover aircraft.						<input type="checkbox"/>
B1.1, C	Position aircraft in maintenance dock.						<input type="checkbox"/>
B1.3, B1.4, C	Secure rotor blades.						<input type="checkbox"/>
All	Perform long time parking of an aircraft						<input type="checkbox"/>
<b>ATA Chapter 11 Placards and Markings</b>							
All	Check aircraft for correct placards.						<input type="checkbox"/>
All	Check aircraft for correct markings.						<input type="checkbox"/>
<b>ATA Chapter 12 Servicing</b>							
All	Refuel aircraft.						<input type="checkbox"/>
All	Defuel aircraft.						<input type="checkbox"/>
B1.1, B1.3, C	Carry out tank to tank fuel transfer.						<input type="checkbox"/>
B1.1, B1.2; B1.3, C	Check/adjust tire pressures.						<input type="checkbox"/>
All	Check/replenish oil level.						<input type="checkbox"/>
All	Check/replenish hydraulic, other fluid level's.						<input type="checkbox"/>
All	Check/replenish hydraulic and/or pneumatic accumulator pressure.						<input type="checkbox"/>

<b>General Information:</b>							
1. All entries in this logbook shall be made with a permanent marker.							
2. When used in support of an application for a licence, any false entry in the logbook will constitute a legal offence.							
3. Entries shall be made personally by the logbook holder and be confirmed/certified by an authorised person.							
4. Not performed tasks should be left open (at least 50 % of the given tasks per relevant ATA Chapter should be performed).							
Relevant for category	Task description	Aircraft registration	Job reference (Work order)	Date	Trainee Signature	Supervisor Signature	Base Maint.
B1.1, B1.2, B1.3, C	Charge pneumatic and/or hydraulic system.						<input type="checkbox"/>
All	Grease aircraft i.a.w. maintenance manual.						<input type="checkbox"/>
All	Connect ground power. (EPU)						<input type="checkbox"/>
All	Connect grounding wire.						<input type="checkbox"/>
All	Perform pre-flight/daily check.						<input type="checkbox"/>
<b>ATA Chapter 18 Vibration and Noise Analysis</b>							
B1.3, B1.4, C	Analyse helicopter rotor system vibration problem.						<input type="checkbox"/>
B1.3, B1.4, C	Analyse engine vibration.						<input type="checkbox"/>
<b>ATA Chapter 20 Standard Practices – Airframe</b>							
All	Explain hazards when working with aircraft related to noise, heat, moving, surfaces, propellers, rotors, intakes, exhausts.						<input type="checkbox"/>
All	Demonstrate safety precautions when using fluids, gases and chemicals. Apply and explain workshop environment related safety practices.						<input type="checkbox"/>
All	Define proper care and control of tools and equipment.						<input type="checkbox"/>
All	Check validity of calibration of tools and equipment.						<input type="checkbox"/>
All	Perform inspection of aircraft structure/components by using mirror and a light source for cracks or damage.						<input type="checkbox"/>
All	Use tools and equipment for cutting, forming and joining commonly used materials (ferrous and non-ferrous).						<input type="checkbox"/>
All	Demonstrate correct use of measuring standard equipment (tools) e.g. micrometers, caliper.						<input type="checkbox"/>
All	Perform using of a torque wrench with and without extension.						<input type="checkbox"/>
All	Perform correct interpretation and work to engineering drawings.						<input type="checkbox"/>
All	Demonstrate correct reading and interpretation of electrical wiring diagrams.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Demonstrate/explain use of feeler, slip, limit, go/no go gauges.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Fit and remove thread inserts.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Drill and tap a threaded hole.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Drill and ream perpendicular holes in ferrous and non-ferrous material.						<input type="checkbox"/>

<b>General Information:</b>							
1. All entries in this logbook shall be made with a permanent marker.							
2. When used in support of an application for a licence, any false entry in the logbook will constitute a legal offence.							
3. Entries shall be made personally by the logbook holder and be confirmed/certified by an authorised person.							
4. Not performed tasks should be left open (at least 50 % of the given tasks per relevant ATA Chapter should be performed).							
Relevant for category	Task description	Aircraft registration	Job reference (Work order)	Date	Trainee Signature	Supervisor Signature	Base Maint.
B1.1, B1.2, B1.3, B1.4, B3, C	Use hand & power tools to drilling (example: rivet holes drilling).						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Identify a range of solid and blind rivets and fasteners.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Identify, select and use a range of rivet setting equipment.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Set a range of raised and countersunk rivets in aluminium sheet using various methods.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform inspection; identify faulty rivet settings (aircraft structure).						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Remove and install rivets on aircraft structure/skin						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Select and install oversize rivets as instructed by Structural Repair Manual.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Set a range of different fasteners in aluminium sheet.						<input type="checkbox"/>
All	Replace & test a flexible hose including clamps and brackets.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Bend, replace and test a rigid pipe, including clips and brackets.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Explain methods for inspection and testing of springs.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform testing, cleaning, lubrication and inspection of bearings.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Inspect screw jacks, levers, push-pull rod, belts, pulleys, chain and sprocket.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Check backlash of gears wheel.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Inspect condition of bowden cables/flexible control cables (flex ball cables).						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Use hand tools, folding and bending machines to shape aluminum alloy.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Bend metal to a bend radius and angle as given in the engineering drawing.						<input type="checkbox"/>
All	Perform corrosion inspection of aircraft structure.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Demonstrate removal of corrosion/perform surface protection on an aluminium structure and on steel components.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Cut and shape aluminium and steel material to required profile, using approved procedures.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Identify the characteristics and properties of common composite materials.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Explain methods to detect defects/deterioration in composite material.						<input type="checkbox"/>

General Information:							
1. All entries in this logbook shall be made with a permanent marker.							
2. When used in support of an application for a licence, any false entry in the logbook will constitute a legal offence.							
3. Entries shall be made personally by the logbook holder and be confirmed/certified by an authorised person.							
4. Not performed tasks should be left open (at least 50 % of the given tasks per relevant ATA Chapter should be performed).							
Relevant for category	Task description	Aircraft registration	Job reference (Work order)	Date	Trainee Signature	Supervisor Signature	Base Maint.
B1.2, B3, C	Identify the characteristics and properties of common types of wood and glue.						<input type="checkbox"/>
B1.2, B3, C	Explain construction methods used in wooden structures.						<input type="checkbox"/>
B1.2, B3, C	Discuss methods of preservation and maintenance of wooden structures.						<input type="checkbox"/>
B1.2, B3, C	Perform detection of defects in wooden material and wooden structures.						<input type="checkbox"/>
B1.2, B3, C	Demonstrate repair of wooden structure.						<input type="checkbox"/>
B1.2, B3, C	Explain/identify common tools for wooden structure repair.						<input type="checkbox"/>
B1.2, B3, C	Explain/identify defects in fabrics.						<input type="checkbox"/>
B1.2, B3, C	Demonstrate/explain repair methods for fabric covering.						<input type="checkbox"/>
B1.2, B3, C	Explain/identify common tools for fabric covering structure repair						<input type="checkbox"/>
B1.2, B3, C	Discuss methods of preservation and maintenance of fabric covering structures.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Demonstrate major repair of composite structure.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform minor repair of a composite structure.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Explain the detection methods of defects in composite material and composite structures.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Explain/identify defect classes of composite structure.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Explain/identify common tools for composite structure repair.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Discuss methods of preservation and maintenance of composite structures.						<input type="checkbox"/>
All	Perform inspection of electrical cables and connectors for damages and corrosion.						<input type="checkbox"/>
B2	Perform installation, removing of electrical cables and connectors and pins.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Inspect soldered, welded and brazed joints.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Explain bonding methods, inspection of bonded joints.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform lubrication of bearings (flight controls / landing gear...)						<input type="checkbox"/>
All	Remove and refit aircraft access panels.						<input type="checkbox"/>
All	Identify standards and specifications of common use parts i. e. nuts, bolts, washers and split pins.						<input type="checkbox"/>



<b>General Information:</b>							
1.	All entries in this logbook shall be made with a permanent marker.						
2.	When used in support of an application for a licence, any false entry in the logbook will constitute a legal offence.						
3.	Entries shall be made personally by the logbook holder and be confirmed/certified by an authorised person.						
4.	Not performed tasks should be left open (at least 50 % of the given tasks per relevant ATA Chapter should be performed).						
Relevant for category	Task description	Aircraft registration	Job reference (Work order)	Date	Trainee Signature	Supervisor Signature	Base Maint.
All	Identify part and serial numbers from a component overhaul manual or IPC.						<input type="checkbox"/>
All	Demonstrate competence when wire locking a variety of assemblies.						<input type="checkbox"/>
All	Perform measuring shafts, bores, flanges, and adjacent surfaces using precision measuring instruments.						<input type="checkbox"/>
All	Demonstrate removing, installation of safety devices on bolts, nuts, studs (cotter pin, safety wire...).						<input type="checkbox"/>
<b>ATA Chapter 21 Air Conditioning</b>							
B1.1, B1.2, B1.3, C	Perform inspection and explain function of a complete heater system.						<input type="checkbox"/>
B1.1, B1.2, C	Perform inspection and explain function of a complete cabin pressurisation system.						<input type="checkbox"/>
B1.1, B1.2, C	Perform inspection and explain function of an air cycle unit.						<input type="checkbox"/>
All	Check operation of air conditioning/heating system.						<input type="checkbox"/>
B1.1, B1.2, C	Check operation of pressurisation system.						<input type="checkbox"/>
B1.1, B1.2, C	Troubleshoot faulty pressurisation system.						<input type="checkbox"/>
All	Troubleshoot faulty air conditioning system.						<input type="checkbox"/>
<b>ATA Chapter 22 Auto flight</b>							
B2	Perform inspection and explain function of a complete auto flight/ auto-pilot system.						<input type="checkbox"/>
B2	Perform inspection and explain function of amplifier.						<input type="checkbox"/>
B1.1, C, B2	Perform inspection and explain function of the auto flight system's LRUs in case of fly-by-wire aircraft.						<input type="checkbox"/>
B1.1, C, B2	Perform inspection and explain function of auto-throttle/auto-thrust.						<input type="checkbox"/>
B1.1, C, B2	Perform inspection and explain function of yaw damper.						<input type="checkbox"/>
B1.1, B1.2, B1.3, C	Perform inspection, adjust and explain function of a servo clutch.						<input type="checkbox"/>

**ATA Chapter 23 Communications**  
**ATA Chapter 24 Electrical Power**  
**ATA Chapter 33 Lights**

General Information:							
1. All entries in this logbook shall be made with a permanent marker. 2. When used in support of an application for a licence, any false entry in the logbook will constitute a legal offence. 3. Entries shall be made personally by the logbook holder and be confirmed/certified by an authorised person. 4. Not performed tasks should be left open (at least 50 % of the given tasks per relevant ATA Chapter should be performed).							
Relevant for category	Task description	Aircraft registration	Job reference (Work order)	Date	Trainee Signature	Supervisor Signature	Base Maint.
ATA Chapter 34 Navigation							
B2	Perform a typical avionic test and using of avionic test equipment. (COM/NAV, Air Dater, Pitot Static Tester)						<input type="checkbox"/>
All	Use multimeter to measure volts, amps and resistance in practical task circumstances.						<input type="checkbox"/>
B2	Check an aircraft electrical circuit for continuity in conjunction with an electrical wiring diagram.						<input type="checkbox"/>
All	Carry out basic fault finding techniques using a range of test meters.						<input type="checkbox"/>
B2	Carry out bonding and insulation tests.						<input type="checkbox"/>
B2	Demonstrate electrical wire splicing methods.						<input type="checkbox"/>
All	Identify a range of electrical component symbols.						<input type="checkbox"/>
B2	Identify cables and cable values by reference to the maintenance manuals.						<input type="checkbox"/>
B2	Insert/extract electrical inserts (pins) in a variety of electrical connectors.						<input type="checkbox"/>
All	Inspect coaxial cable installations, correct them if necessary.						<input type="checkbox"/>
All	Inspect electrical cable looms and bundles and correct them, if necessary.						<input type="checkbox"/>
All	Install wiring clamps.						<input type="checkbox"/>
B2	Interpret typical electrical wiring diagrams and circuits schematics.						<input type="checkbox"/>
B2	Prepare and install a simple loom, using at least two binding methods.						<input type="checkbox"/>
B2	Install, Repair or replace an electrical connector.						<input type="checkbox"/>
B2	Select and use appropriate cable stripping tools.						<input type="checkbox"/>
B2	Use two crimping systems to prepare cable ends or plug/socket terminals.						<input type="checkbox"/>
B2	Demonstrate application of two-component sealers and compounds.						<input type="checkbox"/>
All	Demonstrate disconnecting and reconnecting of electrical connectors.						<input type="checkbox"/>
All	Explain & implement ESD procedures (ESD = Electro Static Discharge).						<input type="checkbox"/>
B2	Demonstrate replacement, installation of circuit breaker.						<input type="checkbox"/>

General Information:							
1. All entries in this logbook shall be made with a permanent marker.							
2. When used in support of an application for a licence, any false entry in the logbook will constitute a legal offence.							
3. Entries shall be made personally by the logbook holder and be confirmed/certified by an authorised person.							
4. Not performed tasks should be left open (at least 50 % of the given tasks per relevant ATA Chapter should be performed).							
Relevant for category	Task description	Aircraft registration	Job reference (Work order)	Date	Trainee Signature	Supervisor Signature	Base Maint.
B2	Demonstrate application of two-component sealers and compounds for electrical components.						<input type="checkbox"/>
All	Replace internal and external lamps/bulbs.						<input type="checkbox"/>
B1.1, B1.2, B3, C	Replace static discharge wick.						<input type="checkbox"/>
All	Perform non-destructive inspections (e.g. penetrant and borescope inspection).						<input type="checkbox"/>
B2	Perform inspection and explain function of FMS system.						<input type="checkbox"/>
B2	Perform inspection and explain function of Inertial Measurement Units (IMUs).						<input type="checkbox"/>
B2	Perform inspection and explain function of VHF Com system.						<input type="checkbox"/>
B2	Perform inspection and explain function of HF Com system.						<input type="checkbox"/>
B2	Perform inspection and explain function of ADF system.						<input type="checkbox"/>
B2	Perform inspection and explain function of GPS system.						<input type="checkbox"/>
B2	Perform inspection and explain function of VOR system.						<input type="checkbox"/>
B2	Perform inspection and explain function of DME system.						<input type="checkbox"/>
B2	Perform inspection and explain function of ELT unit.						<input type="checkbox"/>
B2	Perform inspection and explain function of TAS/TCAS system.						<input type="checkbox"/>
B2	Perform inspection and explain function of ATC Transponder.						<input type="checkbox"/>
B2	Perform inspection and explain function of Satcom.						<input type="checkbox"/>
B2	Perform inspection and explain function of existing antenna.						<input type="checkbox"/>
B2	Perform inspection and explain function of operation of radios.						<input type="checkbox"/>
B2	Perform operational check of passenger address system.						<input type="checkbox"/>
B2	Functionally check of audio integrating system.						<input type="checkbox"/>
B2	Perform inspection and explain function/ repair of coaxial cable.						<input type="checkbox"/>
All	Perform inspection and explain function of charging lead/ acid battery.						<input type="checkbox"/>
All	Perform inspection and explain function of charging Ni-Cd battery.						<input type="checkbox"/>
All	Perform inspection and explain function check of battery capacity.						<input type="checkbox"/>

General Information:							
1. All entries in this logbook shall be made with a permanent marker. 2. When used in support of an application for a licence, any false entry in the logbook will constitute a legal offence. 3. Entries shall be made personally by the logbook holder and be confirmed/certified by an authorised person. 4. Not performed tasks should be left open (at least 50 % of the given tasks per relevant ATA Chapter should be performed).							
Relevant for category	Task description	Aircraft registration	Job reference (Work order)	Date	Trainee Signature	Supervisor Signature	Base Maint.
B2	Perform inspection and explain function of deep-cycling Ni-Cd battery.						<input type="checkbox"/>
All	Perform inspection and explain basic function of generator/alternator.						<input type="checkbox"/>
All	Perform inspection and explain function of electrical switches/relays.						<input type="checkbox"/>
All	Perform inspection and explain function of electrical circuit breakers.						<input type="checkbox"/>
All	Perform inspection and explain function of voltage regulator.						<input type="checkbox"/>
B.1.1, B2, C	Perform functional check of emergency generation system.						<input type="checkbox"/>
B2	Calibrate magnetic direction indicator.						<input type="checkbox"/>
All	Perform inspection and explain function of airspeed indicator.						<input type="checkbox"/>
All	Perform inspection and explain function of altimeter.						<input type="checkbox"/>
B2	Perform inspection and explain function of air data computer.						<input type="checkbox"/>
B2	Perform inspection and explain function of weather radar.						<input type="checkbox"/>
B2	Perform inspection and explain function of flight director system.						<input type="checkbox"/>
B2	Perform software update of a flight management system database.						<input type="checkbox"/>
B2	Perform check, calibration of pitot static instruments.						<input type="checkbox"/>
All	Check calibration of pressure altitude reporting system.						<input type="checkbox"/>
B2	Troubleshoot faulty avionic system.						<input type="checkbox"/>
B2	Perform inspection and explain function of marker systems.						<input type="checkbox"/>
ATA Chapter 25 Equipment/Furnishing							
All	Perform inspection of crew seats.						<input type="checkbox"/>
All	Install/replace passenger seats.						<input type="checkbox"/>
All	Perform inspection of seats/belts for secure installation.						<input type="checkbox"/>
All	Perform inspection of emergency equipment.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform inspection of upholstery.						<input type="checkbox"/>
ATA Chapter 26 Fire protection							

General Information:							
1. All entries in this logbook shall be made with a permanent marker.							
2. When used in support of an application for a licence, any false entry in the logbook will constitute a legal offence.							
3. Entries shall be made personally by the logbook holder and be confirmed/certified by an authorised person.							
4. Not performed tasks should be left open (at least 50 % of the given tasks per relevant ATA Chapter should be performed).							
Relevant for category	Task description	Aircraft registration	Job reference (Work order)	Date	Trainee Signature	Supervisor Signature	Base Maint.
All	Perform inspection/check fire-extinguisher.						<input type="checkbox"/>
All	Perform inspection and check/test operation of fire/smoke detection and warning system.						<input type="checkbox"/>
All	Perform inspection (pressure, weight check) cabin fire extinguisher (portable).						<input type="checkbox"/>
All	Perform inspection of engine fire wire detection systems.						<input type="checkbox"/>
ATA Chapter 27 Flight Controls							
B1.1, B1.2, B1.3, B1.4, B3, C	Perform inspection and explain function of primary flight controls and related components i.a.w. AMM.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform inspection of horizontal stabiliser.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform inspection of vertical stabiliser.						<input type="checkbox"/>
B1.1, B1.2, B3, C	Perform inspection of spoiler/lift damper.						<input type="checkbox"/>
B1.1, B1.2, B3, C	Perform inspection of elevator.						<input type="checkbox"/>
B1.1, B1.2, B3, C	Perform inspection of aileron.						<input type="checkbox"/>
B1.1, B1.2, B3, C	Perform inspection of rudder.						<input type="checkbox"/>
B1.1, B1.2, B3, C	Perform inspection of trim tabs.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform inspection of control cable and fittings.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform inspection of flap actuator.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform inspection and rig of primary flight controls.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform inspection and adjust trim tab system.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform inspection and adjust control cable tension.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform inspection and adjust control cable, pulley, spanners, turnbuckles and safety devices.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform preparation of control system for cable tension check.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform inspection of control range and direction of movement.						<input type="checkbox"/>
ATA Chapter 28 Fuel							
All	Perform water drain.						<input type="checkbox"/>

<b>General Information:</b>							
1. All entries in this logbook shall be made with a permanent marker.							
2. When used in support of an application for a licence, any false entry in the logbook will constitute a legal offence.							
3. Entries shall be made personally by the logbook holder and be confirmed/certified by an authorised person.							
4. Not performed tasks should be left open (at least 50 % of the given tasks per relevant ATA Chapter should be performed).							
Relevant for category	Task description	Aircraft registration	Job reference (Work order)	Date	Trainee Signature	Supervisor Signature	Base Maint.
B1.1, B1.2, B1.3, B1.4, B3, C	Replace, inspect booster pump.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Replace, inspect fuel selector.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Replace fuel tank cells.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Replace/test fuel control valves.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Replace/test/inspect fuel level indicators.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Replace water drain valve.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform inspection of filters and assess filter unit for foreign particles i.a.w. aircraft maintenance manual.						<input type="checkbox"/>
All	Perform flow check system.						<input type="checkbox"/>
B2	Check calibration of fuel quantity gauges.						<input type="checkbox"/>
B1.1, B2, C	Check operation of fuel dump/jettison system.						<input type="checkbox"/>
B1.1, B2, C	Perform check of fuel transfer management system between tanks.						<input type="checkbox"/>
B1.1, B2, C	Pressure defuel.						<input type="checkbox"/>
<b>ATA Chapter 29 Hydraulics</b>							
B1.1, B1.2, B1.3, B1.4, B3, C	Perform inspection of engine-driven pump.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform inspection of filters and assess filter unit for foreign particles i.a.w. aircraft maintenance manual.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform inspection of standby pump.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Replace hydraulic motor pump/generator.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Replace accumulator.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Check operation of shut-off valve.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Check filters/clog indicators.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Check indicating systems.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform functional checks of hydraulic system.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Pressurisation/depressurisation of the hydraulic system.						<input type="checkbox"/>
<b>ATA Chapter 30 Ice and rain protection</b>							

<b>General Information:</b>							
1. All entries in this logbook shall be made with a permanent marker.							
2. When used in support of an application for a licence, any false entry in the logbook will constitute a legal offence.							
3. Entries shall be made personally by the logbook holder and be confirmed/certified by an authorised person.							
4. Not performed tasks should be left open (at least 50 % of the given tasks per relevant ATA Chapter should be performed).							
Relevant for category	Task description	Aircraft registration	Job reference (Work order)	Date	Trainee Signature	Supervisor Signature	Base Maint.
B1.1, B1.2, B1.3, B3, C	Perform inspection/repair of de-ice boots on a wing and/or on a rotorblade.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B3, C	Inspect/repair propeller de-ice boot.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B3, C	Test propeller de-icing system.						<input type="checkbox"/>
B1.1, B1.2, B3, C	Test wing leading edge de-icing boot.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B3, C	Perform inspection/test of anti-ice/de-ice valve.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B3, C	Perform inspection/test of wiper and wiper motor.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B3, C	Check operation of de-icing system.						<input type="checkbox"/>
All	Operational test of the pitot-probe ice protection.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B3, C	Operational test of liquid de-icing system on a wing and propeller system.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B3, C	Assistance to the operational test of the engine air-intake ice protection (with engines operating).						<input type="checkbox"/>
B1.2, B1.4, B3, C	Perform operational test of carburetor anti-ice/de-ice system.						<input type="checkbox"/>
<b>ATA Chapter 31 Indicating/recording systems</b>							
B2	Perform inspection of flight data recorder.						<input type="checkbox"/>
B2	Replace cockpit voice recorder.						<input type="checkbox"/>
<b>ATA Chapter 32 Landing Gear</b>							
B1.1, B1.2, B1.3, B3, C	Disassemble and reassemble a wheel assy. Perform inspection of all components of this wheel assy.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B3, C	Remove/install a main wheel.						<input type="checkbox"/>
B1.1, B1.2, B3, C	Remove/install/replace nose wheel.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B3, C	Perform inspection and servicing of a steering actuator.						<input type="checkbox"/>
B1.1, B1.2, B3, C	Perform inspection and servicing of a shimmy damper.						<input type="checkbox"/>
B1.1, B1.2, B3, C	Perform rigging of a nose wheel steering.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B3, C	Perform inspection and functional test of a retractable landing gear system.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform inspection and replace shock strut seals.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform servicing of shock strut.						<input type="checkbox"/>

<b>General Information:</b>							
1. All entries in this logbook shall be made with a permanent marker. 2. When used in support of an application for a licence, any false entry in the logbook will constitute a legal offence. 3. Entries shall be made personally by the logbook holder and be confirmed/certified by an authorised person. 4. Not performed tasks should be left open (at least 50 % of the given tasks per relevant ATA Chapter should be performed).							
Relevant for category	Task description	Aircraft registration	Job reference (Work order)	Date	Trainee Signature	Supervisor Signature	Base Maint.
B1.1, B1.2, B1.3, B3, C	Perform inspection/replacement/servicing/functional check of a brake unit.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B3, C	Replace brake control valve.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B3, C	Bleed brake system.						<input type="checkbox"/>
B1.1, C	Replace and inspect brake fan.						<input type="checkbox"/>
B1.1, C	Perform test of anti-skid unit.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B3, C	Adjust micro switches/sensors.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Charge struts with oil and/or air.						<input type="checkbox"/>
B1.1, C	Test auto-brake system.						<input type="checkbox"/>
B1.3, B1.4, C	Replace rotorcraft skids.						<input type="checkbox"/>
B1.3, B1.4, C	Replace rotorcraft skid shoes.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Pack and check floats.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Inspect flotation equipment.						<input type="checkbox"/>
B1.3, B1.4, C	Check/test emergency blowdown (emergency landing gear extension).						<input type="checkbox"/>
B1.1, B1.2, B1.3, B3, C	Operational test of the landing gear doors.						<input type="checkbox"/>
<b>ATA Chapter 35 Oxygen</b>							
B1.1, B1.2, C	Inspect on-board oxygen equipment.						<input type="checkbox"/>
B1.1, B1.2, C	Purge and recharge oxygen system.						<input type="checkbox"/>
B1.1, B1.2, C	Perform inspection and functional test of oxygen regulator.						<input type="checkbox"/>
B1.1, B1.2, C	Perform inspection and functional test of oxygen generator.						<input type="checkbox"/>
B1.1, B1.2, C	Test crew oxygen system.						<input type="checkbox"/>
B1.1, B1.2, C	Perform auto oxygen system deployment check.						<input type="checkbox"/>
<b>ATA Chapter 36 Pneumatic systems</b>							
B1.1, B1.2, B1.3, C	Perform inspection, change of air filter.						<input type="checkbox"/>
B1.1, B1.2, B1.3, C	Perform inspection/functional test/adjustment of air shut-off valve.						<input type="checkbox"/>
B1.1, B1.2, B1.3, C	Replace pressure regulating valve.						<input type="checkbox"/>



<b>General Information:</b>							
1. All entries in this logbook shall be made with a permanent marker.							
2. When used in support of an application for a licence, any false entry in the logbook will constitute a legal offence.							
3. Entries shall be made personally by the logbook holder and be confirmed/certified by an authorised person.							
4. Not performed tasks should be left open (at least 50 % of the given tasks per relevant ATA Chapter should be performed).							
Relevant for category	Task description	Aircraft registration	Job reference (Work order)	Date	Trainee Signature	Supervisor Signature	Base Maint.
B1.1, B1.2, B1.3, C	Perform inspection/adjustment/functional test of pneumatic compressor/pump.						<input type="checkbox"/>
B1.1, B1.2, B1.3, C	Perform inspection/functional test/adjustment of a pneumatic regulator.						<input type="checkbox"/>
B1.1, B1.2, B1.3, C	Check pneumatic system for leaks.						<input type="checkbox"/>
<b>ATA Chapter 37 Vacuum systems</b>							
B1.1, B1.2, B1.3, C	Perform inspection, change of air filter.						<input type="checkbox"/>
B1.1, B1.2, B1.3, C	Perform inspection/functional test/adjustment of air shut-off valve.						<input type="checkbox"/>
B1.1, B1.2, B1.3, C	Replace vacuum regulating valve.						<input type="checkbox"/>
B1.1, B1.2, B1.3, C	Perform inspection/adjustment/functional test of vacuum pump.						<input type="checkbox"/>
B1.1, B1.2, B1.3, C	Perform inspection/functional test/adjustment of a vacuum regulator.						<input type="checkbox"/>
B1.1, B1.2, B1.3, C	Check system for leaks.						<input type="checkbox"/>
<b>ATA Chapter 49 Airborne auxiliary power</b>							
B1.1, B1.3, C	Perform inspection of an APU ignition system.						<input type="checkbox"/>
B1.1, B1.3, C	Perform inspection of an APU fuel and power regulation system.						<input type="checkbox"/>
B1.1, B1.3, C	Perform inspection of an APU oil system.						<input type="checkbox"/>
B1.1, B1.3, C	Perform inspection of an APU ignition/spark plug.						<input type="checkbox"/>
B1.1, B1.3, C	Perform inspection of an APU assessor.						<input type="checkbox"/>
B1.1, B1.3, C	Perform inspection of APU oil/air filters.						<input type="checkbox"/>
B1.1, B1.3, C	Perform inspection of an APU starting system.						<input type="checkbox"/>
B1.1, B1.3, C	Perform inspection of connections from an APU air system to fuselage systems (main engine - pneumatic start system).						<input type="checkbox"/>
B1.1, B1.3, C	Perform inspection of connections from an APU electrical generator system to fuselage systems (power supply for airframe system).						<input type="checkbox"/>
B1.1, B1.3, C	Operational test of the APU.						<input type="checkbox"/>
B1.1, B1.3, C	Perform inspection of an APU compressor/turbine.						<input type="checkbox"/>

<b>General Information:</b>							
1. All entries in this logbook shall be made with a permanent marker. 2. When used in support of an application for a licence, any false entry in the logbook will constitute a legal offence. 3. Entries shall be made personally by the logbook holder and be confirmed/certified by an authorised person. 4. Not performed tasks should be left open (at least 50 % of the given tasks per relevant ATA Chapter should be performed).							
Relevant for category	Task description	Aircraft registration	Job reference (Work order)	Date	Trainee Signature	Supervisor Signature	Base Maint.
<b>ATA Chapter 51 Structures ATA Chapter 57 Wings</b>							
B1.1, B1.2, B1.3, B1.4, B3, C	Perform inspection of airframe structure (composite structure) for damage; evaluate different levels of damage classes i.a.w. AMM and prepare further actions.						<input type="checkbox"/>
B1.2, B3, C	Perform inspection of airframe structure (wooden structure) for damage; evaluate different levels of damage classes i.a.w. AMM and prepare further actions.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform inspection of airframe structure (metal structure) for damage; evaluate different levels of damage classes i.a.w. AMM and prepare further actions.						<input type="checkbox"/>
B1.2, B3, C	Perform inspection of airframe structure (fabric recover structure) for damage; evaluate different levels of damage classes i.a.w. AMM and prepare further actions.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform different sheet metal repairs i.a.w. AMM.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform different fibre-glass/composite structure repairs i.a.w. AMM.						<input type="checkbox"/>
B1.2, B3, C	Perform different wooden repairs i.a.w. AMM.						<input type="checkbox"/>
B1.2, B3, C	Perform repair and/or recover fabric on wing/ fuselage and/or control surface elements.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform inspection of airframe structures for evidence of corrosion i.a.w. AMM and prepare further actions.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform different corrosion protective treatment on different elements of airframe structures (e.g wing, fuselage, empennage, tail boom, actuators, hinges, linkages, gearboxes, wheels).						<input type="checkbox"/>
<b>ATA Chapter 52 Doors</b>							
B1.1, B1.2, B1.3, B1.4, B3, C	Inspect passenger door i.a.w. AMM.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Rig/adjust locking mechanism.						<input type="checkbox"/>
B1.1, C	Adjust air stair system.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Check operation of emergency exits.						<input type="checkbox"/>
All	Test door warning system.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Remove and install passenger door i.a.w. AMM.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Remove and install emergency exit i.a.w. AMM.						<input type="checkbox"/>
B1.1, C	Inspect cargo door i.a.w. AMM.						<input type="checkbox"/>

General Information:							
1. All entries in this logbook shall be made with a permanent marker. 2. When used in support of an application for a licence, any false entry in the logbook will constitute a legal offence. 3. Entries shall be made personally by the logbook holder and be confirmed/certified by an authorised person. 4. Not performed tasks should be left open (at least 50 % of the given tasks per relevant ATA Chapter should be performed).							
Relevant for category	Task description	Aircraft registration	Job reference (Work order)	Date	Trainee Signature	Supervisor Signature	Base Maint.
<b>ATA Chapter 56 Windows</b>							
B1.1, B1.2, B1.3, B1.4, B3, C	Perform inspection of wind shield.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform inspection and repair of window seals.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform inspection of cabin window.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform repair/cleaning of window transparency i.a.w. AMM.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B3, C	Perform inspection and functional test of window heating system.						<input type="checkbox"/>
<b>ATA Chapter 61 Propeller</b>							
B1.1, B1.2, B3, C	Perform remove and installation of a metal and/or composite propeller.						<input type="checkbox"/>
B1.2, B3, C	Perform removal and installation of a wooden propeller.						<input type="checkbox"/>
B1.1, B1.2, B3, C	Perform inspection/rigging/functional test of governor system.						<input type="checkbox"/>
B1.1, B1.2, B3, C	Perform adjustment of governor system i.a.w. AMM.						<input type="checkbox"/>
B1.1, B1.2, B3, C	Perform propeller static and dynamic balancing.						<input type="checkbox"/>
B1.1, B1.2, B3, C	Check operation during ground run.						<input type="checkbox"/>
B1.1, B1.2, B3, C	Perform check of propeller track.						<input type="checkbox"/>
B1.1, B1.2, B3, C	Perform inspection of propeller (including propeller blades, hub, spinner, backplate).						<input type="checkbox"/>
B1.1, B1.2, B3, C	Perform inspection of propeller mounting bolts and mounting flange on engine.						<input type="checkbox"/>
B1.1, B1.2, B3, C	Check setting of micro switches.						<input type="checkbox"/>
B1.2, B3, C	Perform inspection and classification of blade damage on a wooden propeller i.a.w. AMM, prepare further actions.						<input type="checkbox"/>
B1.1, B1.2, B3, C	Perform inspection and classification of blade damage on a metal propeller i.a.w. AMM, prepare further actions.						<input type="checkbox"/>
B1.1, B1.2, B3, C	Perform inspection and classification of blade damage on a composite propeller i.a.w. AMM, prepare further actions.						<input type="checkbox"/>
B1.1, B1.2, B3, C	Demonstrate adjustment of propeller RPM.						<input type="checkbox"/>
B1.1, B1.2, B3, C	Perform propeller lubrication.						<input type="checkbox"/>
B1.1, B1.2, B3, C	Perform minor repair on a composite propeller blade damage i.a.w. AMM.						<input type="checkbox"/>

<b>General Information:</b>							
1. All entries in this logbook shall be made with a permanent marker. 2. When used in support of an application for a licence, any false entry in the logbook will constitute a legal offence. 3. Entries shall be made personally by the logbook holder and be confirmed/certified by an authorised person. 4. Not performed tasks should be left open (at least 50 % of the given tasks per relevant ATA Chapter should be performed).							
Relevant for category	Task description	Aircraft registration	Job reference (Work order)	Date	Trainee Signature	Supervisor Signature	Base Maint.
B1.1, B1.2, B3, C	Perform minor repair on a metal propeller blade damage i.a.w. AMM.						<input type="checkbox"/>
B1.1, B1.2, B3, C	Perform synchronisation adjustment of engine parameter on a multi-engine driven airplane.						<input type="checkbox"/>
<b>ATA Chapter 62 Main rotors ATA Chapter 64 Tail rotors</b>							
B1.3, B1.4, C	Perform removal and installation of rotor assembly (hub and blades).						<input type="checkbox"/>
B1.3, B1.4, C	Perform visual inspection of rotor assembly (hub and blades).						<input type="checkbox"/>
B1.3, B1.4, C	Perform inspection and classification of blade damage on a metal rotor blade i.a.w. AMM, prepare further actions.						<input type="checkbox"/>
B1.3, B1.4, C	Perform inspection and classification of blade damage on a composite rotor blade i.a.w. AMM, prepare further actions.						<input type="checkbox"/>
B1.3, B1.4, C	Perform removal and installation of main rotor head damper.						<input type="checkbox"/>
B1.3, B1.4, C	Perform removal and installation of main rotor head on mast and perform alignment adjustment (mast center to main rotor head).						<input type="checkbox"/>
B1.3, B1.4, C	Perform check of rotor blade track.						<input type="checkbox"/>
B1.3, B1.4, C	Perform check/adjustment of static rotor blade balance.						<input type="checkbox"/>
B1.3, B1.4, C	Perform check/adjustment of dynamic rotor blade balance (main, tail rotor) on ground.						<input type="checkbox"/>
B1.3, B1.4, C	Be part of an inflight main rotor blade tracking team (include autorotation RPM check and/or adjustment).						<input type="checkbox"/>
B1.3, B1.4, C	Perform minor repair on a composite rotor blade damage i.a.w. AMM.						<input type="checkbox"/>
B1.3, B1.4, C	Perform lubrication of metal rotor head system i.a.w. AMM.						<input type="checkbox"/>
B1.3, B1.4, C	Perform minor repair on a metal rotor blade damage i.a.w. AMM.						<input type="checkbox"/>
<b>ATA Chapter 65 Rotor Drive ATA Chapter 65 Tail Rotor Drive</b>							
B1.3, B1.4, C	Perform removal and installation of main rotor mast.						<input type="checkbox"/>
B1.3, B1.4, C	Perform inspection of main rotor mast for possible damage and damage limits i.a.w. AMM, prepare further actions.						<input type="checkbox"/>
B1.3, B1.4, C	Perform removal and installation of main rotor gearbox.						<input type="checkbox"/>
B1.3, B1.4, C	Perform removal and installation of tail rotor gearbox.						<input type="checkbox"/>
B1.3, B1.4, C	Perform removal and installation drive coupling.						<input type="checkbox"/>

<b>General Information:</b>							
1. All entries in this logbook shall be made with a permanent marker. 2. When used in support of an application for a licence, any false entry in the logbook will constitute a legal offence. 3. Entries shall be made personally by the logbook holder and be confirmed/certified by an authorised person. 4. Not performed tasks should be left open (at least 50 % of the given tasks per relevant ATA Chapter should be performed).							
Relevant for category	Task description	Aircraft registration	Job reference (Work order)	Date	Trainee Signature	Supervisor Signature	Base Maint.
B1.3, B1.4, C	Check/install drive shaft bearings and hangers.						<input type="checkbox"/>
B1.3, B1.4, C	Check/service/assemble flexible drive shaft couplings.						<input type="checkbox"/>
B1.3, B1.4, C	Check alignment of drive shafts.						<input type="checkbox"/>
B1.3, B1.4, C	Perform inspection of drive coupling for possible damage and damage limits i.a.w. AMM, prepare further actions.						<input type="checkbox"/>
B1.3, B1.4, C	Perform inspection/test of clutch/freewheel unit.						<input type="checkbox"/>
B1.3, B1.4, C	Perform inspection/removal/installation drive belt.						<input type="checkbox"/>
B1.3, B1.4, C	Perform inspection of drive shafts for possible damage and damage limits i.a.w. AMM, prepare further actions.						<input type="checkbox"/>
B1.3, B1.4, C	Perform inspection/removal and installation and friction adjustment of swashplate.						<input type="checkbox"/>
B1.3, B1.4, C	Perform inspection of swashplate bearings i.a.w. AMM.						<input type="checkbox"/>
B1.3, B1.4, C	Perform lubrication of swashplate bearings i.a.w. AMM.						<input type="checkbox"/>
B1.3, B1.4, C	Perform lubrication of drive shaft coupling i.a.w. AMM.						<input type="checkbox"/>
B1.3, B1.4, C	Check gearbox chip detectors and perform assessment of particle inspection/classification i.a.w. AMM.						<input type="checkbox"/>
<b>ATA Chapter 67 Rotorcraft flight controls</b>							
B1.3, B1.4, C	Perform removal and installation of mixing box/unit.						<input type="checkbox"/>
B1.3, B1.4, C	Adjust pitch links.						<input type="checkbox"/>
B1.3, B1.4, C	Perform rigging of collective system.						<input type="checkbox"/>
B1.3, B1.4, C	Perform rigging of cyclic system.						<input type="checkbox"/>
B1.3, B1.4, C	Perform rigging of anti-torque system.						<input type="checkbox"/>
B1.3, B1.4, C	Perform check and/or adjustment of tail rotor anti-torque system travel.						<input type="checkbox"/>
B1.3, B1.4, C	Check controls for assembly and locking.						<input type="checkbox"/>
B1.3, B1.4, C	Check controls for operation and sense.						<input type="checkbox"/>

**ATA Chapter 71 Power Plant  
(Gas Turbine Engine/Propulsion)**

General Information:							
1. All entries in this logbook shall be made with a permanent marker. 2. When used in support of an application for a licence, any false entry in the logbook will constitute a legal offence. 3. Entries shall be made personally by the logbook holder and be confirmed/certified by an authorised person. 4. Not performed tasks should be left open (at least 50 % of the given tasks per relevant ATA Chapter should be performed).							
Relevant for category	Task description	Aircraft registration	Job reference (Work order)	Date	Trainee Signature	Supervisor Signature	Base Maint.
ATA Chapter 72 Turbine Engines							
B1.1, B1.3, C	Perform engine removal and installation.						<input type="checkbox"/>
B1.1, B1.3, C	Perform inspection and/or repair of cooling baffles.						<input type="checkbox"/>
B1.1, B1.3, C	Perform external visual inspection of engine and there accessories.						<input type="checkbox"/>
B1.1, B1.3, C	Perform external visual inspection of hoses/lines on engine						<input type="checkbox"/>
B1.1, B1.3, C	Perform inspection and/or repair of engine cowling.						<input type="checkbox"/>
B1.1, B1.3, C	Perform inspection by using boroscope.						<input type="checkbox"/>
B1.1, B1.3, C	Adjust cowl flaps.						<input type="checkbox"/>
B1.1, B1.3, C	Perform inspection/check for damage of wiring in engine compartment.						<input type="checkbox"/>
B1.1, B1.3, C	Perform preparation of engine for compressor and turbine wash.						<input type="checkbox"/>
B1.1, B1.3, C	Perform compressor and turbine wash.						<input type="checkbox"/>
B1.1, B1.3, C	Assist in wet motoring check.						<input type="checkbox"/>
B1.1, B1.3, C	Assist in engine ground run. (power check and or necessary checks after engine installation)						<input type="checkbox"/>
B1.1, B1.3, C	Perform inspection/check for damage limits of fane/compressor blades.						<input type="checkbox"/>
ATA Chapter 72 Piston engines							
B1.2, B1.4, C	Perform engine removal and installation.						<input type="checkbox"/>
B1.2, B1.4, C	Perform inspection and/or repair of cooling baffles.						<input type="checkbox"/>
B1.2, B1.4, C	Perform external visual inspection of engine and there accessories.						<input type="checkbox"/>
B1.2, B1.4, C	Perform external visual inspection of hoses/lines on engine.						<input type="checkbox"/>
B1.2, B1.4, C	Perform inspection and/or repair of engine cowling.						<input type="checkbox"/>
B1.2, B1.4, C	Check crankshaft run-out.						<input type="checkbox"/>
B1.2, B1.4, C	Check tappet/valve clearance.						<input type="checkbox"/>
B1.2, B1.4, C	Perform cylinder compression check.						<input type="checkbox"/>
B1.2, B1.4, C	Perform cylinder differential pressure check.						<input type="checkbox"/>
B1.2, B1.4, C	Perform cylinder removal and installation.						<input type="checkbox"/>

<b>General Information:</b>							
1. All entries in this logbook shall be made with a permanent marker. 2. When used in support of an application for a licence, any false entry in the logbook will constitute a legal offence. 3. Entries shall be made personally by the logbook holder and be confirmed/certified by an authorised person. 4. Not performed tasks should be left open (at least 50 % of the given tasks per relevant ATA Chapter should be performed).							
Relevant for category	Task description	Aircraft registration	Job reference (Work order)	Date	Trainee Signature	Supervisor Signature	Base Maint.
B1.2, B1.4, C	Extract broken stud.						<input type="checkbox"/>
B1.2, B1.4, C	Remove and install helicoil.						<input type="checkbox"/>
B1.2, B1.4, C	Assist in engine ground run. (power check and or necessary checks after engine installation)						<input type="checkbox"/>
<b>ATA Chapter 73 Fuel and control, piston</b>							
B1.2, B1.4, C	Perform inspection of engine driven fuel pump.						<input type="checkbox"/>
B1.2, B1.4, C	Perform inspection of carburetor/injector.						<input type="checkbox"/>
B1.2, B1.4, C	Perform inspection/functional test of carburetor fuel acceleration pump/system.						<input type="checkbox"/>
B1.2, B1.4, C	Perform removal and installation of carburetor/injector/flow devider.						<input type="checkbox"/>
B1.2, B1.4, C	Perform adjustment of carburetor/injector system.						<input type="checkbox"/>
B1.2, B1.4, C	Perform inspection and cleaning of fuel injector nozzles.						<input type="checkbox"/>
B1.2, B1.4, C	Perform inspection and functional test of primersystem.						<input type="checkbox"/>
B1.2, B1.4, C	Perform inspection of fuel filter for evidence of foreign particles, assess them i.a.w. AMM.						<input type="checkbox"/>
B1.2, B1.4, C	Perform check of carburetor float setting.						<input type="checkbox"/>
B1.2, B1.4, C	Perform removal/installation/functional test of FADEC.						<input type="checkbox"/>
B1.2, B1.4, C	Perform inspection of FADEC.						<input type="checkbox"/>
B1.2, B1.4, C	Perform check of carburetor float chamber.						<input type="checkbox"/>
B1.2, B1.4, C	Perform inspection of carburetor/injector system cut-off setup.						<input type="checkbox"/>
<b>ATA Chapter 73 Fuel and control, turbine</b>							
B1.1, B1.3, C	Perform removal and installation of FCU.						<input type="checkbox"/>
B1.1, B1.3, C	Perform inspection of FCU.						<input type="checkbox"/>
B1.1, B1.3, C	Perform FCU rigging.						<input type="checkbox"/>
B1.1, B1.3, C	Perform removal/installation/functional test of FADEC.						<input type="checkbox"/>
B1.1, B1.3, C	Perform inspection of FADEC.						<input type="checkbox"/>
B1.1, B1.3, C	Perform removal/installation/inspection of engine driven pump and/or start and flow control/ flow devider.						<input type="checkbox"/>

<b>General Information:</b>							
1. All entries in this logbook shall be made with a permanent marker.							
2. When used in support of an application for a licence, any false entry in the logbook will constitute a legal offence.							
3. Entries shall be made personally by the logbook holder and be confirmed/certified by an authorised person.							
4. Not performed tasks should be left open (at least 50 % of the given tasks per relevant ATA Chapter should be performed).							
Relevant for category	Task description	Aircraft registration	Job reference (Work order)	Date	Trainee Signature	Supervisor Signature	Base Maint.
B1.1, B1.3, C	Perform removal/installation/cleaning/ testing fuel nozzles.						<input type="checkbox"/>
B1.1, B1.3, C	Perform inspection of fuel filter for evidence of foreign particles, assess them i.a.w. AMM.						<input type="checkbox"/>
B1.1, B1.3, C	Perform adjustment on FCU.						<input type="checkbox"/>
<b>ATA Chapter 74 Ignition systems, piston</b>							
B1.2, B1.4, C	Perform removal and installation of ignition magneto.						<input type="checkbox"/>
B1.2, B1.4, C	Perform ignition magneto setup for installation.						<input type="checkbox"/>
B1.2, B1.4, C	Perform removal and installation of ignition vibrator.						<input type="checkbox"/>
B1.2, B1.4, C	Perform removal and installation of spark plugs.						<input type="checkbox"/>
B1.2, B1.4, C	Perform inspection and test of spark plugs.						<input type="checkbox"/>
B1.2, B1.4, C	Perform inspection and adjustment of ignition magneto timing.						<input type="checkbox"/>
B1.2, B1.4, C	Perform inspection of ignition magneto wiring for condition and possible damage.						<input type="checkbox"/>
B1.2, B1.4, C	Install new leads.						<input type="checkbox"/>
B1.2, B1.4, C	Perform inspection of ignition switch.						<input type="checkbox"/>
B1.2, B1.4, C	Check system bonding.						<input type="checkbox"/>
<b>ATA Chapter 74 Ignition systems, turbine</b>							
B1.1, B1.3, C	Perform functional test of the ignition system.						<input type="checkbox"/>
B1.1, B1.3, C	Perform removal and installation of ignition box.						<input type="checkbox"/>
B1.1, B1.3, C	Perform inspection and functional test of glow plugs/ ignitors.						<input type="checkbox"/>
B1.1, B1.3, C	Perform inspection of ignition wiring for condition and possible damage.						<input type="checkbox"/>
<b>ATA Chapter 76 Engine controls</b>							
B1.1, B1.3, C	Perform inspection and functional test of engine control linkage. (power, mixture...)						<input type="checkbox"/>
B1.1, B1.3, C	Perform inspection and rigging of power lever.						<input type="checkbox"/>
B1.1, B1.3, C	Check controls synchronization for multi-engine configurations.						<input type="checkbox"/>
B1.1, B1.3, C	Check controls for correct assembly and locking.						<input type="checkbox"/>



<b>General Information:</b>							
1. All entries in this logbook shall be made with a permanent marker.							
2. When used in support of an application for a licence, any false entry in the logbook will constitute a legal offence.							
3. Entries shall be made personally by the logbook holder and be confirmed/certified by an authorised person.							
4. Not performed tasks should be left open (at least 50 % of the given tasks per relevant ATA Chapter should be performed).							
Relevant for category	Task description	Aircraft registration	Job reference (Work order)	Date	Trainee Signature	Supervisor Signature	Base Maint.
B1.1, B1.3, C	Check controls for range and direction of movement.						<input type="checkbox"/>
B1.1, B1.3, C	Perform functional test of bleed valve and control system.						<input type="checkbox"/>
B1.1, B1.3, C	Perform inspection of bleed valve.						<input type="checkbox"/>
<b>ATA Chapter 77 Engine indicating</b>							
B1.1, B1.2, B1.3, B1.4, B3, C	Perform inspection and functional test of engine instrument(s).						<input type="checkbox"/>
B1.1, B1.3,	Perform inspection of thermocouples.						<input type="checkbox"/>
B1.2, B1.4, C	Perform inspection and functional test of RPM indicator.						<input type="checkbox"/>
All	Perform removal and installation of RPM / oil pressure, oil temperature, fuel pressure indicator and/or sender; check them for correct limits' marking i.a.w. AMM.						<input type="checkbox"/>
B2	Perform inspection/functional test/calibration of EGT, ITT, oil pressure, oil temperature, fuel pressure and other indicating instruments.						<input type="checkbox"/>
<b>ATA Chapter 78 Exhaust, piston</b>							
B1.2, B1.4, C	Perform removal and installation of exhaust gasket.						<input type="checkbox"/>
B1.2, B1.4, C	Perform exhaust muffler system inspection for cracks or gas leakages.						<input type="checkbox"/>
B1.2, B1.4, C	Perform removal and installation of exhaust muffler system.						<input type="checkbox"/>
B1.2, B1.4, C	Perform detailed inspection of exhaust muffler heating system of cabine heating system using carburetor inlet air.						<input type="checkbox"/>
B1.2, B1.4, C	Perform during ground run an CO2 check at the exhaust muffler cabine heating system.						<input type="checkbox"/>
B1.2, B1.4, C	Perform pressure check of cabin heater muffler.						<input type="checkbox"/>
<b>ATA Chapter 78 Exhaust, turbine</b>							
B1.1, B1.3, C	Perform removal and installation of jet pipe.						<input type="checkbox"/>
B1.1, B1.3, C	Perform removal and installation of shroud assembly.						<input type="checkbox"/>
B1.1, B1.3, C	Perform detailed inspection of exhaust tail cone elements.						<input type="checkbox"/>
B1.1, B1.3, C	Perform rigging of thrust reverse system.						<input type="checkbox"/>
B1.1, B1.3, C	Perform removal and installation of thrust reverser component.						<input type="checkbox"/>

<b>General Information:</b>							
1. All entries in this logbook shall be made with a permanent marker. 2. When used in support of an application for a licence, any false entry in the logbook will constitute a legal offence. 3. Entries shall be made personally by the logbook holder and be confirmed/certified by an authorised person. 4. Not performed tasks should be left open (at least 50 % of the given tasks per relevant ATA Chapter should be performed).							
Relevant for category	Task description	Aircraft registration	Job reference (Work order)	Date	Trainee Signature	Supervisor Signature	Base Maint.
B1.1, B1.3, C	Deactivate/reactivate thrust reverser.						<input type="checkbox"/>
B1.1, B1.3, C	Perform operational test of the thrust reverser system.						<input type="checkbox"/>
<b>ATA Chapter 79 Oil</b>							
B1.1, B1.2, B1.3, B1.4, B3, C	Perform oil change.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform inspection of oil filter for evidence of foreign particles, assess them i.a.w. AMM.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Adjust pressure relief valve.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform removal/installation/inspection of oil tank.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform inspection of oil pump.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform removal/installation/inspection of oil cooler.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform cleaning of the oil cooler.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform removal/installation/inspection of firewall shut-off valve.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform inspection of oil lines for leakage/damage and correct routing.						<input type="checkbox"/>
<b>ATA Chapter 80 Starting</b>							
B1.1, B1.2, B1.3, B1.4, B3, C	Perform inspection of starter.						<input type="checkbox"/>
B1.2, B1.4, B3, C	Perform starter lubrication.						<input type="checkbox"/>
B1.2, B1.4, B3, C	Perform functional test of starter relay.						<input type="checkbox"/>
B1.1, C	Perform inspection of starter air hoses/lines.						<input type="checkbox"/>
B1.1, C	Perform functional test of start bleed valves.						<input type="checkbox"/>
B1.1, B1.2, B1.3, B1.4, B3, C	Perform inspection of starter wiring.						<input type="checkbox"/>
B1.1, C	Perform inspection of start control valve.						<input type="checkbox"/>
B1.1, C	Perform functional test of start control valve.						<input type="checkbox"/>
<b>ATA Chapter 81 Turbines, piston engines</b>							
B1.2, B1.4, C	Perform removal and installation of turbocharger and/or components of the system.						<input type="checkbox"/>
B1.2, B1.4, C	Perform inspection of turbocharger for damage.						<input type="checkbox"/>
B1.2, B1.4, C	Perform inspection heat shields.						<input type="checkbox"/>

**General Information:**

1. All entries in this logbook shall be made with a permanent marker.
2. When used in support of an application for a licence, any false entry in the logbook will constitute a legal offence.
3. Entries shall be made personally by the logbook holder and be confirmed/certified by an authorised person.
4. Not performed tasks should be left open (at least 50 % of the given tasks per relevant ATA Chapter should be performed).

[illegible]

**General Information:**

1. All entries in this logbook shall be made with a permanent marker.
2. When used in support of an application for a licence, any false entry in the logbook will constitute a legal offence.
3. Entries shall be made personally by the logbook holder and be confirmed/certified by an authorised person.
4. Not performed tasks should be left open (at least 50 % of the given tasks per relevant ATA Chapter should be performed).

[illegible]