

LOG-BOOK Category L1(C)/L2(C)

Basic Experience Tasks List

according to 66.A.30 of Annex III (Part-66) of Regulation 1321/2014

Name of applicant:

Date of birth:

AML No.: (if applicable)

Basic Experience Tasks List acc. 66.A.30, Annex III (Part-66) of Regulation 1321/2014 This LOG-BOOK Category L1(C)/L2(C) (Basic Experience Tasks List) is to be applied for demonstrating the required basic maintenance experience according to 66.A.30, Annex III (Part-66) of Regulation (EU) No 1321/2014, in cases of applying for an initial issue of an Aircraft Maintenance License (AML) or endorsement of an additional category of a valid AML issued by Austro Control. The required basic maintenance experience in the relevant basic category has to be gained under supervision of a qualified certifying staff, holding the privileges for that category. The confirmed basic maintenance experience is valid within 10 years according EASA Part-66, 66.A.30 (f). Performed tasks should cover a wide range of tasks in length, complexity and variety. At least one year of the required experience must be recent maintenance experience on aircraft of the category/subcategory for which the initial aircraft maintenance licence is sought. General Information: All entries in this logbook shall be made with a permanent marker. When used in support of an application for a licence, any false entry in the logbook will constitute a legal offence. Entries shall be made **personally by the logbook holder** and be confirmed/certified by an authorised person (supervisor - certifying staff, authorised person according to Part-145, 3. Part-M/F organisation). Following Blocks have to be filled - depending on the category and aircraft ratings: Subcategory and aircraft ratings Blocks to be filled-in Remarks L1C: "composite sailplanes" Block 01, Block 07, Block 08 (if applicable) excluding tasks for "Wooden structures/Metal tubes and fabric" and "Metal structures" of Block 07 including tasks for "Wooden structures/Metal tubes and fabric", L1: "sailplanes" Block 01, Block 07, Block 08 (if applicable) "Composite structures" and "Metal structures" of Block 07 depending on included aeroplane structures L2C: "Composite powered sailplanes and Block 01, Block 02, Block 03, Block 07, Block 01, Block 02, Block 07, Block 03 (if applicable) Block 03 for "Composite structures" and/or Block 04 for "Metal structures" and/or Block 06 for "Wetal-tubing structure covered with fabric" composite ELA1 aeroplanes' L2: "Powered sailplanes and Including following Blocks - depending on included aeroplane structures ELA1 aeroplanes'

Block 01 General data of basic experience for AML category L1(C)/L2(C)

with fabric" Block 07, Block 08 (if applicable)

Basic ex	Basic experience Maintenance performed				
	L1(C)/L2(C)			outside maintenance organisation	Full-time (F)*
started (date)	ended (data)	Name/approval reference number of maintenance organisation	Name/signature of accountable or technical manager	Supervisor Name/AML number/signature	Part-time (P)* Weekend (W)*

* indicate the applicable working arrangement ("F" for full-time, "P" for part-time and "W" for voluntary weekend work)

Basic Experience Tasks List acc. 66.A.30, Annex III (Part-66) of Regulation 1321/2014

General Information regarding the tasks:

At least 50% of the relevant tasks should be demonstrated

2. 3.

At least one task in each subpoint is to be performed. Not performed tasks should be left open and may be compensated by additional tasks added under the rubric "additional tasks" (Block 08).

Block 02 Tasks list for AML category L2 or L2C for ELA1 aeroplanes Supervisor Workorder Date Task Registry of Aircraft Type of Aircraft Signature ATA 05 Time limits/ Maintenance checks Perform job preparation for 100/ annual hour check (general aviation aircraft). Assist carrying out a scheduled maintenance check i.a.w. AMM or any other manufacturer information. Review aircraft maintenance logs for correct completion. Review records for compliance with airworthiness directives. Review records for compliance with service bulletins, service information, service letters and other available manufacturer maintenance data/ information. Review records for compliance with component life limits. Perform job preparation for unscheduled maintenance inspections according aircraft manufacturer maintenance data/ information: Prepare procedure for inspection following hard landing. Prepare procedure for inspection following lightning strike. Perform at least one unscheduled maintenance inspection according aircraft manufacturer maintenance data/ information. See notes after page 16: Note detailed each performed unscheduled maintenance inspection. Prepare/ perform ground-run. Prepare check flight. ATA 06 Dimensions/ Areas Locate component(s) by station number. Perform deduction of possible damages by using station number - diagram. Perform symmetry check. ATA 07 Lifting and Shoring/ Assist in Jack aircraft on nose wheel or tail wheel. Jack complete aircraft. Sling or trestle major component. ATA 08 Leveling/ Weighing Perform levelling of the aircraft. Perform weight and balance of the aircraft.

	2	m	e:
1.1	α		ю.

mame.	Date	e of birth	 AIVIL NO.	AT.00
	Perform weight and balance of flight controls.			
	Perform weight and balance amendment.			
	Check aircraft against equipment list (According Aircraft AFM or MEL or other manufacturer documents)			
	ATA 09 Towing and Taxiing			
	Prepare for aircraft towing/ handling.			
	Tie down aircraft.			
	Park, secure and cover aircraft.			
	ATA 11 Placards and Markings			
	Check aircraft for correct placards.			
	Check aircraft for correct markings.			
	ATA 12 Servicing			
	Refuel aircraft.			
	Defuel aircraft.			
	Carry out tank to tank fuel transfer.			
	Check/ adjust tire pressure.			
	Check/ replenish oil level.			
	Check/ replenish hydraulic fluid level.			
	Check/ replenish accumulator pressure.			
	Perform servicing of hydraulic shock absorbers/ cylinders (e.g. landing gear system)			
	Grease aircraft according Maintenance manual.			
	Connect ground power.			
	Perform pre-flight/ daily check.			
	Perform power on test/ switch-on airplane systems to perform all items according pre-flight/ daily or maintenance checks according AFM or AMM. Note: Describe all performed tasks detailed after Page 11			
	ATA 21/21A Air Conditioning/ Air Supply			
	Perform detailed introduction to air conditioning/ air supply system according AMM or any other manufacturer information.			
	Check operation of air conditioning/ heating system.			
	Check/ replace/ install flow control valve.			
	Check/ replace/ install cabin blower.			
	Check/ replace/ install heat exchanger.			
	Inspect avionics ventilation components.			
	Inspect/ replace/ install air filter.			
	Check/ replace/ install/ clean hoses and tubes of heating system.			

Image: Section of stally system. Image: Section of Section Secti	Name: _	Da	te of birth:	 AML No. /	AT.66
Perform detailed introduction to auto flight manufacturer information. Image: Check/ replace/ instail/ adjust servos. Check/ replace/ instail/ adjust servos. Image: Check/ replace/ instail/ adjust servos. Check/ replace/ instail/ adjust servos. Image: Check/ replace/ instail/ adjust servos. Check/ replace/ instail/ adjust servos. Image: Check/ replace/ instail controller. Check/ replace/ instail amplifier. Image: Check/ replace/ instail amplifier. Check/ replace/ instail amplifier. Image: Check/ replace/ instail amplifier. Check/ replace/ instail amplifier. Image: Check/ replace/ instail amplifier. ATA 23 Communications Image: Check/ replace/ instail/ amplifier. Perform detailed introduction to communication to addres. Image: Check/ replace/ instail/ amplifier. Check operation of radios. Image: Check/ replace/ instail/ amplifier. Check operation of radios. Image: Check/ replace/ instail/ amplifier. Check operation of radios. Image: Check/ replace/ instail/ amplifier. Check operation of radios. Image: Check/ replace/ instail/ amplifier. Check anterna. Image: Check/ replace/ instail/ amplifier. Replace/ instail static discharger. Image: Check/ replace/ instail/ amplifier. Troubleshoof faulty system. Image: Check/ replace/ instail/ amplifier.		Troubleshoot faulty system.			
system according AMM or any otherImage: system according AMM or any otherImage: system according AMM adjust servos.Image: system according AMM adjust servo clutch.Image: system according AMM adjust servo.Image: system adjust servo.		ATA 22 Auto flight			
manufacturer information. Image: Section of Section Sectin Sectin Section Section Sectin Section Section Sectin		Perform detailed introduction to auto flight			
Check/ replace/ install valuat servo clutch. Impect/ adjust ig bridte cables Impect/ adjust ig bridte cables Check/ replace/ install controller. Impect/ adjust ig bridte cables Impect/ adjust ig bridte cables Check/ replace/ install amplifier. Impect/ adjust ig bridte cables Impect/ adjust ig bridte cables Check/ replace/ install amplifier. Impect/ adjust ig bridte cables Impect/ adjust ig bridte cables Troubleshoot faulty system. Impect/ adjust ig bridte cables Impect/ adjust ig bridte cables ATA 23 Communications Impect/ adjust ig bridte cables Impect/ adjust ig bridte cables Check operation of radios. Impect/ adjust ig bridte cables Impect/ adjust ig bridte cables Check operation of radios. Impect/ adjust ig bridte cables Impect/ adjust ig bridte cables Check operation of radios. Impect/ adjust ig bridte cables Impect/ adjust ig bridte cables Check operation of radios. Impect/ adjust ig bridte cables Impect/ adjust ig bridte cables Replace/ install static cables adjust ig bridte cables Impect/ adjust ig bridte cables Impect/ adjust ig bridte cables Troubleshoot faulty system. Impect/ adjust ig bridte cables Impect/ adjust ig bridte cables Impect/ adjust ig bridte cables Charge lead/ adjust information.		manufacturer information.			
Inspect/adjust rig bridle cables Image of the state of the stat		Check/ replace/ install/ adjust servos.			
Check/ replace/ install controller. Image: Check/ replace/ install amplifier. Check/ replace/ install amplifier. Image: Check/ replace/ install amplifier. Troubleshoot faulty system. Image: Check/ replace/ install amplifier. ATA 23 Communications Image: Check/ replace/ install amplifier. ATA 23 Communications Image: Check/ replace/ install amplifier. Perform detailed introduction to communication system according AMM or any other manufacturer information. Image: Check amplifier. Check operation of radios. Image: Check amplifier. Image: Check amplifier. Replace/ install communication unit Image: Check amplifier. Image: Check amplifier. Replace/ install static discharger. Image: Check amplifier. Image: Check amplifier. Troubleshoot faulty system. Image: Check amplifier. Image: Check amplifier. ATA 24 Electrical Power Image: Check amplifier. Image: Check amplifier. Perform detailed introduction to electrical power system according AMM or any other manufacture information. Image: Check amplifier. Image: Check amplifier. Charge Ni-Cd battery. Image: Check amplifier. Image: Check amplifier. Image: Check amplifier. Image: Check amplifier. Check for generator/ alternator Image: Check amplifier. Image:		Check/ replace/ install/ adjust servo clutch.			
Check/replace/install amplifier. Image: Check operation of auto-pilot. Troubleshoot faulty system. Image: Check operation of auto-pilot. ATA 23 Communications Image: Check operation of auto-pilot. ATA 23 Communications Image: Check operation of auto-pilot. Perform detailed introduction to communication system according AMM or any other manufacturer information. Image: Check operation of relations. Check operation of relations. Image: Check operation of relations. Image: Check operation of relations. Check operation of relations. Image: Check and the check is any other manufacturer information. Image: Check operation of relations. Check antenna. Image: Check antenna. Image: Check antenna. Image: Check antenna. Replace/ install static discharger. Image: Check antenna. Image: Check antenna. Image: Check antenna. ATA 24 Electrical Power Image: Check antenna. Image: Check antenna. Image: Check antenna. Charge lead/ acid battery. Image: Check antenna. Image: Check antenna. Image: Check antenna. Check battery capacity. Image: Check antenna. Image: Check antenna. Image: Check antenna. Check battery. Image: Check antenna and antenna. Image: Check antenna. Image: Check antenna.		Inspect/ adjust rig bridle cables			
Check operation of auto-pilot. Image: Check operation of auto-pilot. ATA 23 Communications Image: Check operation of auto-pilot. ATA 23 Communications system according AMM or any other manufacturer information. Image: Check operation of radios. Check operation of radios. Image: Check operation of radios. Check operation of radios. Image: Check operation of radios. Replace/install communication unit Image: Check operation of radios. Replace/install communication unit Image: Check operation operation. Replace/install communication unit Image: Check operation operation. Replace/install static discharger. Image: Check operation to electrical power Replace/install static discharger. Image: Check operation to electrical power Perform detailed introduction to electrical power system according AMM or any other manufacturer information. Image: Check operation of any other manufacture information. Charge lead/ acid battery. Image: Check operatory. Image: Check operatory. Check battery. Image: Check install operatory. Image: Check install operatory. Deep-cycle Ni-Cd battery. Image: Check/install operator/ alternator. Image: Check/install operatory. Check install operatory. Image: Check/install operatory. Image: Check/install operatory.		Check/ replace/ install controller.			
Troubleshoot faulty system. Image: Communications of the system according AMM or any other manufacturer information. Image: Communication system according AMM or any other manufacturer information. Perform detailed introductor to communication unit (e.g. COMINAV unit) Image: Communication unit (e.g. COMINAV unit) Image: Communication unit (e.g. COMINAV unit) Replace/ install communication unit (e.g. COMINAV unit) Image: Communication unit (e.g. COMINAV unit) Image: Communication unit (e.g. COMINAV unit) Replace/ crimp connector. Image: Communication unit (e.g. COMINAV unit) Image: Communication unit (e.g. COMINAV unit) Replace/ install static discharger. Image: Communication unit (e.g. COMINAV unit) Image: Communication unit (e.g. COMINAV unit) Replace/ install static discharger. Image: Communication unit (e.g. COMINAV unit) Image: Communication unit (e.g. COMINAV unit) Replace/ install static discharger. Image: Communication unit (e.g. Comination unit (e.g. COMINAV unit) Image: Communication unit (e.g. Communi		Check/ replace/ install amplifier.			
ATA 23 Communications Image: Communication system according AMM or any other manufacture information. Check operation of radios. Example: Perform check i.a.w. AFM, AMM. Replace/ install communication unit (e.g. COMNAV unit) Image: Communication unit (e.g. COMNAV unit) Replace/ install communication unit (e.g. COMNAV unit) Image: Communication unit (e.g. COMNAV unit) Replace/ install communication unit (e.g. COMNAV unit) Image: Communication unit (e.g. COMNAV unit) Replace/ install static discharger. Image: Communication to electrical power information. Troubleshoot faulty system. Image: Communication to electrical power system according AMM or any other manufacturer information. Charge lead/ acid battery. Image: Communication unit communication. Charge Ni-Cd battery. Image: Communication unit communication. Check replace/ install generator/ alternator. Image: Communication unit communication. Check replace/ install generator/ alternator. Image: Communication unit communication. Check replace/ install generator/ alternator reprint alternator driven belt. Image: Communicatinternat		Check operation of auto-pilot.			
Perform detailed introduction to communication system according AMM or any other manufacturer information.Image: Construction of radios. Example: Perform check i.a.w. AFM, AMM.Replace/ install communication unit (e.g. COMMAV unit)Image: Construction check i.a.w. AFM, AMM.Image: Construction check i.a.w. AFM, AMM.Replace/ install communication unit (e.g. COMMAV unit)Image: Construction check i.a.w. AFM, AMM.Image: Construction check i.a.w. AFM, AMM.Replace/ install communication unit (e.g. COMMAV unit)Image: Construction check i.a.w. AFM, AMM.Image: Construction check i.a.w. AFM, AMM.Replace/ install static discharger.Image: Construction check i.a.w. AFM, AMM.Image: Construction check i.a.w. AFM, AMM.Replace/ install static discharger.Image: Construction check i.a.w. AFM, AMM.Image: Construction check i.a.w. AFM, AMM.Replace/ install static discharger.Image: Construction check i.a.w. AFM, AMM.Image: Construction check i.a.w. AFM, AMM.Replace/ install static discharger.Image: Construction check i.a.w. AfM, ATM, ATM, ATM, ATM, ATM, ATM, ATM, AT		Troubleshoot faulty system.			
communication system according AMM c or any other manufacturer information. c Check operation of radios. Example: Perform check La.w. AFM, AMM. Replace/ install communication unit c (e.g. COMNAV unit) c Replace/ install communication unit c (e.g. COMNAV unit) c Replace/ install static discharger. c Troubleshoot faulty system. c ATA 24 Electrical Power c Perform detailed introduction to electrical power system according AMM or any other manufacture information. c Charge lead/ acid battery. c Charge lead/ acid battery. c Charge Ni-Cd battery. c Check/ replace/ install battery. c Deep-cycle Ni-Cd battery. c Check/ replace/ install generator/ alternator. c Check/ replace/ install generator/ alternator. c Check generator/ alternator carbon block i.a.w AMM. i.a.w AMM. Check/ replace/ install generator diven block i.a.w AMM. i.a.w AMM. Check/ replace/ install switches and connectors. c		ATA 23 Communications			
Example: Perform check i.a.w. AFM, AMM. Replace/ install communication unit Replace/ install communication unit Replace/ crimp connector. Image: ComNAV unit) Replace/ crimp connector. Image: ComNAV unit) Replace/ install static discharger. Image: ComNAV unit) Replace/ install static discharger. Image: ComNAV unit) Troubleshoot faulty system. Image: ComNAV unit) ATA 24 Electrical Power Image: ComNAV unit) Perform detailed introduction to electrical power system according AMM or any other manufacturer information. Image: ComNAV unit) Charge lead/ acid battery. Image: ComNAV unit) Image: ComNAV unit) Charge Ni-Cd battery. Image: ComNAV unit) Image: ComNAV unit) Check / replace/ install battery. Image: ComNAV unit) Image: ComNAV unit) Check / replace/ install battery. Image: ComNAV unit) Image: ComNAV unit) Check / replace/ install generator/ alternator. Image: ComNAV unit) Image: ComNAV unit) Check / replace/ install generator / alternator. Image: ComNAV unit) Image: ComNAV unit) Image: ComNAV unit) Check / replace/ install generator / alternator driven belt. Image: Check/ replace/ install generator / alternator driven belt. Image		communication system according AMM or any other manufacturer information.			
(e.g. COMNAV unit)					
Check antenna. Check antenna. Replace/ install static discharger. Image: Check antenna. Troubleshoot faulty system. Image: Check antenna. ATA 24 Electrical Power Image: Check antenna. Perform detailed introduction to electrical power system according AMM or any other manufacturer information. Image: Charge lead/ acid battery. Charge lead/ acid battery. Image: Check battery capacity. Image: Check battery capacity. Check battery capacity. Image: Check / replace/ install battery. Image: Check / replace/ install generator/ alternator. Check of generator/ alternator mounting. Image: Check of generator/ alternator carbon block in a.w AMM. Image: Check / replace/ install switches and connectors. Check / replace/ install switches and connectors. Image: Check / replace/ install switches and connectors. Image: Check / replace/ install switches and connectors.					
Replace/ install static discharger. Image: Constall static discharger. Troubleshoot faulty system. Image: Constall static discharger. ATA 24 Electrical Power Image: Constall static discharger. Perform detailed introduction to electrical power system according AMM or any other manufacturer information. Image: Constall static discharger. Charge lead/ acid battery. Image: Constall statery. Image: Constall statery. Charge Ni-Cd battery. Image: Constall statery. Image: Constall statery. Check battery capacity. Image: Constall statery. Image: Constall statery. Deep-cycle Ni-Cd battery. Image: Constall statery. Image: Constall statery. Check of generator/ alternator. Image: Constall generator/ alternator. Image: Constall generator/ alternator. Check of generator/ alternator mounting. Image: Constall of generator/ alternator driven block i.a.w AMM. Image: Constall switches and connectors. Check/ replace/ install switches and connectors. Image: Constall switches and connectors. Image: Constall switches and connectors.					
Troubleshoot faulty system.Image: Constraint of the system of the system of the system according AMM or any other manufacturer information.Image: Constraint of the system according AMM or any other manufacturer information.Charge lead/ acid battery.Image: Constraint of the system according AMM or any other manufacturer information.Image: Constraint of the system according AMM or any other manufacturer information.Charge lead/ acid battery.Image: Constraint of the system according AMM or any other manufacturer information.Image: Constraint of the system according AMM or any other manufacturer information.Charge lead/ acid battery.Image: Constraint of the system according AMM or any other manufacturer information.Image: Constraint of the system according AMM or any other manufacturer information.Check battery capacity.Image: Constraint of the system according AMM or any capacity.Image: Constraint of the system according AMM or any capacity.Image: Check/ replace/ install generator/ alternator.Image: Constraint of the system according AMM or any canadity alternator.Image: Constraint of the system according AMM or any canadity alternator alternator driven block in a w AMM.Check/ replace/ install of generator/ alternator driven block in a w AMM.Image: Check/ replace/ install switches and connectors.Image: Check/ replace/ install switches and connectors.		Check antenna.			
ATA 24 Electrical Power		Replace/ install static discharger.			
Perform detailed introduction to electrical power system according AMM or any other manufacturer information. Image: Charge lead/ acid battery. Charge lead/ acid battery. Image: Charge Ni-Cd battery. Charge Ni-Cd battery. Image: Check/ replace/ install battery. Check/ replace/ install battery. Image: Check/ replace/ install generator/ alternator. Check of generator/ alternator mounting. Image: Check/ install of generator/ alternator driven belt. Check/ replace/ install switches and connectors. Image: Check/ replace/ install switches and connectors.		Troubleshoot faulty system.			
power system according AMM or any other manufacturer information. Image: Charge lead/ acid battery. Charge lead/ acid battery. Image: Charge Ni-Cd battery. Check battery capacity. Image: Check/ replace/ install battery. Check/ replace/ install battery. Image: Check/ replace/ install generator/ alternator. Check of generator/ alternator mounting. Image: Check of generator/ alternator carbon block i.a.w AMM. Check/ replace/ install of generator/ alternator driven belt. Image: Check/ replace/ install switches and connectors.		ATA 24 Electrical Power			
Charge Ni-Cd battery. Image: Charge Ni-Cd battery. Check battery capacity. Image: Check/replace/install battery. Check/ replace/install battery. Image: Check/replace/install generator/alternator. Check of generator/ alternator mounting. Image: Check/replace/install of generator/alternator driven belt. Check/ replace/ install switches and connectors. Image: Check/replace/install switches and connectors.		power system according AMM or any			
Check battery capacity. Check/ replace/ install battery. Deep-cycle Ni-Cd battery. Deep-cycle Ni-Cd battery. Check/ replace/ install generator/ alternator. Check / replace/ install generator/ alternator. Check of generator/ alternator mounting. Check generator/ alternator carbon block i.a.w AMM. Check/ install of generator/ alternator driven belt. Check / replace/ install switches and connectors.		Charge lead/ acid battery.			
Check/ replace/ install battery. Check/ replace/ install battery. Deep-cycle Ni-Cd battery. Check/ replace/ install generator/ alternator. Check/ replace/ install generator/ alternator. Check of generator/ alternator mounting. Check of generator/ alternator carbon block i.a.w AMM. Check/ install of generator/ alternator driven belt. Check/ replace/ install switches and connectors. Check / replace/ install switches and connectors.		Charge Ni-Cd battery.			
Deep-cycle Ni-Cd battery. Image: Check/ replace/ install generator/ alternator. Check/ replace/ install generator/ alternator. Image: Check of generator/ alternator mounting. Check of generator/ alternator mounting. Image: Check generator/ alternator carbon block i.a. w AMM. Check/ install of generator/ alternator driven belt. Image: Check/ replace/ install switches and connectors.		Check battery capacity.			
Check/ replace/ install generator/ alternator. Image: Check of generator/ alternator mounting. Check of generator/ alternator mounting. Image: Check generator/ alternator carbon block i.a. w AMM. Check/ install of generator/ alternator driven belt. Image: Check/ replace/ install switches and connectors.		Check/ replace/ install battery.			
Image: Check of generator/ alternator mounting. Image: Check generator/ alternator carbon block i.a.w AMM. Image: Check/ install of generator/ alternator driven belt. Image: Check/ install of generator/ alternator driven belt. Image: Check/ replace/ install switches and connectors. Image: Check/ replace/ install switches and connectors. Image: Check/ ins		Deep-cycle Ni-Cd battery.			
Check generator/ alternator carbon block Image: Check generator/ alternator carbon block Image: Check generator/ alternator carbon block Check / install of generator/ alternator driven belt. Image: Check generator/ alternator driven generator/		Check/ replace/ install generator/ alternator.			
i.a.w AMM. Image: Check/ install of generator/ alternator driven belt. Check/ replace/ install switches and connectors. Image: Check/ replace/ install switches and connectors.		Check of generator/ alternator mounting.			
Check/ install of generator/ alternator driven belt. Check/ replace/ install switches and connectors.					
Check/ replace/ install switches and connectors.		Check/ install of generator/ alternator driven			
		Check/ replace/ install switches and			
		Check/ replace/ install circuit breakers.			
Check/ replace/ install voltage regulator.		Check/ replace/ install voltage regulator.			
Adjust voltage regulator.		Adjust voltage regulator.			
Check/ replace/ install of battery relay, overvoltage relay or sensor system.					

Name:	Date	of birth:	 AML No. A	NT.66
	Check/ replace/ install reverse current relay.			
	Check/ replace/ install indicating lights.			
	Perform standard maintenance inspection/ repair/ replacement/ installation of electrical wire, connectors according AMM or any other manufacturer information or AC 43.13.			
	Troubleshoot faulty system.			
	ATA 25/ 25A Equipment/ Furnishings incl. emergency equipment			
	Perform detailed introduction to equipment and furnishings according AMM or any other manufacturer information.			
	Replace/ install carpets.			
	Replace/ install crew seats.			
	Replace/ install passenger seats.			
	Check inertia reels.			
	Check/ replace/ install seats/ belts for security.			
	Check emergency equipment. Example: First Aid Kit			
	Check ELT for compliance with regulations.			
	Check/ replace/ install ELT Battery.			
	Remove and install ceiling and sidewall panels.			
	Repair upholstery.			
	Change cabin configuration.			
	ATA 26 Fire protection			
	Perform detailed introduction fire protection system according AMM or any other manufacturer information.			
	Check cabin fire extinguisher contents. Example: Portable fire extinguisher			
	Replace/ install new fire extinguisher.			
	Check fire resistance sealing of engine compartment (wall).			
	Check fire resistance of hoses, tubes and sealing.			
	ATA 27 Flight Controls			
	Perform detailed introduction to flight control system according AMM or any other manufacturer information.			
	Check/ inspect primary flight controls and related components i.a.w. AMM.			
	Deactivation/ reactivation of aileron, rudder and or elevator servo control.			
	Extend/ retract flaps & slats.			
	Check/ replace/ install flaps.			
	Replace/ install flap actuator.			
	Replace/ install horizontal or vertical stabiliser.			
	Replace/ install spoiler/ lift damper.			

me:		e of birth:		AML No. /	AT.66
	One of the following three activities is mandatory:				
	Replace/ install/ rig/ adjust elevator.				
	Replace/ install/ rig/ adjust aileron.				
	Replace/ install/ rig/ adjust rudder.				
	Replace/ install/ rig/ adjust trim tabs.				
	Inspect/ replace/ splice control cable.				
	Inspect/ adjust control cable tension.				
	Replace/ install pulley.				
	Adjust turnbuckle.				
	Check/ replace/ install/ adjust push rod of aileron/ or rudder/ or elevator.				
	Check/ adjust flight control range and direction of movement.				
	Replace/ install powered flying control unit.				
	Troubleshoot faulty system.				
	Check/ replace/ install/ adjust elevator trim/				
	or rudder trim/ or aileron trim Inspect control tubes, connection devices				
	(forks, eye bearings).				
	Inspect/ check of bell cranks, torque tubes, control tubes, spindles - actuators.				
	Replace/ adjust stall warning.				
	ATA 28 Fuel Systems				
	Perform a detailed introduction to fuel system acc. AMM or any other manufacturer information.				
	Check water drain system (operation).				
	Replace/ install water drain valve.				
	Replace/ install fuel selector.				
	Perform inspection of fuel selector.				
	Replace/ install/ inspect fuel hoses and tubes - fittings/ connectors.				
	Inspect fuel lines, hoses and tubing.				
	Check fuel ventilation system				
	Replace/ install fuel tank cells.				
	Inspect fuel tank cells.				
	Replace/ install/ check fuel control valves.				
	Replace/ install magnetic fuel level indicators.				
	Check/ calculate fuel contents manually.				
	Replace/ install booster pump.				
	Check filters.				
	Perform flow check of fuel system.				

Name:	Date of	birth:	AML No. A	Т.66
	Check calibration/ adjustment of fuel quantity gauges.			
	Check calibration/ adjustment of fuel quantity gauges (just for integrated electronic systems)			
	Check operation feed/ selectors.			
	Check operation of fuel dump/ jettison system.			
	Troubleshoot faulty system.			
	Pressure defuel or fueling.			
	Pressure refuel (manual control).			
	Deactivation/ reactivation of the fuel valves (transfer defuel, X-feed, refuel).			
	ATA 29 Hydraulic Power			
	Perform a detailed introduction of hydraulic system according AMM or any other manufacturer information.			
	Replace/ install/ inspect pump.			
	Check/ replace case drain filter.			
	Replace/ install/ inspect standby pump.			
	Replace/ install/ inspect hydraulic motor pump/ generator.			
	Replace/ install/ inspect accumulator.			
	Inspect of hydraulic lines, hoses and tubing.			
	Check operation of shut-off valve.			
	Check filters/ clog system and indicator.			
	Check indicating systems.			
	Pressurization/ depressurization of hydraulic system.			
	Perform an introduction to Power Transfer Unit (PTU) operation.			
	Troubleshoot faulty system.			
	ATA 30 Ice and rain protection			
	Perform a detailed introduction of ice and rain protection system according AMM or any other manufacturer information.			
	Check operation of anti-ice/ de-ice systems.			
	Operational test the pitot-probe ice protection.			
	Operational test the TAT ice protection.			
	Operational test of the wing ice protection system.			
	Replace/ install timer.			
	Inspect/ repair propeller or wing device boot.			
	Replace/ install wiper motor.			
	Inspect/ test propeller de-icing system.			
	Inspect/ test wing leading edge de-icing boot.			
	Inspect/ replace anti-ice/ de-ice valve.			

Name:		ate of birth:	 AML No.	AT.66
	Assistance to the operational test of the engine air-intake ice protection (engines operating).			
	Perform inspection of ice and rain detection probes.			
	Perform inspection of lines, hoses and tubing of liquid ice protection systems.			
	Troubleshoot faulty system.			
	ATA 31 Indicating/ recording systems			
	Perform a detailed introduction of indicating and recording systems according AMM or any other manufacturer information.			
	Check/ replace/ install clock.			
	Perform BITE test of the indicating/ recording systems.			
	Ground scanning of the central warning system.			
	Inspect correct marking of indicators.			
	Replace/ install/ inspect air speed indicators.			
	Replace/ install/ inspect altimeter indicators.			
	Replace/ install/ inspect vertical speed indicators			
	Perform inspection and/ or change of instrument hoses and tubing.			
	Replace/ install/ inspect gyro.			
	Replace/ install/ inspect oil pressure indicators.			
	Replace/ install/ inspect fuel indicators.			
	Replace/ install/ inspect manifold indicators.			
	Replace/ install/ inspect RPM indicators.			
	Replace/install/ inspect voltage/ current indicator.			
	Troubleshoot faulty system.			
	ATA 32 Landing Gear			
	Perform a detailed introduction of landing ge according AMM or any other manufacturer information.	ar		
	Build up wheel.			
	Check/ replace/ install nose or main wheel.			
	Inspect wheels (tube, tyre, wheel halfs, bearings)			
	Lubricate wheel bearings.			
	Inspect/ replace/ install break tubing, lines and/ or hoses, break disks.			
	Replace/ install brake control valve.			
	Check/ replace/ install of parking break valve	÷.		
	Bleed brakes.			
	Check/ test/ adjust gear retraction system.			
	Replace/ install gear retraction actuator.			
	Check/ replace/ install unlock/ downlock assembly.			

Name:	Da	ate of birth:	 AML No. /	AT.66
	Adjust micro switches/ sensors.			
	Replace/ install/ service shimmy damper.			
	Rig nose wheel steering.			
	Test nose/ or tail wheel steering system.			
	Service/ replace/ install shock strut seals.			
	ATA 33 Lights			
	Check/ replace/ install rotating beacon or flashlight.			
	Check/ replace/ install landing lights.			
	Check/ replace/ install instrument lights.			
	Check/ replace/ install navigation lights.			
	Check/ replace/ install interior lights.			
	Check/ replace/ install emergency lighting system.			
	Check/ replace/ install wiring and connectors of lighting system.			
	Perform emergency lighting system checks.			
	Troubleshoot faulty system.			
	ATA 34 Navigation			
	Perform detailed introduction to navigation system according AMM or any other manufacturer information.			
	Check/ replace/ install pitot-static probe.			
	Perform pitot-static system leak test.			
	Replace/ install magnetic compass.			
	Test/ adjust magnetic compass.			
	Check/ replace/ install directional gyro.			
	Check/ replace/ install attitude gyro.			
	Replace/ install HSI.			
	Check/ replace/ install VOR unit.			
	Check/ replace/ install ADF unit.			
	Check/ replace/ install Transponder unit.			
	Perform functional check of GPS system.			
	Inspect antennas.			
	Inspect wiring and connectors of navigation systems.			
	ATA 35 Oxygen			
	Perform detailed introduction to oxygen system according AMM or any other manufacturer information.			
	Inspect on board oxygen equipment.			
	Inspect oxygen mask, bottle and regulator.			
	i			

Name:	Da	te of birth:	 AML No. AT.66
	Inspect oxygen hoses and tubing.		
	Purge and recharge oxygen system.		
	Replace/ install regulator.		
	Replace/ install oxygen generator.		
	Test crew oxygen system.		
	Perform auto oxygen system deployment check.		
	Troubleshoot faulty system.		
	ATA 36/ 36A Pneumatic systems including monitoring and indicating		
	Perform detailed introduction to navigation system according AMM or any other manufacturer information.		
	Check/ replace/ install filter.		
	Replace/ install air shut-off valve.		
	Replace/ install pressure regulating valve.		
	Replace/ install inspect compressor pump.		
	Inspect pneumatic system's hoses and tubing.		
	Recharge desiccator.		
	Adjust regulator.		
	Check for leaks.		
	Troubleshoot faulty system.		
	ATA 37 Vacuum systems		
	Perform detailed introduction to vacuum system according AMM or any other manufacturer information.		
	Inspect the vacuum system i.a.w. AMM.		
	Check/ replace filters.		
	Perform inspection of vacuum system's hoses and tubing.		
	Replace/ install vacuum pump.		
	Adjust regulator.		
	Troubleshoot faulty system.		
	ATA 61 Propeller		
	Perform detailed introduction to propeller according AMM or any other manufacturer information.		
	Check/ assemble propeller after transportation.		
	Replace/ install propeller.		
	Perform propeller adjustments (basic adjustments).		
	Replace/ install governor.		
	Perform governor adjustments.		
	Perform static functional checks.		

Name:	Date	e of birth:	 AML No. /	AT.66
	Check operation during ground run.			
	Check propeller track.			
	Check setting of micro switches.			
	Troubleshoot faulty system.			
	Inspect propeller bolt and nuts.			
	Inspect propeller spinner and propeller hold down plates.			
	Inspect propeller blades.			
	Dynamically balance of prop-blade.			
	Assess/ repair of propeller - blade damage i.a.w. AMM. for metal.			
	Assess/ repair of propeller - blade damage i.a.w. AMM. for wooden.			
	Assess/ repair of propeller - blade damage i.a.w. AMM. for wooden - composite.			
	Perform re-torque check after installation on wooden propeller. Perform re-torque check after installation on			
	metal.			
	Perform check of security of propeller bolts.			
	ATA 71 Power Plant			
	Perform 100 hour engine check (general aviation aircraft).			
	Perform detailed introduction to gasoline piston engine according AMM or any other manufacturer information.			
	Perform detailed introduction to diesel engine according AMM or any other manufacturer information.			
	Inspect/ replace/ install engine mounting.			
	Inspect/ replace/ install shock mounts.			
	Replace/ install engine according AMM or any other manufacturer information.			
	Inspect/ replace/ install engine drains/ breather lines.			
	Perform troubleshooting on gasoline piston engine i.a.w. AMM or any other manufacturer information.			
	Perform troubleshooting on diesel engine i.a.w. AMM or any other manufacturer information.			
	Perform conservation of engine i.a.w. AMM or any other manufacturer information.			
	Perform and Assist in engine start/ ground run.			
	ATA 72 Piston Engines			
	Perform detailed introduction to engine systems according AMM or any other manufacturer information.			
	Perform detailed introduction to engine FADEC systems according AMM or any other manufacturer information.			
	Perform differential pressure inspection.			
	Perform compression check.			

Humo.	Duk		7 (11) = 110: 1	11:00:
	Perform leakage check on crankcase.			
	Perform penetrant inspection of cracks (according AMM and/or AC.43.13)			
	Perform boroscope inspection (according AMM and/or AC.43.13)			
	Check crankshaft run-out.			
	Perform internal corrosion check of crankshaft.			
	Replace/ check/ install cylinder.			
	Extract/ replace broken stud.			
	Check tappet clearance.			
	Install helicoil.			
	Inspect/ replace/ install accessory housings.			
	Perform engine ground run and adjustments (power verification)			
	Perform at least one unscheduled maintenance inspection according AMM			
	or any other manufacturer information. Example:			
	Procedure for inspection following overspeed of engine			
	Troubleshoot faulty system.			
	ATA 73 Fuel and control			
	Perform detailed introduction to fuel system according AMM or any other manufacturer information.			
	Check/ replace/ install engine driven pump.			
	Check/ replace/ install electric pump.			
	Inspect/ replace/ install fuel filter.			
	Check/ replace/ install primer system/ hoses/ lines.			
	Check/ replace/ install fuel hoses, tubing.			
	Check/ replace/ install fuel cooler.			
	Check/ replace/ install check carburetor/ injector.			
	Inspect/ drain carburetor float chamber.			
	Inspect carburetor internal fuel filter.			
	Check internal carburetor fuel primer system.			
	Check/ adjust carburation/ injection control linkage.			
	Check/ replace/ install fuel flow divider.			
	Inspect/ clean/ replace/ install injector nozzles.			
	Adjust mixture.			
	Adjust idle mixture.			
	Adjust primer system.			
	Synchronise carburetors.			
	Adjust injector system.			

Date of birth:

Signature of applicant: _

Name:

AML No. AT.66.

Name:	Date	e of birth:	 AML No. /	AT.66
	Troubleshoot faulty system.			
	ATA 74 Ignition systems, piston			
	Perform detailed introduction to ignition system according AMM or any other manufacturer information.			
	Inspect installation of engine ignition components.			
	Check/ replace/ install ignition sparkplugs.			
	Inspect/ clean/ adjust ignition sparkplugs.			
	Check/ replace/ install ignition harness.			
	Check/ replace/ install ignition harness fitting.			
	Inspect/ replace/ install magneto.			
	Check/ adjust basic timing of magneto.			
	Inspect/ replace/ install ignition vibrator.			
	Check/ replace/ install ignition switch.			
	Check/ replace/ install FADEC or LASAR			
	Check system bonding.			
	Establish/check reference RPM.			
	Troubleshoot faulty system.			
	ATA 75 Cooling			
	Perform detailed introduction to cooling system according AMM or any other manufacturer information.			
	Check/ repair/ install, inspect cooling baffles.			
	Inspect/ repair cowling.			
	Check/ repair/ install cowl flaps.			
	Adjust cowl flaps.			
	Inspect/ replace/ install alternate air valve and air filter			
	Inspect/ replace/ install control air valve control cable.			
	Perform inspection of liquid cooling system i.a.w. AMM or any other manufacturer information.			
	Inspect/ replace/ install cooler.			
	Perform refilling of coolant.			
	Troubleshoot faulty system.			
	ATA 76 Engine Controls			
	Perform detailed introduction to engine controls according AMM or any other manufacturer information.			
	Check/ replace ECU.			
	Check/ replace/ rig RPM control.			
	Check/ replace/ rig fuel cut off lever/ or mixture lever.			

Check/ replace/ rig power lever.		
Check/ replace/ rig propeller lever.		
Seal firewall after replace of control cable.		
Check control sync (multi-engine).		
Check controls for correct assembly and locking.		
Check controls for range and direction of movement.		
 Adjust pedestal micro-switches.		
 Check controls system. (Linkage)		
Troubleshoot faulty system.		
ATA 77 Engine Indicating		
Perform detailed introduction to engine indicating according AMM or any other manufacturer information.		
Check/ replace/ install engine instruments.		
Check/ replace/ install oil temperature bulb/ indicator.		
Check/ replace/ install exhaust gas temperature bulb.		
Check/ replace/ install oil pressure bulb, indicator.		
Check/ replace/ install manifold pressure indicator.		
Check/ replace/ install fuel flow indicator.		
Check/ replace/ install RPM indicator.		
Check sensors/ transducer (fuel, oil pressure, oil temperature, RPM).		
Inspect/ replace/ install thermocouples.		
Adjust thermocouples.		
Check calibration of instruments.		
Check marking of instruments according AFM and/ or AMM.		
Inspect/ check/ replace wires/ cables/ lines.		
Troubleshoot faulty system.		
ATA 78 Exhaust, piston		
Perform detailed introduction to exhaust system according AMM or any other manufacturer information.		
Perform visual inspection on exhaust system.		
Check, replace exhaust gasket.		
Perform inspection of valve seat clearance.		
Inspect welded repair.		
Inspect welded exhaust components.		
Check exhaust heater system.		
Check exhaust hoses, tubing.		

Date of birth:

Signature of applicant: _

Name:

AML No. AT.66.

Parlors damage classification on exhaus system. Image: classification on parlors daving system. Troubleshoot faulty system. Image: classification on parlors daving system. Image: classification on parlors daving system. Parlors detailed introduction to all system according AMA or any other manufacturer alternation. Image: classification on parlors daving system. Image: classification on parlors daving system. Change of chock of level. Image: classification on parlors daving system. Image: classification on parlors daving system. Image: classification on parlors daving system. Change of chock of level. Image: classification on parlors daving system. Image: classification on parlors daving system. Image: classification on parlors daving system. Change display resource relief valve. Image: classification on parlors daving resource relief valve. Image: classification on parlors daving resource relief valve. Image: classification on parlors daving resource relief valve. Image: replace/ install of parlors daving firewall shurd of valve. Image: classification on parlors daving replace/ install of parlors daving parlors daving system. Image: classification on parlors daving system. Perlorm bleeding of all system. Image: classification on starting system according AMM or any other manufacturer information. Image: classification on parlors daving system. Perlorm davined instanter relay. Image: classinerel clussification to starting system accor	Pressure check cabin heater muff.		
ATA 79 0il Image: Constraint of system information. Image: Constraint of system information. Perform detailed introduction to signatem information. Image: Constraint of system information. Image: Constraint of system information. Change oil check oil level. Image: Constraint of system information. Image: Constraint of system information. Image: Constraint of system information. Check/ replace/ install oil filter. Image: Constraint of system information. Image: Constraint of system information. Image: Constraint of system information. Inspect/ replace/ install oil filter. Image: Constraint of system information. Image: Constraint of system information. Image: Constraint of system information. Inspect/ replace/ install oil tank. Image: Constraint of system information. Image: Constraint of system. Image: Constraint of system. Image: replace/ install oil cooler. Image: Constraint of system. Image: Constraint of system. Image: Constraint of system. Image: replace/ install oil lines, tubing. Image: Constraint of system. Image: Constraint of system. Image: Constraint of system. Image: replace/ install oil lines, tubing. Image: Constraint of system. Image: Constraint of system. Image: Constraint of system. Image: replace/ install oil lines, tubing. Image: Constant system. Image: Constraint	Perform damage classification on exhaust system.		
Perform detailed introduction to oil system according AMM or any other manufacturer information. Image: Change ail check oil level. Image: Check oil lev	Troubleshoot faulty system.		
according AMM or any other manufacturer information.Image of Check of level.Image of Check of level.Perform oil dilution.Image of Check replace/ install of filter.Image of Check replace/ install of filter.Image of Check replace/ install of filter.Cut oil filter and perform visual inspection Law. MM and/or any other manufacturer information.Image of Check replace/ install of tark.Image of Check replace/ install of tark.Image of replace/ install oil tark.Image of Check replace/ install oil tark.Image of Check replace/ install oil tark.Image of Check replace/ install oil coler.Image of replace/ install oil coler.Image of Check replace/ install oil coler.Image of Check replace/ install oil coler.Image of Check replace/ install oil coler.Image of replace/ install oil coler.Image of Check replace/ install oil coler.Image of Check replace/ install oil coler.Image of Check replace/ install oil lines. tubing.Image of replace/ install oil coler.Image of Check replace/ install oil lines. tubing.Image of Check replace/ install oil lines. tubing.Image of Check replace/ install oil coler.Image of the place of install oil lines. tubing.Image of Check replace/ install oil coler.Image of Check replace/ install oil coler.Image of Check replace/ install oil coler.Image of targe of coler.Image of Check replace/ install oil coler.Image of Check replace/ install oil coler.Image of Check replace/ install oil coler.Image of targe of coler.Image of Check replace/ install oil coler.Image of Check replace/ install oil coler.Image of Check replace/ install oil coler.Image of targe of col	ATA 79 Oil		
Perform oil dilution. Image: Check/ replace/ install oil filter. Image: Check/ replace/ install oil filter. Cut oil filter and perform visual inspection La.w. AMM and/or any other manufacturer information. Image: Check/ replace/ install oil tank. Image: Check/ replace/ install oil tooler. Image: Check/ replace/ install oil cooler. Image: Check/ replace/ install oil cooler. Image: Check/ replace/ install firewall shut off valve. Image: Check/ replace/ install starter relax.	according AMM or any other manufacturer		
Check/ replace/ install oil filter. Image: Check/ replace/ install oil filter. Image: Check/ replace/ install oil inspection is a.w. AMM and/or any other manufacturer information. Image: Check/ replace/ install oil pump. Image: Check/ replace/ install oil pump. Inspect/ replace/ install oil pump. Image: Check/ replace/ install oil cooler. Image: Check/ replace/ install oil cooler. Image: Check/ replace/ install oil cooler. Clean oil cooler. Image: Check/ replace/ install oil pump. Image: Check/ replace/ install oil cooler. Image: Check/ replace/ install oil pump. Clean oil cooler. Image: Check/ replace/ install oil pump. Image: Check/ replace/ install oil pump. Image: Check/ replace/ install oil pump. Image: Check/ replace/ install oil pump. Image: Check/ replace/ install oil pump. Image: Check/ replace/ install oil pump. Image: Check/ replace/ install oil pump. Image: Chip detectors, magnetic plugs. Image: Check/ replace/ install oil pump. Image: Check/ replace/ install oil pump. Image: Check/ replace/ install oil pump. Image: Chip detectors, magnetic plugs. Image: Check/ replace/ install oil pump. Image: Check/ replace/ install oil pump. Image: Check/ replace/ install oil pump. Image: Chip detectors, magnetic plugs. Image: Check/ replace/ install oil pump. Image: Check/ replace/ install oil pump. Image: Check/ replace/ install starterepump. Image: Check/ replace/	Change oil/ check oil level.		
Cut oil filter and perform visual inspection information. Image of the manufacturer Inspect adjust pressure relief valve. Image of the manufacturer Inspect replace/ install oil tank. Image of the manufacturer Inspect replace/ install oil tank. Image of the manufacturer Inspect replace/ install oil cooler. Image of the manufacturer Clean oil cooler. Image of the manufacturer Inspect replace/ install oil lines, tubing. Image of the manufacturer Perform bleeding of oil system. Image of the manufacturer Inspect chip detectors, magnetic plugs. Image of the manufacturer Troubleshoot faulty system. Image of the manufacturer information. Perform detailed introduction to starting system according AMM or any other manufacturer information. Image of the manufacture information. Replace, inspect starter motor. Image of the manufacture information. Image of the manufacture information. Perform detailed introduction to starting system according AMM or any other manufacturer information. Image of the manufacture information. Replace, inspect starter motor. Image of the manufacture information. Image of the manufacture information. Perform detailed introduction to starting system according AMM or any other manufacture information. Image of the manufacture information.	Perform oil dilution.		
i.a.w. AMM and/or any other manufacturerImage: Amm and and or any other manufacturerInspect/ adjust pressure relief valve.Image: Adjust pressure relief valve.Image: Adjust pressure relief valve.Inspect/ replace/ install oil tank.Image: Adjust pressure relief valve.Image: Adjust pressure relief valve.I	Check/ replace/ install oil filter.		
Inspect/ replace/ install oil tank.Image of the spect/ replace/ install oil pump.Image of the spect/ replace/ install firewall shut off valve.Image of the spect/ replace/ install firewall shut off valve.Image of the spect/ replace/ install firewall shut off valve.Image of the spect/ replace/ install firewall shut off valve.Image of the spect/ replace/ install firewall shut off valve.Image of the spect/ replace/ install firewall shut off valve.Image of the spect/ replace/ install firewall shut off valve.Image of the spect/ replace/ install firewall shut off valve.Image of the spect/ replace/ install starter replace/ install starter replace/ install starter relay.Image of the spect/ replace/ replace/ install starter relay.Image of the spect/ replace/ rep	i.a.w. AMM and/or any other manufacturer		
Inspect/ replace/ install oil pump.Image inspect/ replace/ install oil cooler.Image inspect/ replace/ install firewall shut off valve.Image inspect/ replace/ install starter relay.Image in	Inspect/ adjust pressure relief valve.		
Inspect/ replace/ install oil cooler.Image of the spect/ replace/ install frewall shut off valve.Image of the spect/ replace/ install frewall shut off valve.Image of the spect/ replace/ install frewall shut off valve.Image of the spect/ replace/ install frewall shut off valve.Image of the spect/ replace/ install oil lines, tubing.Image of the spect/ replace/ install starter disk.Image of the spect/ replace/ replace	Inspect/ replace/ install oil tank.		
Clean oil cooler.Image: Clean oil cooler.	Inspect/ replace/ install oil pump.		
Inspect/ replace/ install firewall shut off valve.Image: Check/ replace/ install firewall shut off valve.Image: Check/ replace/ install firewall shut off valve.Check/ replace/ install oil lines, tubing.Image: Check/ replace/ install starter relay.Image: Check/ replace/ install starter disk.Image: Check/ replace/ install starter disk.	Inspect/ replace/ install oil cooler.		
Check/ replace/ install oil lines, tubing.Image: Check/ replace/ install oil lines, tubing.Image: Check/ replace/ install oil lines, tubing.Perform bleeding of oil system.Image: Check/ replace/ install starter disk.Image: Check/ replace/ install starter disk.Image: Check/ replace/ install starter disk.Perform detailed introduction to starting system according AMM or any other manufacturer information.Image: Check/ replace/ install starter relay.Image: Check/ replace/ install starter relay.Image: Check/ replace/ install starter relay.Check replace/ install starter disk.Image: Check/ replace/ install starter disk.Image: Check/ replace/ install starter disk.Image: Check/ replace/ install starter disk.	Clean oil cooler.		
Perform bleeding of oil system.Image: Construct of the system of the system.Image: Construct of the system o	Inspect/ replace/ install firewall shut off valve.		
Inspect chip detectors, magnetic plugs.Image: Chip detectors, magnetic plugs.Image: Chip detectors, magnetic plugs.Troubleshoot faulty system.Image: Chip detectors, magnetic plugs.Image: Chip detectors, magnetic plugs.ATA 80 StartingImage: Chip detailed introduction to starting system according AMM or any other manufacturer information.Image: Chip detailed introduction to starting system according AMM or any other manufacturer information.Replace, inspect starter motor.Image: Chip detailed introduction of starter gear and pinion.Image: Chip detailed introduction of starter gear and pinion.Perform inspection of starter gear and pinion.Image: Chip detailed introduction.Image: Chip detailed introduction.Image: Chip detailed introduction of starter gear and pinion.Image: Chip detailed introduction.Image: Chip detailed introduction.Image: Chip detailed introduction of starter gear and pinion.Image: Chip detailed introduction.Image: Chip detailed introduction.Image: Chip detailed introduction of starter gear and pinion.Image: Chip detailed introduction.Image: Chip detailed introduction.Image: Chip detailed introduction of starter gear and pinion.Image: Chip detailed introduction.Image: Chip detailed introductio	Check/ replace/ install oil lines, tubing.		
Image: constraint of the system of the system of the system of the system according AMM or any other manufacturer information.Image: constraint of the system according AMM or any other manufacturer information.Perform detailed introduction to starting system according AMM or any other manufacturer information.Image: constraint of the system according AMM or any other manufacturer information.Image: constraint of the system according AMM or any other manufacturer information.Replace, inspect starter motor.Image: constraint of the system according AMM or any other manufacturer information.Image: constraint of the system according AMM or any other manufacturer information.Perform inspection of starter gear and pinion.Image: constraint of the system according AMM or any other manufacturer information.Image: constraint of the system according AMM or any other manufacturer information.Image: constraint system according AMM or any other manufacturer information.Image: constraint of the system according AMM or any other manufacturer information.Image: constraint of the system according AMM or any other manufacturer information.Image: constraint system according AMM or any other manufacturer information.Image: constraint of the system according AMM or any other manufacturer information.Image: constraint of the system according AMM or any other manufacturer information.Image: constraint system according AMM or any other manufacturer information.Image: constraint of the system according AMM or any other manufacturer information.Image: constraint of the system according AMM or any other manufacturer information.Image: constraint system according AMM or any other manufacturer information according AMM or any other manufacturer information.Image: constraint of t	Perform bleeding of oil system.		
ATA 80 Starting ATA 80 Starting Perform detailed introduction to starting system according AMM or any other manufacturer information. Imanufacturer information. Replace, inspect starter motor. Imanufacturer information. Imanufacturer information. Perform inspection of starter gear and pinion. Imanufacturer information. Imanufacturer information. Check starter gear clutch. Imanufacturer information. Imanufacturer information. Inspect starter clutch. Imanufacturer information. Imanufacturer information. Check/ replace/ install starter relay. Imanufacturer information. Imanufacturer information. Check replace/ install starter orlay. Imanufacturer information. Imanufacturer information. Imapect replace/ install starter relay. Imanufacturer information. Imanufacturer information. Check replace/ install starter relay. Imanufacturer information. Imanufacturer information. Imapect/ replace/ install starter disk. Imanufacturer information. Imanufacturer information. Imapect/ repair faulty wiring. Imanufacturer information. Imanufacturer information. Imanufacturer information.	Inspect chip detectors, magnetic plugs.		
Perform detailed introduction to starting system according AMM or any other manufacturer information.Image: Constant of the starter motorReplace, inspect starter motor.Image: Constant of the starter gear and pinion.Image: Constant of the starter gear and pinion.Check starter gear clutch.Image: Constant of the starter gear clutch.Image: Constant of the starter gear clutch.Image: Constant of the starter clutch.Image: Constant of the starter relay.Image: Constant of the starter relay.Check/ replace/ install starter relay.Image: Constant of the starter disk.Image: Consta	Troubleshoot faulty system.		
system according AMM or any other manufacturer information.Image: System according AMM or any other manufacturer information.Image: System according AMM or any other manufacturer information.Replace, inspect starter motor.Image: System according AMM or any other Replace, inspect starter motor.Image: System according AMM or any other manufacturer information.Image: System according AMM or any other manufacturer information.Perform inspection of starter gear and pinion.Image: System according AMM or any other Perform inspection of starter gear and pinion.Image: System according AMM or any other Perform inspection of starter gear and pinion.Image: System according AMM or any other Perform inspection of starter gear and pinion.Image: System according AMM or any other Perform inspection of starter gear and pinion.Image: System according AMM or any other Perform inspection of starter gear and pinion.Image: System according AMM or any other Perform inspection of starter clutch.Image: System according AMM or any other Perform inspection of starter clutch.Image: System according AMM or any other Perform inspection of starter clutch.Image: System according AMM or any other Perform inspection of starter clutch.Image: System according AMM or any other Perform inspection of starter clutch.Image: System according AMM or any other Perform inspection of starter clutch.Image: System according AMM or any other Perform inspection of starter clutch.Image: System according AMM or any other Perform inspection of starter clutch.Image: System according AMM or any other Perform inspection of starter clutch.Image: System according AMM or any otherImage: System according AMM or any otherImage: System acco	-		
Perform inspection of starter gear and pinion.Image: Check starter gear clutch.Image: Check starter gear clutch.Image: Check starter clutch.Image: Check replace/ install starter relay.Image: Check replace/ install starter relay.Image: Check replace/ install start control valve.Image: Check replace/ install start control valve.Image: Check replace/ install starter disk.Image: Check repla	system according AMM or any other		
Check starter gear clutch.Image: Check starter clutch.Image: Check replace/ install starter relay.Image: Check replace/ install starter relay.Image: Check replace/ install start control valve.Image: Check replace/ install start control valve.Image: Check replace/ install start control valve.Image: Check replace/ install starter disk.Image: Chec	Replace, inspect starter motor.		
Inspect starter clutch.Inspect starter clutch.Inspect starter clutch.Check/ replace/ install starter relay.Inspect/ replace/ install start control valve.Inspect/ replace/ install start control valve.Check cranking speed.Inspect/ replace/ install starter disk.Inspect/ replace/ install starter disk.	Perform inspection of starter gear and pinion.		
Image: Constant starter relay. Image: Constant starterelay.	Check starter gear clutch.		
Check/ replace/ install start control valve. Image: Check cranking speed. Check cranking speed. Image: Check cranking speed. Image: Check cranking speed. Image: Check cranking speed.	Inspect starter clutch.		
Check cranking speed. Check cranking speed. Inspect/ replace/ install starter disk. Inspect/ repair faulty wiring. Inspect/ repair faulty wiring. Inspect/ repair faulty wiring.	Check/ replace/ install starter relay.		
Inspect/ replace/ install starter disk. Inspect/ repair faulty wiring.	Check/ replace/ install start control valve.		
Inspect/ repair faulty wiring.	Check cranking speed.		
	Inspect/ replace/ install starter disk.		
Troubleshoot faulty system.	Inspect/ repair faulty wiring.		
	Troubleshoot faulty system.		
ATA 81 Turbines, piston engines			
Perform detailed introduction to turbine systems in piston engines (turbochargers) according AMM or any other manufacturer information.	systems in piston engines (turbochargers) according AMM or any other manufacturer		

Date of birth:

Т

Signature of applicant: _

Name:

AML No. AT.66.

Т

Name:	Date	of birth:	AML No. AT.66
	Inspect/ replace/ install turbo-blower.		
	Inspect/ replace/ install heat shields.		
	Inspect/ replace/ install waste gate.		
	Check turbo compressor housing.		
	Check turbo compressor.		
	Check turbo compressor blades.		
	Check turbo compressor lubrication system.		
	Check turbo compressor regulation valve (west gate).		
	Adjust turbo compressor regulation valve (west gate).		
	Adjust density controller.		
	Perform troubleshooting on piston engine with turbines i.a.w. AMM or any other manufacturer information.		
	ATA 83 Accessory gear boxes		
	Perform detailed introduction to accessory gear boxes according AMM or any other manufacturer information.		
	Inspect gearbox.		
	Check/ repair/ install reduction gearbox.		
	Remove/ install components on reduction gearbox.		
	Check propeller reduction gear.		
	Check propeller reduction gear clutch.		
	Replace/ inspect drive shaft.		
	Inspect magnetic chip detector.		

Basic Experience Tasks List acc. 66.A.30, Annex III (Part-66) of Regulation 1321/2014

General Information regarding the tasks:

At least 50% of the relevant tasks should be demonstrated.

2. 3.

At least one task in each subpoint is to be performed. Not performed tasks should be left open and may be compensated by additional tasks added under the rubric "additional tasks" (Block 08).

Block 03 Tasks list for AML category L2 or L2C for composite ELA1 aeroplanes Supervisor Date Task Workorder Registry of Aircraft Type of Aircraft Signature ATA 51 Standard practices and structure (damage classification, assessment and repair) Perform detailed introduction to standard practices and structure according AMM or any other manufacturer information. Perform tip-test/coin-test and light-test. Assess class and type of damage (according AMM and/or AC. 43.13) Prepare different types of adhesives (according AMM and/or AC.43.13) for repairs Prepare/ select fiberglass materials of different stiffness (45% vs. 90%). Evaluate/ adapt environmental conditions for work with composite. Perform repair of composite sandwich structure (i.a.w. AMM and/or AC. 43.13) Perform repair of composite surface structure (i.a.w. AMM and/or AC. 43.13). Prepare/ perform painting after repair. Perform balancing after repair/ painting (i.a.w. AMM) Inspect/ repair/ replace lose rivets, fasteners, cam-locks. Assess corrosion. Treat corrosion. Apply protective treatment. Inspect/ repair of empennage components. Apply protective treatment. Perform resistance measurement of bonding system ATA 52 Doors Inspect passenger door/ canopy i.a.w. AMM. Rig/ adjust locking mechanism. Check operation of emergency exits. Test door warning system. Troubleshoot faulty locking system. Remove and install passenger door (i.a.w. AMM). Remove and install emergency exit (i.a.w. AMM).

Name:	Date of birth:		AML No. AT.66		
	Inspect cargo door (i.a.w. AMM).				
	ATA 53 Fuselage				
	Inspect stringers, bulkheads, ribs.				
	Inspect former/ connectors/ attachments.				
	Inspect surface (dents, cracks, holes, delamination).				
	Inspect assessment holes.				
	Check for disbonding.				
	Inspect firewall.				
	ATA 55 Stabilizers				
	Inspect stringers, ribs.				
	Inspect connectors/ attachments.				
	Inspect surface (dents, cracks, holes, delamination).				
	Inspect fin.				
	Check for disbonding.				
	ATA 56 Windows				
	Replace/ install windshield.				
	Check windshield and cabin window.				
	Replace/ install cabin window.				
	Repair transparency of windows.				
	Inspect windows.				
	Inspect sealing.				
	Perform cleaning of windows.				
	ATA 57 Wings				
	Inspect former/ connectors/ attachments.				
	Inspect surface (dents, cracks, holes, delamination).				
	Inspect main bolts.				
	Check/ replace/ install hinges/ bearings.				

Basic Experience Tasks List acc. 66.A.30, Annex III (Part-66) of Regulation 1321/2014

General Information regarding the tasks:

1.

2. 3.

At least **50% of the relevant tasks should be demonstrated**. At least one task in each subpoint is to be performed. Not performed tasks should be left open and may be compensated by additional tasks added under the rubric "additional tasks" (Block 08).

Block 04 Tasks list for AML category L2 for metal ELA1 aeroplanes						
Date	Task	Workorder	Registry of Aircraft	Type of Aircraft	Supervisor Signature	
	ATA 51 Standard practices and structure (damage classification, assessment and repair)				U	
	Perform detailed introduction to standard practices and structure according AMM or any other manufacturer information.					
	Assess class and type of damage (according AMM and/or AC. 43.13).					
	Perform penetrant inspection of cracks (according AMM and/or AC.43.13)					
	Prepare/ select metal sheet material (according AMM and/or AC.43.13)					
	Perform repair of stringer/ or rib/ or spar structure (i.a.w. AMM and/or AC. 43.13).					
	Perform repair of skin structure (i.a.w. AMM and/or AC. 43.13).					
	Perform repair using epoxy type fillers and/ or fiberglass (i.a.w. AMM and/or AC.43.13).					
	Prepare/ perform painting after repair.					
	Perform balancing after repair/ painting (i.a.w. AMM).					
	Inspect/ repair/ replace lose rivets, fasteners, cam-locks.					
	Inspect/ replace/ install hinges of assessment holes.					
	Assess corrosion.					
	Treat corrosion.					
	Apply protective treatment.					
	Inspect/ repair of empennage components.					
	Apply protective treatment.					
	Perform resistance measurement of bonding system					
	ATA 52 Doors					
	Inspect passenger door/ canopy i.a.w. AMM.					
	Rig/ adjust locking mechanism.					
	Check operation of emergency exits.					
	Test door warning system.					
	Troubleshoot faulty locking system.					
	Remove and install passenger door (i.a.w. AMM).					
	Remove and install emergency exit (i.a.w. AMM).					

Name:		Date of birth:	AML No. AT.66
	Inspect cargo door (i.a.w. AMM).		
	ATA 53 Fuselage		
	Inspect stringers, spars, ribs, bulkheads.		
	Inspect former/ connectors/ attachments.		
	Inspect surface (dents, cracks, holes, lose rivets).		
	Inspect assessment holes.		
	Inspect/ replace sealing of firewall.		
	ATA 55 Stabilizers		
	Inspect stringers, spars, ribs.		
	Inspect former/ connectors/ attachments.		
	Inspect surface (dents, cracks, holes, lose rivets).		
	Inspect fin.		
	Check for disbonding.		
	ATA 56 Windows		
	Replace/ install windshield.		
	Check windshield and cabin window.		
	Replace/ install cabin window.		
	Repair transparency of windows.		
	Inspect windows.		
	Inspect sealing.		
	Perform cleaning of windows.		
	ATA 57 Wings		
	Inspect stringers, spars, ribs.		
	Inspect connectors/ attachments.		
	Inspect surface (dents, cracks, holes, lose rivets).		
	Inspect main bolts.		
	Check/ replace/ install hinges/ bearings.		
	Check for disbanding.		

Г

Basic Experience Tasks List acc. 66.A.30, Annex III (Part-66) of Regulation 1321/2014

General Information regarding the tasks:

1.

2. 3.

At least **50% of the relevant tasks should be demonstrated**. At least one task in each subpoint is to be performed. Not performed tasks should be left open and may be compensated by additional tasks added under the rubric "additional tasks" (Block 08).

ate	Task	Workorder	Registry of Aircraft	Type of Aircraft	Supervisor Signature
	ATA 51 Standard practices and structure (damage classification, assessment and repair)				oignature
	Perform detailed introduction to standard practices and structure according AMM or any other manufacturer information.				
	Assess type of damage (according AMM and/or AC. 43.13).				
	Inspect wood structure using tapping method.				
	Prepare different types of adhesives (according AMM and/or AC.43.13) for repairs				
	Prepare/ select wood materials for repairs.				
	Perform repair of wood (primary) structure (i.a.w. AMM and/or AC. 43.13) - one of the following three options is mandatory Perform repair of spar				
	(i.a.w. AMM and/or AC. 43.13).				
	Perform repair of rib (i.a.w. AMM and/or AC. 43.13).				
	Perform repair of box-spar (i.a.w. AMM and/or AC.43.13)				
	Perform repair of plywood surface structure, needing bending (i.a.w. AMM and/or AC. 43.13).				
	Prepare/ perform finishing of repair.				
	Prepare/ perform painting after repair.				
	Perform balancing after repair/ painting (i.a.w. AMM).				
	Inspect/ test coating (tension, loose fabric, cracks - i.a.w. AMM and/or AC.43.13).				
	Prepare/ select fabric materials (i.a.w. AMM and/or AC.43.13).				
	Evaluate/ adapt environmental conditions for work with fabric.				
	Perform repair of fabric covering (i.a.w. AMM and/or AC. 43.13).				
	Perform lacing (including blind lacing) i.a.w. AMM and/or AC.43.13.				
	Perform doping and taping i.a.w. AMM and/or AC.43.13.				
	Inspect/ repair/ replace lose rivets, fasteners, cam-locks.				
	Assess corrosion.				
	Treat corrosion.				
	Apply protective treatment.				
	Inspect/ repair of empennage components.				

Vame	: C	Date of birth:	 AML No. A	AT.66
	Apply protective treatment.			
	Perform resistance measurement of bonding system			
	ATA 52 Doors			
	Inspect passenger door/ canopy i.a.w. AMM			
	Rig/ adjust locking mechanism.			
	Check operation of emergency exits.			
	Test door warning system.			
	Troubleshoot faulty locking system.			
	Remove and install passenger door (i.a.w. AMM).			
	Remove and install emergency exit (i.a.w. AMM).			
	Inspect cargo door (i.a.w. AMM).			
	ATA 53 Fuselage			
	Inspect stringers, bulkheads, ribs.			
	Inspect connectors/ attachments.			
	Inspect surface (dents, cracks, holes, decay, bond/ finish failures).			
	Inspect assessment holes.			
	Check for disbonding.			
	Inspect firewall.			
	ATA 55 Stabilizers			
	Inspect stringers, ribs.			
	Inspect connectors/ attachments.			
	Inspect surface (dents, cracks, holes, decay, bond/ finish failures).			
	Inspect fin.			
	Check for disbonding.			
	ATA 56 Windows			
	Replace/ install windshield.			
	Check windshield and cabin window.			
	Replace/ install cabin window.			
	Repair transparency of windows.			
	Inspect windows.			
	Inspect sealing.			
	Perform cleaning of windows.			
	ATA 57 Wings			
	Inspect connectors/ attachments.			

Name:	Date	of birth:	 AML No. A	AT.66
	Inspect surface (dents, cracks, holes, decay, bond/ finish failures).			
	Inspect main bolts.			
	Check/ replace/ install hinges/ bearings.			

Basic Experience Tasks List acc. 66.A.30, Annex III (Part-66) of Regulation 1321/2014

General Information regarding the tasks:

1.

At least **50% of the relevant tasks should be demonstrated**. At least one task in each subpoint is to be performed. Not performed tasks should be left open and may be compensated by additional tasks added under the rubric "additional tasks" (Block 08). 2. 3.

ate	Task	Workorder	Registry of Aircraft	Type of Aircraft	Supervisor Signature
	ATA 51 Standard practices and structure (damage classification, assessment and				Signature
	Perform detailed introduction to standard practices and structure according AMM or any other manufacturer information.				
	Inspect/ test coating (tension, loose fabric, cracks - i.a.w. AMM and/or AC.43.13).				
	Inspect/ test metal tubes (according AMM and/or AC. 43.13)				
	Perform penetrant inspection of cracks (according AMM and/or AC.43.13).				
	Assess type of damage (according AMM and/or AC. 43.13).				
	Perform repair of metal tube fuselage structure (i.a.w. AMM and/or AC. 43.13).				
	Perform repair of stringer/ or rib/ or spar structure of wing/ or stabilizer/ or aileron/ or elevator (i.a.w. AMM and/or AC.43.13)				
	Prepare/ select fabric materials (i.a.w. AMM and/or AC.43.13).				
	Evaluate/ adapt environmental conditions for work with fabric.				
	Perform repairs of fabric covering (i.a.w. AMM and/or AC. 43.13).				
	Perform lacing (including blind lacing) i.a.w. AMM and/or AC.43.13.				
	Perform doping and taping i.a.w. AMM and/or AC.43.13.				
	Prepare/ perform painting after repair.				
	Perform balancing after repair/ painting (i.a.w. AMM).				
	Inspect/ repair/ replace lose rivets, fasteners, cam-locks.				
	Assess corrosion.				
	Treat corrosion.				
	Apply protective treatment.				
	Inspect/ repair of empennage components.				
	Apply protective treatment.				
	Perform resistance measurement of bonding system				
	ATA 52 Doors				
	Inspect passenger door/ canopy i.a.w. AMM.				
	Rig/ adjust locking mechanism.				

Name	Da	ate of birth:	 AML No.	AT.66
	Check operation of emergency exits.			
	Test door warning system.			
	Troubleshoot faulty locking system.			
	Remove and install passenger door (i.a.w. AMM).			
	Remove and install emergency exit (i.a.w. AMM).			
	Inspect cargo door (i.a.w. AMM).			
	ATA 53 Fuselage			
	Inspect stringers, bulkheads, ribs.			
	Inspect connectors/ attachments.			
	Inspect surface (tension, loose fabric, cracks - i.a.w. AMM and/or AC.43.13).	-		
	Inspect assessment holes.			
	Check for disbonding.			
	Inspect firewall.			
	ATA 55 Stabilizers			
	Inspect stringers, ribs.			
	Inspect connectors/ attachments.			
	Inspect surface (tension, loose fabric, cracks - i.a.w. AMM and/or AC.43.13).	-		
	Inspect fin.			
	Check for disbonding.			
	ATA 56 Windows			
	Replace/ install windshield.			
	Check windshield and cabin window.			
	Replace/ install cabin window.			
	Repair transparency of windows.			
	Inspect windows.			
	Inspect sealing.			
	Perform cleaning of windows.			
	ATA 57 Wings			
	Inspect connectors/ attachments.			
	Inspect surface (tension, loose fabric, cracks - i.a.w. AMM and/or AC.43.13).	-		
	Inspect main bolts.			
	Check/ replace/ install hinges/ bearings.			

Basic Experience Tasks List acc. 66.A.30, Annex III (Part-66) of Regulation 1321/2014

General Information regarding the tasks: least 50% of the relevant tasks should be demonstrated and should include the mandatory tasks.

1.

At least one task in each subpoint is to be performed. Not performed tasks should be left open and may be compensated by additional tasks added under the rubric "additional tasks" (Block 08). Relevant tasks for the different subcategories are marked. 2. 3.

	Block 07 Tasks	list for	AML ca	itegory	L1(C) o	r L2	2(C)	
Date	Task	Workorder	Registry of Aircraft	Type of Aircraft	L1	L1(C)	L2	L2(C)	Supervisor Signature
	General activities								- 3
	Placards check or replace				х	х	х	х	
	Weighing, weight & balance sheet				х	х	х	х	
	Documentation of annual inspection, repair				х	х	х	х	
	Review records for compliance with airworthiness directives				х	х	х	х	
	Annual inspections				х	х	х	х	
	Annual inspections				х	х	х	х	
	Annual inspections				х	х	х	х	
	Annual inspections				х	х	х	х	
	Annual inspections				х	х	х	х	
	Inspection after an occurrence				х	х	х	х	
	Dismantling/reinstallation of wings and empennages				х	х	х	х	
	Leveling and weighing								
	Level the sailplane				х	х	х	х	
	Weighing, weight & balance sheet				х	х	х	х	
	Prepare a weight and balance amendment				х	х	х	х	
	Check the list of equipment				х	х	х	х	
	Flight controls and flight control systems								
	Aileron, flaps: Removal - Balancing - Reinstallation				х	х	х	х	
	Elevator: Removal - Balancing - Reinstallation				х	х	х	х	
	Rudder: Removal - Balancing - Reinstallation				х	х	х	х	
	Rudder cable: Fabrication and installation				х	х	х	х	
	Elevator pushrod: Installation				х	х	х	х	
	Safeguarding of pins, screws, castellated nuts				х	х	х	х	
	Sealing of gaps				х	х	х	х	

Name:	Date of birth:					AML No. AT.66				
	Electrical systems									
	Electrical components, wiring: Removal - Installation				х	Х	х	Х		
	Batteries - Servicing				х	х	х	Х		
	Avionics systems									
	COM: Removal - Installation				х	Х	х	Х		
	NAV: Removal - Installation				х	Х	х	Х		
	Transponder: Removal - Installation				х	Х	х	Х		
	Antenna/ antenna cable: Removal - Installation				х	Х	х	Х		
	Cabin equipment/systems									
	Belts/ safety harnesses: Removal - Installation				х	Х	х	Х		
	Oxygen system removal installation - Test				х	Х	х	Х		
	Canopy replacement or repair				х	Х	х	Х		
	Pitot/ static system: Removal - Installation - Test				х	Х	х	Х		
	Flight instruments: Removal - Installation				х	Х	х	Х		
	Installation of approved equipment				х	Х	х	Х		
	Compass: Installation - Compensation				х	Х	х	Х		
	Tow release: Removal - Installation				х	Х	х	Х		
	Water ballast system: Removal - Installation - Test				х	Х	х	Х		
	Undercarriage: Removal - Installation				х	Х	х	Х		
	Brake system: Replacement of components				х	Х	х	Х		
	Fuel - Engine - Propeller - Engine - Instruments									
	Assemble prop after transportation.						х	Х		
	Replace propeller.						х	Х		
	Replace governor.						х	Х		
	Adjust governor.						х	Х		
	Perform static functional checks.						х	Х		
	Check operation during ground run.						х	Х		
	Check track.						х	Х		
	Check setting of micro switches.						Х	Х		
	Assessment of blade damage i.a.w. AMM.						х	Х		
	Dynamically balance prop.						х	Х		
	Remove/install reduction gear.						х	Х		
	Check crankshaft run-out.						х	Х		
	Check tappet clearance.						х	Х		

Name:		Date of birth:		A	ML No	. AT.66
	Check compression.			х	х	
	Extract broken stud.			х	х	
	Install helicoil.			х	х	
	Perform ground run.			х	х	
	Establish/check reference RPM.			х	х	
	Replace engine driven pump.			х	х	
	Adjust AMC.			Х	х	
	Adjust ABC.			Х	х	
	Install carburettor/injector.			х	х	
	Adjust carburettor/injector.			х	х	
	Clean injector nozzles.			х	х	
	Replace primer line.			х	х	
	Check carburettor float setting.			х	х	
	Change magneto.			х	х	
	Change ignition vibrator.			х	х	
	Change plugs.			х	х	
	Test plugs.			х	х	
	Check H.T. leads.			х	х	
	Install new leads.			х	х	
	Check timing.			х	х	
	Check system bonding.			х	х	
	Replace engine instruments(s).			х	х	
	Replace oil temperature bulb.			х	х	
	Replace thermocouples			х	х	
	Check calibration			х	х	
	Replace exhaust gasket.			х	х	
	Inspect welded repair.			х	х	
	Pressure check cabin heater muff.			x	х	
	Troubleshoot faulty system.			x	х	
	Verification and adjustment of folding system of powered sailplanes			x	x	
	Wooden structures/ Metal tubes and fabric					
	Inspection/testing for damages		x	х		
	Rib structure repair		x	х		
	Plywood skin repair		x	х		

Name:	Date of birth:				AML No. AT.66					
Recover or repair structure with fa	bric	х		х						
Protective coating and finishing		х		Х						
Install patch on fabric material		х		Х						
Repair of fairings		х		Х						
Composite structures										
Laminate repair		х	Х	Х	Х					
Sandwich structure repair		х	Х	Х	Х					
Partial gel coat repair		х	Х	х	Х					
Complete gel coating		х	Х	Х	Х					
Repair of fairings		х	Х	х	Х					
Metal structures										
Crack testing		х		Х						
Repair of covering		Х		Х						
Drilling cracks		х		х						
Riveting jobs		х		Х						
Bonding of structures		х		Х						
Anti-corrosion treatment		х		Х						
Repair of fairings		х		Х						

Date	er each additional maintenance t Task	Workorder	Registry of Aircraft	Type of Aircraft	L1	L1(C)	L2	L2(C)	Supervisor Signature
			. in ordit	, arotait					eignataro
-+									