

Application for the issue of an instrument rating for aeroplanes according to Commission Regulation (EU) No 1178/2011 Annex I (Part-FCL) Subpart G and extension of the IR privileges

Please fill in the framed fields of the form, sign it and send it together with attachments to:

AUSTRO CONTROL GmbH, Aviation Agency, Department LSA/PEL/Licencing, Wagramer Straße 19, 1220 Vienna, Austria

1 Type of app	plication					
I apply for the						
issue of an instr	rument rating for single	e-engine aeroplanes				
issue of an instr	issue of an instrument rating for multi-engine aeroplanes					
extension of the	e privileges of the instru	ument rating from sin	gle- to multi-	engine aeroplanes		
according to Comm	nission Regulation (EU) No 1178/2011 Anne	ex I (Part-FC	L) Appendix 6 A.		
2 Applicant						
	C LICENCE N	LIMPED.				
	S LICENCE N	U M B E R :		Last Name		
Title	First Name			Last Name		
Street			Dlaco		Doctol	Country
Sireei			Place		Postal	Country
Telephone	Fax		E-Mail			
Тегернопе	T dx		L-IVIAII			
Date of Birth		Place of Birth		Citizenship)	
20.00 0. 2						
Place	Date Sigr	nature of Applicant				
	3					
	cepted by / to be sent					
the Applicant		the Company				
Company (name/add	ress)		Signature			
4 Confirmation	on of the theoretical t	training by the ATO				
From (Date)	Until (Date)	Head of Training (Na	ame)		ATO (App	roval Number)
The Head of Training	confirms that the training	was performed in	Signature of	the Head of Traini	ng and Se	eal of the ATO
compliance with the pr	ovisions of Part-FCL and the applicant possesses all	ne approved training				
	e theoretical examination.	relevant theoretical				
E Confirmation	on of the augeocafull	v passed theoretics	Lovaminatio	NO /40 ha filled by the		ovella mile v A CCV
5 Confirmation of the successfully passed theoretical of Name and signature of the responsible official				al of the competen		
ramo ana signatui	o or the responsible of	norui	Date and 36	a or the competen	t dati loi ity	





APPLICANT'S LICENCE NUMBER: Confirmation of the flight training by the ATO Until (Date) Head of Training (Name) From (Date) ATO (Approval Number) Signature of Head of Training and Seal of ATO The Head of Training confirms that the training has been performed in compliance with Part-FCL and the approved training manuals, and that the applicant possesses all relevant knowledge and skills to take the skill test on the following Class/Type: Summary of the ATO of knowledge and flight experience before the skill test is taken Pre-entry requirements 1 2/IR valid until: a) Medical certificate date of issue: b) Radiotelephony licence (incl. IR privileges) passed (date): c) Language proficiency English min. level 4 d) Flight experience as PIC on cross-country flights min. 50 hours: Training for the initial issue of an instrument rating for single-engine aeroplanes min. 50 hours: e) Number of hours IR flight instruction e.i) thereof on FNPT I max. 20 hours: e.ii) thereof on FNPT II or FFS max. 35 hours: Training for the initial issue of an instrument rating for multi-engine aeroplanes min. 55 hours: f) Number of hours IR flight instruction f.i) thereof on FNPT I max. 25 hours: max. 40 hours: f.ii) threof on FNPT II or FFS Training for the extension of an instrument rating from single to multi-engine aeroplanes g) Number of hours IR flight instruction min 5 hours: thereof on FNPT II or FFS max. 3 hours: Credits according to Part-FCL Appendix 6 A. max. 10 hours: h) Holder of a CPL(A) license max. 10 Stunden: i) Basic instrument flight training module completed (attach certificate) training course reduced to j) Holder of an IR(H) (min. 10 hours):

austro

Application for the issue of an instrument rating for aeroplanes according to Commission Regulation (EU) No 1178/2011 Annex I (Part-FCL) Subpart G and extension of the IR privileges

8 Attachments (Please attach, if not specified differently, copies of the listed documents to the application)

- · Medical certificate
- Pilot logbook (relevant pages)
- · Radiotelephony licence
- Protocol of the language proficiency examination (if not already submitted by LPE)
- · Confirmation of payment of the examination fee

9 Con	duct of the skill test			
Applicant	First Name	Last Name	Licence Number	
Examiner	First Name	Last Name	Examiner Number	Seat occupied by Exam
Aircraft Class/Type/Variant		Registration		
FSTD if applicable	Class/Type/Variant	FSTD-ID	FSTD Operator/Location	
аррваве				
Flight	Date of Test	Time on Controls	# Landings	# Approaches
details				
Leg #1	Block-off Departure Destin	nation Block-on Leg #2	Block-off Departure	Destination Block-on
40 01 111				

10 Skill Test Report


	TION 1 - PRE-FLIGHT OPERATIONS AND DEPARTURE f checklist, airmanship, anti-icing/de-icing procedures, etc., apply in all sections	1 st attempt	2 nd attempt
а	Use of flight manual (or equivalent) especially a/c performance calculation, mass and balance		
b	Use of Air Traffic Services document, weather document		
С	Preparation of ATC flight plan, IFR flight plan/log		
d	Identification of the required navaids for departure, arrival and approach procedures		
е	Pre-flight inspection		
f	Weather Minima		
g	Taxiing		
h	PBN departure (if applicable): Check that the correckt procedure has been loaded in the navigation system; and Cross-check between the navigation system display and the departure chart.		
i	Pre-take-off briefing, Take-off		
j(°)	Transition to instrument flight		
k(°)	Instrument departure procedures, including PBN departures, and altimeter setting		
l(°)	ATC liaison - compliance, R/T procedures		

Application for the issue of an instrument rating for aeroplanes according to Commission Regulation (EU) No 1178/2011 Annex I (Part-FCL) Subpart G and extension of the IR privileges



APPLICANT'S LICENCE NUMBER:

SEC	ΓΙΟΝ 2 - GENERAL HANDLING(°)	1 st attempt	2 nd attempt
а	Control of the aeroplane by reference solely to instruments, including: level flight at various speeds, trim		
b	Climbing and descending turns with sustained Rate 1 turn		
С	Recoveries from unusual attitudes, including sustained 45° bank turns and steep descending turns		
d(*)	Recovery from approach to stall in level flight, climbing/descending turns and in landing configuration - only applicable to aeroplanes		
е	Limited panel: stabilised climb or descent, level turns at Rate 1 onto given headings, recovery from unusual attitudes - only applicable to aeroplanes		
SEC	TION 3 - EN-ROUTE-IFR-PROCEDURES(°)	1 st attempt	2 nd attempt
а	Tracking, including interception, e.g. NDB, VOR, or track between waypoints		
b	Use of navigation system and radio aids		
С	Level flight, control of heading, altitude and airspeed, power setting, trim technique		
d	Altimeter settings		
е	Timing and revision of ETAs (en-route hold, if required)		
f	Monitoring of flight progress, flight log, fuel usage, systems' management		
g	Ice protection procedures, simulated if necessary		
h	ATC liaison - compliance, R/T procedures		
SEC	TION 3a - ARRIVAL PROCEDURES	1 st attempt	2 nd attempt
а	Setting and checking of navigational aids, if applicable		
b	Arrival procedures, altimeter checks		
С	Altitude and speed constraints, if applicable		
	PBN arrival (if applicable):		
d	Check that the correct procedure has been loaded in the navigation system; and		
	- Cross-check between the navigation system display and the arrival chart.	. ct	- nd
SEC	FION 4(°) - 3D Operations(**)	1 st attempt	2 nd attempt
а	Setting and checking of navigational aids Check Vertical Path angle For RNP APCH: - Check that the correct procedure has been loaded in the navigation system; and		
b	Cross-check between the navigation system display and the approach chart. Approach and landing briefing, including descent/approach/landing checks, including identification of facilities		
	Holding procedure		
c(*)		i	
c(⁺)	Compliance with published approach procedure		
	Compliance with published approach procedure Approach timing		






APPLICANT'S LICENCE NUMBER:

		1 st attempt	2 nd attempt
g(⁺)	Go-around action		
h(⁺)	Missed approach procedure/landing		
i	ATC liaison - compliance, R/T procedures		
SECT	ION 5(°) - 2D OPERATIONS(**)	1 st attempt	2 nd attempt
а	Setting and checking of navigational aids For RNP APCH: - Check that the correct procedure has been loaded in the navigation system; and - Cross-check between the navigation system display and the approach chart.		
b	Approach and landing briefing, including descent/approach/landing checks, including identification of facilities		
c(⁺)	Holding procedure		
d	Compliance with published approach procedure		
е	Approach timing		
f	Altitude/Distance to MAPT, speed, heading control (stabilised approach), Stop Down Fixes (SDF(s)), if applicable		
g(⁺)	Go-around action		
h(⁺)	Missed approach procedure/landing		
i(⁺)	ATC liaison - compliance, R/T procedures		
SECTION 6 - FLIGHT WITH ONE ENGINE INOPERATIVE (multi-engine aeroplanes only)(°)		1 st attempt	2 nd attempt
а	Simulated engine failure after take-off or on go-around		
b	Approach, go-around and procedural missed approach with one engine inoperative		
С	Approach and landing with one engine inoperative		
d	ATC liaison - compliance, R/T procedures		

- (°) Must be performed by sole reference to instruments
- (*) May be performed in an FFS, FTD 2/3 or FNPT II
- (*) May be performed in either section 5 or section 6
- (**) To establish or maintain PBN privileges one approach in either section 4 or section 5 shall be an RNP APCH. Where an RNP APCH is not practicable, it shall be performed in an appropriately equipped FSTD.

RESULTS OF THE TEST SECTIONS						
"P" - passed "F" - failed	1	2	3	4	5	6
REMARKS						





11 Skill Test Result			
PASSED	PARTIALLY PASSED	FAILED	
Signature of Examiner	Result ackno	owledged - Signature of Applicant	
12 Guidelines for the conduct of	the skill test		

- (1) An applicant for an IR shall have received instruction on the same class or type of aircraft to be used in the test which shall be appropriately equipped for the training and testing purposes.
- (2) An applicant shall pass all the relevant sections of the skill test. If any item in a section is failed, that section is failed. Failure in more than one section will require the applicant to take the entire test again. An applicant failing only one section shall only repeat the failed section. Failure in any section of the retest, including those sections that have been passed on a previous attempt, will require the applicant to take the entire test again. All relevant sections of the skill test shall be completed within 6 months. Failure to achieve a pass in all relevant sections of the test in two attempts will require further training.
- (3) Further training may be required following a failed skill test. There is no limit to the number of skill tests that may be attempted.

CONDUCT OF THE TEST

- (4) The test is intended to simulate a practical flight. The route to be flown shall be chosen by the examiner. An essential element is the ability of the applicant to plan and conduct the flight from routine briefing material. The applicant shall undertake the flight planning and shall ensure that all equipment and documentation for the execution of the flight are on board. The duration of the flight shall be at least 1 hour.
- (5) Should the applicant choose to terminate a skill test for reasons considered inadequate by the examiner, the applicant shall retake the entire skill test. If the test is terminated for reasons considered adequate by the examiner, only those sections not completed shall be tested in a further flight.
- (6) At the discretion of the examiner, any manoeuvre or procedure of the test may be repeated once by the applicant. The examiner may stop the test at any stage if it is considered that the applicant's demonstration of flying skill requires a complete retest.
- (7) An applicant shall fly the aircraft from a position where the PIC functions can be performed and to carry out the test as if there is no other crew member. The examiner shall take no part in the operation of the aircraft, except when intervention is necessary in the interests of safety or to avoid unacceptable delay to other traffic. Responsibility for the flight shall be allocated in accordance with national regulations.
- (8) Decision heights/altitude, minimum descent heights/altitudes and missed approach point shall be determined by the applicant and agreed by the examiner.
- (9) An applicant for an IR shall indicate to the examiner the checks and duties carried out, including the identification of radio facilities. Checks shall be completed in accordance with the authorised checklist for the aircraft on which the test is being taken. During pre-flight preparation for the test the applicant is required to determine power settings and speeds. Performance data for take-off, approach and landing shall be calculated by the applicant in compliance with the operations manual or flight manual for the aircraft used.

FLIGHT TEST TOLERANCES

- (10) The applicant shall demonstrate the ability to:
 - (1) operate the aeroplane within its limitations;
 - (2) complete all manoeuvres with smoothness and accuracy;
 - (3) exercise good judgement and airmanship;
 - (4) apply aeronautical knowledge; and
 - (5) maintain control of the aircraft at all times in such a manner that the successful outcome of a procedure or manoeuvre is never seriously in doubt.

Application for the issue of an instrument rating for aeroplanes according to Commission Regulation (EU) No 1178/2011 Annex I (Part-FCL) Subpart G and extension of the IR privileges



(11) The following limits shall apply, corrected to make allowance for turbulent conditions and the handling qualities and performance of the aircraft used:

(1) Height

(i) Generally

(ii) Starting a go-around at decision height/altitude

(iii) Minimum descent height/MAP/altitude

± 100 feet

+ 50 feet / - 0 feet

+ 50 feet / - 0 feet

(2) Tracking

(i) On radio aids

(ii) For angular deviations

(iii) 2D (LNAV) and 3D (LNAV/VNAV) "linear" lateral Deviations

(iv) 3D linear vertical deviations(e.g. RNP APCH (LNAV/VNAV)using BaroVNAV)

±5°

Half scale deflection, azimuth und glide path

(e.g. LPV, ILS, MLS, GLS)

cross-track error/deviation shall normally be limited to $\pm \frac{1}{2}$ the RNP value associated with the procedure. Brief deviations from this standard up to a maximum of 1 time

the RNP value are allowable.

not more than - 75 feet below the vertical profile at any time, and not more than + 75 feet above the vertical profile at or below 1000 feet above aerodrome level.

(3) Heading

(i) all engines operating

(ii) with simulated engine failure

±5°

± 10°

(4) Speed

(i) all engines operating

i) with simulated engine failure

± 5 knots

+ 10 knots / - 5 knots