

LOG-BOOK – 02

General Aircraft Type Practical Experience List of Tasks for Group 3 Aircrafts

Category B

COMPOSITE STRUCTURE

Name of Trainee:

Date of birth:



According AMC 66.A.45(f) Type/task training and ratings:

Type experience should cover an acceptable cross section of tasks from Appendix II. For the first aircraft type of each manufacturer group, at least 50% of the Appendix II tasks, as applicable to the concerned aircraft type and licence category should be performed. For the second aircraft type of each manufacturer group, this should be reduced to 30%. For subsequent aircraft types of each manufacturer group, this should be reduced to 20%.

General:

Block 01				General	date	es			
Aircraft ty	/pes:				Airc	raft types:			
Aircraft re	egist	rations:			Airci	raft registrations:			
Block 02									
Name	e of r	maintenance Orgar	nisation	Approval refere Maintenance				f accounta al manage	
Block 03									
Name of Supervise		Name of Assessor		ition, Organisation, al No/ Licence Number	r	Signature sample	Assessm started (c		essment eted (date)
Block 04									
ATA 05 Tii	me li	imits/ Maintenance	checks						
Date			Competence ob	tained		САТ	Trainee Signature	upervisor Signature	AsK or Signature
М		form job preparation neral aviation aircra		ual hour check		В3			
М		sist carrying out a so any other manufactu		tenance check i.a.w. AM n.	1M	В3			
М	Rev	view aircraft mainter	nance logs for	correct completion.		B3			
М	Rev	view records for con	npliance with a	airworthiness directives.		B3			
М	info		ters and other	service bulletins, service available manufacturer		В3			
М	Rev	view records for con	npliance with o	component life limits.		В3			
М	Per acc	form job preparation	n for unschedu Jfacturer main	uled maintenance inspected tenance data/informatio	ctions	В3			



According AMC 66.A.45(f) Type/task training and ratings:

Type experience should cover an acceptable cross section of tasks from Appendix II. For the first aircraft type of each manufacturer group, at least 50% of the Appendix II tasks, as applicable to the concerned aircraft type and licence category should be performed. For the second aircraft type of each manufacturer group, this should be reduced to 30%. For subsequent aircraft types of each manufacturer group, this should be reduced to 20%.

General:

					1
М	Prepare procedure for inspection following hard landing.	B3			
М	Prepare procedure for inspection following lightning strike.	B3			
М	Perform at least one unscheduled maintenance inspection according aircraft manufacturer maintenance data/ information. See notes after page 16: Note detailed each performed unscheduled maintenance inspection.	B3			
М	Prepare/ perform ground-run.	B3			
0	Prepare check flight.	B3			
ATA 06 D	imensions/ Areas				
Date	Competence obtained	САТ	Trainee Signature	Supervisor Signature	Assessor Signature
М	Locate component(s) by station number.	B3			
М	Perform deduction of possible damages by using station number – diagram.	B3			
0	Perform symmetry check.	B3			
ATA 07 L	ifting and Shoring/ Assist in:				
Date	Competence obtained	САТ	Trainee Signature	Supervisor Signature	Assessor Signature
М	Jack aircraft on nose wheel or tail wheel.	B3			
М	Jack complete aircraft.	B3			
0	Sling or trestle major component.	B3			
ATA 08 L	eveling/ Weighing			1	1
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
М	Perform levelling of the aircraft.	B3			
М	Perform weight and balance of the aircraft.	B3			
М	Perform weight and balance of flight controls.	B3			
М	Perform weight and balance amendment.	B3			
0	Check aircraft against equipment list (According Aircraft AFM or MEL or other manufacturer documents)	B3			
ATA 09 T	owing and Taxiing	•	• •		
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
М	Prepare for aircraft towing/ handling.	B3			



According AMC 66.A.45(f) Type/task training and ratings:

Type experience should cover an acceptable cross section of tasks from Appendix II. For the first aircraft type of each manufacturer group, at least 50% of the Appendix II tasks, as applicable to the concerned aircraft type and licence category should be performed. For the second aircraft type of each manufacturer group, this should be reduced to 30%. For subsequent aircraft types of each manufacturer group, this should be reduced to 20%.

General:

			_	-	
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
М	Tie down aircraft.	B3			
М	Park, secure and cover aircraft.	B3			
ATA 11 P	lacards and Markings				
Date	Competence obtained	САТ	Trainee Signature	Supervisor Signature	Assessor Signature
0	Check aircraft for correct placards.	B3			
0	Check aircraft for correct markings.	B3			
ATA 12 S	ervicing				
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
М	Refuel aircraft.	B3			
М	Defuel aircraft.	B3			
0	Carry out tank to tank fuel transfer.	B3			
М	Check/ adjust tire pressure.	B3			
М	Check/ replenish oil level.	B3			
М	Check/ replenish hydraulic fluid level.	B3			
0	Check/ replenish accumulator pressure.	B3			
Μ	Perform servicing of hydraulic shock absorbers/ cylinders (e.g. landing gear system)	B3			
М	Grease aircraft according Maintenance manual.	B3			
М	Connect ground power.	B3			
М	Perform pre-flight/ daily check	B3			
М	Perform power on test/ switch-on airplane systems to perform all items according pre-flight/ daily or maintenance checks according AFM or AMM.	B3			
	Note: Describe all performed tasks detailed after Page 11				
ATA 21/ 2	21A Air Conditioning/ Air Supply				1
Date	Competence obtained	САТ	Trainee Signature	Supervisor Signature	Assessor Signature
М	Perform detailed introduction to air conditioning/ air supply system according AMM or any other manufacturer information.	B3			
М	Check operation of air conditioning/ heating system.	B3			
0	Check/ replace/ install flow control valve.	B3			
0	Check/ replace/ install cabin blower.	B3			
М	Check/ replace/ install heat exchanger.	B3		l	



According AMC 66.A.45(f) Type/task training and ratings:

Type experience should cover an acceptable cross section of tasks from Appendix II. For the first aircraft type of each manufacturer group, at least 50% of the Appendix II tasks, as applicable to the concerned aircraft type and licence category should be performed. For the second aircraft type of each manufacturer group, this should be reduced to 30%. For subsequent aircraft types of each manufacturer group, this should be reduced to 20%.

General:

М	Inspect avionics ventilation components.	В3			
М	Inspect/ replace/ install air filter.	B3			
М	Check/ replace/ install /clean hoses and tubes of heating system.	B3			
М	Troubleshoot faulty system.	B3			
ATA 22 A	uto flight				
Date	Competence obtained	САТ	Trainee Signature	Supervisor Signature	Assessor Signature
М	Perform detailed introduction to auto flight system according AMM or any other manufacturer information.	В3			
М	Check/ replace/ install/ adjust servos.	B3			
М	Check/ replace/ install/ adjust servo clutch.	B3			
М	Inspect/ adjust rig bridle cables	B3			
М	Check/ replace/ install controller.	B3			
М	Check/ replace/ install amplifier.	B3			
М	Check operation of auto-pilot.	B3			
М	Troubleshoot faulty system.	B3			
ATA 23 C	communications				
Date	Competence obtained	САТ	Trainee Signature	Supervisor Signature	Assessor Signature
М	Perform detailed introduction to communication system according AMM or any other manufacturer information.	В3			
М	Check operation of radios. Example: Perform check i.a.w. AFM, AMM.	В3			
М	Replace/ install communication unit (e.g. COMNAV unit)	B3			
М	Replace/ crimp connector.	B3			
0	Check antenna.	B3			
М	Replace/ install static discharger.	B3			
М	Troubleshoot faulty system.	B3			
ATA 24 E	lectrical Power		L		1
			Trainee	Supervisor	Assessor
Date	Competence obtained	CAT	Signature	Signature	Signature
Date M	Competence obtained Perform detailed introduction to electrical power system according AMM or any other manufacturer information.	ВЗ	Signature	Signature	Signature
	Perform detailed introduction to electrical power system according		Signature	Signature	Signature
М	Perform detailed introduction to electrical power system according AMM or any other manufacturer information.	В3	Signature	Signature	Signature
M	Perform detailed introduction to electrical power system according AMM or any other manufacturer information. Charge lead/ acid battery.	B3 B3	Signature	Signature	Signature



According AMC 66.A.45(f) Type/task training and ratings:

Type experience should cover an acceptable cross section of tasks from Appendix II. For the first aircraft type of each manufacturer group, at least 50% of the Appendix II tasks, as applicable to the concerned aircraft type and licence category should be performed. For the second aircraft type of each manufacturer group, this should be reduced to 30%. For subsequent aircraft types of each manufacturer group, this should be reduced to 20%.

General:

М	Check/ replace/ install battery.	B3			
М	Deep-cycle Ni-Cd battery.	B3			
М	Check/ replace/ install generator/ alternator.	B3			
М	Check of generator/ alternator mounting.	B3			
0	Check generator/ alternator carbon block i.a.w AMM.	B3			
М	Check/ install of generator/ alternator driven belt.	B3			
М	Check/ replace / install switches and connectors.	B3			
М	Check/ replace / install circuit breakers.	B3			
М	Check/ replace/ install voltage regulator.	B3			
0	Adjust voltage regulator.	B3			
М	Check/ replace / install of battery relay, overvoltage relay or sensor system.	В3			
0	Check/ replace/ install reverse current relay.	B3			
М	Check/ replace/ install indicating lights.	B3			
М	Perform standard maintenance inspection/ repair/ replacement/ installation of electrical wire, connectors according AMM or any other manufacturer information or AC 43.13.	B3			
М	Troubleshoot faulty system.	B3			
ATA 25/ 2	25A Equipment/ Furnishings incl. emergency equipment				
Date	Competence obtained	САТ	Trainee Signature	Supervisor Signature	Assessor Signature
М					
	Perform detailed introduction to equipment and furnishings according AMM or any other manufacturer information.	В3			
0		B3 B3			
0	according AMM or any other manufacturer information.	-			
	according AMM or any other manufacturer information. Replace/ install carpets.	B3			
0	according AMM or any other manufacturer information. Replace/ install carpets. Replace/ install crew seats.	B3 B3			
0	according AMM or any other manufacturer information. Replace/ install carpets. Replace/ install crew seats. Replace/ install passenger seats.	B3 B3 B3			
0 0 M	according AMM or any other manufacturer information. Replace/ install carpets. Replace/ install crew seats. Replace/ install passenger seats. Check inertia reels.	B3 B3 B3 B3 B3			
0 0 M M	according AMM or any other manufacturer information. Replace/ install carpets. Replace/ install crew seats. Replace/ install passenger seats. Check inertia reels. Check/ replace/ install seats/ belts for security. Check emergency equipment.	B3 B3 B3 B3 B3 B3			
0 0 M M 0	according AMM or any other manufacturer information. Replace/ install carpets. Replace/ install crew seats. Replace/ install passenger seats. Check inertia reels. Check/ replace/ install seats/ belts for security. Check emergency equipment. Example: First Aid Kit	B3 B3 B3 B3 B3 B3 B3			
0 0 M M 0 M	according AMM or any other manufacturer information. Replace/ install carpets. Replace/ install crew seats. Replace/ install passenger seats. Check inertia reels. Check/ replace/ install seats/ belts for security. Check emergency equipment. Example: First Aid Kit Check ELT for compliance with regulations.	B3 B3 B3 B3 B3 B3 B3			
0 0 M M 0 M M	according AMM or any other manufacturer information. Replace/ install carpets. Replace/ install crew seats. Replace/ install passenger seats. Check inertia reels. Check/ replace/ install seats/ belts for security. Check emergency equipment. Example: First Aid Kit Check LLT for compliance with regulations. Check/ replace/ install ELT Battery.	B3 B3 B3 B3 B3 B3 B3 B3			



According AMC 66.A.45(f) Type/task training and ratings:

Type experience should cover an acceptable cross section of tasks from Appendix II. For the first aircraft type of each manufacturer group, at least 50% of the Appendix II tasks, as applicable to the concerned aircraft type and licence category should be performed. For the second aircraft type of each manufacturer group, this should be reduced to 30%. For subsequent aircraft types of each manufacturer group, this should be reduced to 20%.

General:

ATA 26 F	ire protection				
Date	Competence obtained	САТ	Trainee Signature	Supervisor Signature	Assessor Signature
М	Perform detailed introduction fire protection system according AMM or any other manufacturer information.	B3			
М	Check cabin fire extinguisher contents.	B3			
IVI	Example: Portable fire extinguisher	DO			
0	Replace/ install new fire extinguisher.	B3			
М	Check fire resistance sealing of engine compartment (wall).	B3			
М	Check fire resistance of hoses, tubes and sealing.	B3			
ATA 27 F	light Controls				
Date	Competence obtained	САТ	Trainee Signature	Supervisor Signature	Assessor Signature
М	Perform detailed introduction to flight control system according AMM or any other manufacturer information.	В3			
М	Check/ inspect primary flight controls and related components i.a.w. AMM.	В3			
М	Deactivation/ reactivation of aileron, rudder and or elevator servo control.	В3			
0	Extend/ retract flaps & slats.	B3			
М	Check/ replace/ install flaps.	В3			
0	Replace/ install flap actuator.	B3			
0	Replace/ install horizontal or vertical stabiliser.	B3			
0	Replace/ install spoiler/ lift damper.	B3			
М	One of the following three activities is mandatory:	B3			
0	Replace/ install/ rig/adjust elevator.	В3			
0	Replace/ install/ rig/ adjust aileron.	В3			
0	Replace/ install/ rig/ adjust rudder.	B3			
М	Replace/ install/ rig/ adjust trim tabs.	B3			
М	Inspect/ replace/ splice control cable.	B3			
М	Inspect/ adjust control cable tension.	B3		1	
0	Replace/ install pulley.	B3			
М	Adjust turnbuckle.	B3			
М	Check/ replace/ install/ adjust push rod of aileron/ or rudder/ or elevator.	B3			
М	Check/ adjust flight control range and direction of movement.	B3			



According AMC 66.A.45(f) Type/task training and ratings:

Type experience should cover an acceptable cross section of tasks from Appendix II. For the first aircraft type of each manufacturer group, at least 50% of the Appendix II tasks, as applicable to the concerned aircraft type and licence category should be performed. For the second aircraft type of each manufacturer group, this should be reduced to 30%. For subsequent aircraft types of each manufacturer group, this should be reduced to 20%.

General:

0	Replace/ install powered flying control unit.	B3			
М	Troubleshoot faulty system.	B3			
М	Check/ replace/ install/ adjust elevator trim/ or rudder trim/ or aileron trim	B3			
М	Inspect control tubes, connection devices (forks, eye bearings).	B3			
М	Inspect/ check of bell cranks, torque tubes, control tubes, spindles – actuators.	B3			
0	Replace/ adjust stall warning.	B3			
ATA 28 F	uel Systems				
Date	Competence obtained	САТ	Trainee Signature	Supervisor Signature	Assessor Signature
М	Perform a detailed introduction to fuel system acc. AMM or any other manufacturer information.	В3			
0	Check water drain system (operation).	B3			
0	Replace /install water drain valve.	B3			
0	Replace /install fuel selector.	B3			
М	Perform inspection of fuel selector.	B3			
М	Replace /install / inspect fuel hoses and tubes – fittings/ connectors.	B3			
М	Inspect fuel lines, hoses and tubing.	B3			
М	Check fuel ventilation system	B3			
0	Replace /install fuel tank cells.	B3			
М	Inspect fuel tank cells.	B3			
М	Replace /install /check fuel control valves.	B3			
0	Replace /install magnetic fuel level indicators.	B3			
0	Check/ calculate fuel contents manually.	B3			
0	Replace /install booster pump.	B3			
М	Check filters.	B3			
М	Perform flow check of fuel system.	B3			
М	Check calibration/ adjustment of fuel quantity gauges.	B3			



According AMC 66.A.45(f) Type/task training and ratings:

Type experience should cover an acceptable cross section of tasks from Appendix II. For the first aircraft type of each manufacturer group, at least 50% of the Appendix II tasks, as applicable to the concerned aircraft type and licence category should be performed. For the second aircraft type of each manufacturer group, this should be reduced to 30%. For subsequent aircraft types of each manufacturer group, this should be reduced to 20%.

General:

М	Check calibration/ adjustment of fuel quantity gauges (just for integrated electronic systems)	В3			
М	Check operation feed/ selectors.	B3			
0	Check operation of fuel dump/ jettison system.	B3			
М	Troubleshoot faulty system.	B3			
0	Pressure defuel or fueling.	B3			
0	Pressure refuel (manual control).	B3			
0	Deactivation/ reactivation of the fuel valves (transfer defuel, X-feed, refuel).	B3			
ATA 29 H	lydraulic Power	·			·
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
Μ	Perform a detailed introduction of hydraulic system according AMM or any other manufacturer information.	В3			
0	Replace/ install/ inspect pump.	B3			
М	Check/ replace case drain filter.	B3			
0	Replace / install/ inspect standby pump.	B3			
М	Replace/ install/ inspect hydraulic motor pump/ generator.	B3			
М	Replace/ install/ inspect accumulator.	B3			
М	Inspect of hydraulic lines, hoses and tubing.	B3			
М	Check operation of shut-off valve.	B3			
М	Check filters/ clog system and indicator.	B3			
М	Check indicating systems.	B3			
М	Pressurization/ depressurization of hydraulic system.	B3			
0	Perform an introduction to Power Transfer Unit (PTU) operation.	B3			
М	Troubleshoot faulty system.	B3			
ATA 30 lo	ce and rain protection			1	
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
М	Perform a detailed introduction of ice and rain protection system according AMM or any other manufacturer information.	В3			
М	Check operation of anti-ice/ de-ice systems.	B3			
М	Operational test the pitot-probe ice protection.	B3			
0	Operational test the TAT ice protection.	B3			
0	Operational test of the wing ice protection system.	B3			
0	Replace/ install timer.	B3			



According AMC 66.A.45(f) Type/task training and ratings:

Type experience should cover an acceptable cross section of tasks from Appendix II. For the first aircraft type of each manufacturer group, at least 50% of the Appendix II tasks, as applicable to the concerned aircraft type and licence category should be performed. For the second aircraft type of each manufacturer group, this should be reduced to 30%. For subsequent aircraft types of each manufacturer group, this should be reduced to 20%.

General:

М	Inspect/ repair propeller or wing device boot.	B3			
0	Replace/ install wiper motor.	B3			
М	Inspect/ test propeller de-icing system.	B3			
М	Inspect/ test wing leading edge de-icing boot.	B3			
0	Inspect/ replace anti-ice/ de-ice valve.	B3			
0	Assistance to the operational test of the engine air-intake ice protection (engines operating).	B3			
М	Perform inspection of ice and rain detection probes.	В3			
М	Perform inspection of lines, hoses and tubing of liquid ice protection systems.	B3			
М	Troubleshoot faulty system.	B3			
ATA 31 Ir	ndicating/ recording systems				
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
М	Perform a detailed introduction of indicating and recording systems according AMM or any other manufacturer information.	B3			
0	Check/ replace/ install clock.	B3			
М	Perform BITE test of the indicating/ recording systems.	B3			
М	Ground scanning of the central warning system.	B3			
М	Inspect correct marking of indicators.	B3			
М	Replace/ install/ inspect air speed indicators.	B3			
0	Replace/ install/ inspect altimeter indicators.	B3			
0	Replace/ install/ inspect vertical speed indicators	B3			
М	Perform inspection and/ or change of instrument hoses and tubing.	В3			
М	Replace/ install/ inspect gyro.	B3			
М	Replace/ install/ inspect oil pressure indicators.	B3			
0	Replace/ install/ inspect fuel indicators.	B3			
М	Replace/ install/ inspect manifold indicators.	B3			
М	Replace/ install/ inspect RPM indicators.	B3			
М	Replace/install/ inspect voltage/ current indicator.	B3			
М	Troubleshoot faulty system.	B3			



According AMC 66.A.45(f) Type/task training and ratings:

Type experience should cover an acceptable cross section of tasks from Appendix II. For the first aircraft type of each manufacturer group, at least 50% of the Appendix II tasks, as applicable to the concerned aircraft type and licence category should be performed. For the second aircraft type of each manufacturer group, this should be reduced to 30%. For subsequent aircraft types of each manufacturer group, this should be reduced to 20%.

General:

ATA 32 La	anding Gear				
Date	Competence obtained	САТ	Trainee Signature	Supervisor Signature	Assessor Signature
М	Perform a detailed introduction of landing gear according AMM or any other manufacturer information.	B3			
0	Build up wheel.	B3			
М	Check/ replace/ install nose or main wheel.	B3			
М	Inspect wheels (tube, tyre, wheel halfs, bearings)	B3			
0	Lubricate wheel bearings.	B3			
М	Inspect/ replace/ install break tubing, lines and/ or hoses, break disks.	В3			
0	Replace/ install brake control valve.	В3			
М	Check/ replace/ install of parking break valve.	В3			
М	Bleed brakes.	B3			
М	Check/ test/ adjust gear retraction system.	B3			
М	Replace/ install gear retraction actuator.	B3			
М	Check/ replace/ install unlock/ downlock assembly.	B3			
М	Adjust micro switches/ sensors.	B3			
М	Replace/ install/ service shimmy damper.	B3			
0	Rig nose wheel steering.	B3			
М	Test nose/ or tail wheel steering system.	B3			
М	Service/ replace/ install shock strut seals.	B3			
ATA 33 Li	ghts	-			
Date	Competence obtained	САТ	Trainee Signature	Supervisor Signature	Assessor Signature
0	Check/ replace/ install rotating beacon or flashlight.	B3			
0	Check/ replace/ install landing lights.	B3			
0	Check/ replace/ install instrument lights.	B3			
0	Check/ replace/ install navigation lights.	B3			
0	Check/ replace/ install interior lights.	B3			
0	Check/ replace/ install emergency lighting system.	B3			
М	Check/ replace/ install wiring and connectors of lighting system.	B3			
М	Perform emergency lighting system checks.	B3			
М	Troubleshoot faulty system.	B3			



According AMC 66.A.45(f) Type/task training and ratings:

Type experience should cover an acceptable cross section of tasks from Appendix II. For the first aircraft type of each manufacturer group, at least 50% of the Appendix II tasks, as applicable to the concerned aircraft type and licence category should be performed. For the second aircraft type of each manufacturer group, this should be reduced to 30%. For subsequent aircraft types of each manufacturer group, this should be reduced to 20%.

General:

ATA 34 N	lavigation				
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
М	Perform detailed introduction to navigation system according AMM or any other manufacturer information.	B3			
0	Check/ replace/ install pitot-static probe.	В3			
М	Perform pitot-static system leak test.	В3			
0	Replace/ install magnetic compass.	В3			
М	Test/ adjust magnetic compass.	В3			
М	Check/ replace/ install directional gyro.	В3			
М	Check/ replace/ install attitude gyro.	В3			
0	Replace/ install HSI.	В3			
0	Check/ replace/ install VOR unit.	В3			
0	Check/ replace/ install ADF unit.	В3			
М	Check/ replace/ install Transponder unit and perform functional test.	В3			
М	Perform functional check of GPS system.	В3			
М	Inspect antennas.	В3			
М	Inspect wiring and connectors of navigation systems.	В3			
ATA 35 C	Dxygen	_		-	
Date	Competence obtained	САТ	Trainee Signature	Supervisor Signature	Assessor Signature
М	Perform detailed introduction to oxygen system according AMM or any other manufacturer information.	В3			
М	Inspect on board oxygen equipment.	B3			
М	Inspect oxygen mask, bottle and regulator.	В3			
М	Inspect oxygen hoses and tubing.	B3			
М	Purge and recharge oxygen system.	B3			
0	Replace/ install regulator.	B3			
0	Replace / install oxygen generator.	B3			
М	Test crew oxygen system.	B3			
М	Perform auto oxygen system deployment check.	B3			
М	Troubleshoot faulty system.	B3			



According AMC 66.A.45(f) Type/task training and ratings:

Type experience should cover an acceptable cross section of tasks from Appendix II. For the first aircraft type of each manufacturer group, at least 50% of the Appendix II tasks, as applicable to the concerned aircraft type and licence category should be performed. For the second aircraft type of each manufacturer group, this should be reduced to 30%. For subsequent aircraft types of each manufacturer group, this should be reduced to 20%.

General:

			Trainee	Supervisor	Assessor
Date	Competence obtained	CAT	Signature	Signature	Signature
М	Perform detailed introduction to navigation system according AMM or any other manufacturer information.	B3			
М	Check/ replace/ install filter.	B3			
0	Replace/ install air shut-off valve.	B3			
М	Replace/ install pressure regulating valve.	B3			
Μ	Replace/ install inspect compressor pump.	B3			
Μ	Inspect pneumatic system's hoses and tubing.	B3			
М	Recharge desiccator.	B3			
0	Adjust regulator.	B3			
М	Check for leaks.	B3			
М	Troubleshoot faulty system.	B3			
TA 37 V	acuum systems				
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
Μ	Perform detailed introduction to vacuum system according AMM or any other manufacturer information.	B3			
М	Inspect the vacuum system i.a.w. AMM.	B3			
М	Check/ replace filters.	B3			
М	Perform inspection of vacuum system's hoses and tubing.	B3			
М	Replace/ install vacuum pump.	B3			
0	Adjust regulator.	B3			
М	Troubleshoot faulty system.	B3			
TA 51 S	tandard practices and structure (damage classification, assessm	ent and repair)			
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
М	Perform detailed introduction to standard practices and structure according AMM or any other manufacturer information.	B3			
М	Perform tip-test/coin-test and light-test.	B3			
М	Assess class and type of damage (according AMM and/or AC. 43.13).	B3			
М	Prepare different types of adhesives (according AMM and/or AC.43.13) for repairs	B3			
М	Prepare/ select fiberglass materials of different stiffness (45% vs. 90%).	B3			



According AMC 66.A.45(f) Type/task training and ratings:

Type experience should cover an acceptable cross section of tasks from Appendix II. For the first aircraft type of each manufacturer group, at least 50% of the Appendix II tasks, as applicable to the concerned aircraft type and licence category should be performed. For the second aircraft type of each manufacturer group, this should be reduced to 30%. For subsequent aircraft types of each manufacturer group, this should be reduced to 20%.

General:

М	Evaluate/ adapt environmental conditions for work with composite.	В3			
М	Perform repair of composite sandwich structure (i.a.w. AMM and/or AC. 43.13).	B3			
М	Perform repair of composite surface structure (i.a.w. AMM and/or AC. 43.13).	В3			
0	Prepare /perform painting after repair.	В3			
М	Perform balancing after repair /painting (i.a.w. AMM).	B3			
М	Inspect/ repair/ replace lose rivets, fasteners, cam-locks.	B3			
М	Assess corrosion.	B3			
М	Treat corrosion.	B3			
М	Apply protective treatment.	B3			
М	Inspect/ repair of empennage components.	B3			
М	Apply protective treatment.	B3			
0	Perform resistance measurement of bonding system	B3			
ATA 52 D	oors				
Data			Trainee	Supervisor	Assessor
Date	Competence obtained	CAT	Signature	Signature	Signature
M	Competence obtained Inspect passenger door/ canopy i.a.w. AMM.	ВЗ			
М	Inspect passenger door/ canopy i.a.w. AMM.	B3			
M	Inspect passenger door/ canopy i.a.w. AMM. Rig/ adjust locking mechanism.	B3 B3			
M O M	Inspect passenger door/ canopy i.a.w. AMM. Rig/ adjust locking mechanism. Check operation of emergency exits.	B3 B3 B3 B3			
M O M M	Inspect passenger door/ canopy i.a.w. AMM. Rig/ adjust locking mechanism. Check operation of emergency exits. Test door warning system.	B3 B3 B3 B3 B3			
M O M M M	Inspect passenger door/ canopy i.a.w. AMM. Rig/ adjust locking mechanism. Check operation of emergency exits. Test door warning system. Troubleshoot faulty locking system.	B3 B3 B3 B3 B3 B3 B3			
M 0 M M 0	Inspect passenger door/ canopy i.a.w. AMM. Rig/ adjust locking mechanism. Check operation of emergency exits. Test door warning system. Troubleshoot faulty locking system. Remove and install passenger door (i.a.w. AMM).	B3 B3 B3 B3 B3 B3 B3 B3			
M 0 M M 0 0	Inspect passenger door/ canopy i.a.w. AMM. Rig/ adjust locking mechanism. Check operation of emergency exits. Test door warning system. Troubleshoot faulty locking system. Remove and install passenger door (i.a.w. AMM). Remove and install emergency exit (i.a.w. AMM). Inspect cargo door (i.a.w. AMM).	B3 B3 B3 B3 B3 B3 B3 B3 B3			
M 0 M M 0 0 0	Inspect passenger door/ canopy i.a.w. AMM. Rig/ adjust locking mechanism. Check operation of emergency exits. Test door warning system. Troubleshoot faulty locking system. Remove and install passenger door (i.a.w. AMM). Remove and install emergency exit (i.a.w. AMM). Inspect cargo door (i.a.w. AMM).	B3 B3 B3 B3 B3 B3 B3 B3 B3			
M O M M O O O ATA 53 F	Inspect passenger door/ canopy i.a.w. AMM. Rig/ adjust locking mechanism. Check operation of emergency exits. Test door warning system. Troubleshoot faulty locking system. Remove and install passenger door (i.a.w. AMM). Remove and install emergency exit (i.a.w. AMM). Inspect cargo door (i.a.w. AMM). uselage	B3 B3 B3 B3 B3 B3 B3 B3 B3 B3 B3	Signature	Supervisor	Assessor
M O M M O O O ATA 53 F Date	Inspect passenger door/ canopy i.a.w. AMM. Rig/ adjust locking mechanism. Check operation of emergency exits. Test door warning system. Troubleshoot faulty locking system. Remove and install passenger door (i.a.w. AMM). Remove and install emergency exit (i.a.w. AMM). Inspect cargo door (i.a.w. AMM). uselage	B3 B3 B3 B3 B3 B3 B3 B3 B3 CAT	Signature	Supervisor	Signature Assessor
M O M M O O O ATA 53 F Date M	Inspect passenger door/ canopy i.a.w. AMM. Rig/ adjust locking mechanism. Check operation of emergency exits. Test door warning system. Troubleshoot faulty locking system. Remove and install passenger door (i.a.w. AMM). Remove and install emergency exit (i.a.w. AMM). Inspect cargo door (i.a.w. AMM). uselage Competence obtained Inspect stringers, bulkheads, ribs.	B3 B3 B3 B3 B3 B3 B3 B3 B3 B3 B3 B3 B3 B	Signature	Supervisor	Signature Assessor



According AMC 66.A.45(f) Type/task training and ratings:

Type experience should cover an acceptable cross section of tasks from Appendix II. For the first aircraft type of each manufacturer group, at least 50% of the Appendix II tasks, as applicable to the concerned aircraft type and licence category should be performed. For the second aircraft type of each manufacturer group, this should be reduced to 30%. For subsequent aircraft types of each manufacturer group, this should be reduced to 20%.

General:

0	Inspect assessment holes.	В3			
М	Check for disbonding.	B3			
М	Inspect firewall.	В3			
ATA 55 S	itabilizers				
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
0	Inspect stringers, ribs.	B3			
М	Inspect former/ connectors/ attachments.	B3			
М	Inspect surface (dents, cracks, holes, delamination).	B3			
М	Inspect fin.	B3			
0	Check for disbonding.	B3			
ATA 56 V	Vindows				<u> </u>
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
0	Replace/ install windshield.	B3			
М	Check windshield and cabin window.	B3			
0	Replace/ install cabin window.	B3			
М	Repair transparency of windows.	B3			
М	Inspect windows.	B3			
М	Inspect sealing.	В3			
М	Perform cleaning of windows.	B3			
ATA 57 V	Vings		1	1	
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
М	Inspect former/ connectors/ attachments.	B3			
М	Inspect surface (dents, cracks, holes, delamination).	B3			
М	Inspect main bolts.	B3			
М	Check/ replace/ install hinges/ bearings.	B3			



According AMC 66.A.45(f) Type/task training and ratings:

Type experience should cover an acceptable cross section of tasks from Appendix II. For the first aircraft type of each manufacturer group, at least 50% of the Appendix II tasks, as applicable to the concerned aircraft type and licence category should be performed. For the second aircraft type of each manufacturer group, this should be reduced to 30%. For subsequent aircraft types of each manufacturer group, this should be reduced to 20%.

General:

ATA 61 P	ropeller	1			
Date	Competence obtained	CAT	Trainee Signature	Supervisor Signature	Assessor Signature
М	Perform detailed introduction to propeller according AMM or any other manufacturer information.	B3			
М	Check/ assemble propeller after transportation.	B3			
М	Replace/ install propeller.	B3			
М	Perform propeller adjustments (basic adjustments).	B3			
Μ	Replace/ install governor.	B3			
М	Perform governor adjustments.	B3			
М	Perform static functional checks.	B3			
М	Check operation during ground run.	B3			
М	Check propeller track.	B3			
М	Check setting of micro switches.	B3			
М	Troubleshoot faulty system.	B3			
М	Inspect propeller bolt and nuts.	B3			
М	Inspect propeller spinner and propeller hold down plates.	B3			
М	Inspect propeller blades.	B3			
0	Dynamically balance of prop-blade.	B3			
М	Assess/ repair of propeller – blade damage i.a.w. AMM. for metal.	B3			
М	Assess/ repair of propeller – blade damage i.a.w. AMM. for wooden.	B3			
М	Assess/ repair of propeller – blade damage i.a.w. AMM. for wooden – composite.	B3			
М	Perform re-torque check after installation on wooden propeller.	B3			
М	Perform re-torque check after installation on metal.	B3			
М	Perform check of security of propeller bolts.	B3			
\dditio	nal remarks: Note her each additional maintenance ta following columns.	ask which was	performed by	trainee in the	
		ļ			



According AMC 66.A.45(f) Type/task training and ratings:

Type experience should cover an acceptable cross section of tasks from Appendix II. For the first aircraft type of each manufacturer group, at least 50% of the Appendix II tasks, as applicable to the concerned aircraft type and licence category should be performed. For the second aircraft type of each manufacturer group, this should be reduced to 30%. For subsequent aircraft types of each manufacturer group, this should be reduced to 20%.

General:

